

12/13 - P1 - CASI H7.1 - No. serves of fruit/day				
ghb13a2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	133.2208	3.37	133.2208	3.37
-3	12.48866	0.32	145.7095	3.68
0	301.2996	7.62	447.009	11.30
1	1727.4	43.67	2174.409	54.96
2	1245.125	31.47	3419.534	86.44
3	384.0234	9.71	3803.558	96.15
4	90.68852	2.29	3894.246	98.44
5	48.34821	1.22	3942.594	99.66
6	7.223741	0.18	3949.818	99.84
7	1.285058	0.03	3951.103	99.88
8	2.882922	0.07	3953.986	99.95
10	2.014012	0.05	3956	100.00

12/13 - P1 - CASI H7.1 - No. serves of fruit/day (6+)				
ghb13a2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	133.2208	3.37	133.2208	3.37
-3	12.48866	0.32	145.7095	3.68
Less than 1	301.2996	7.62	447.009	11.30
1	1727.4	43.67	2174.409	54.96
2	1245.125	31.47	3419.534	86.44
3	384.0234	9.71	3803.558	96.15
4	90.68852	2.29	3894.246	98.44
5	48.34821	1.22	3942.594	99.66
6 or more	13.40573	0.34	3956	100.00

12/13 - P1 - CASI H7.2 - No. serves of vegetables/day				
ghb13a1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	133.2208	3.37	133.2208	3.37
-3	9.522744	0.24	142.7436	3.61
0	35.37323	0.89	178.1168	4.50
1	1018.802	25.75	1196.919	30.26
2	1134.5	28.68	2331.419	58.93
3	894.3193	22.61	3225.738	81.54
4	440.4608	11.13	3666.199	92.67
5	210.936	5.33	3877.135	98.01
6	50.78609	1.28	3927.921	99.29
7	13.07856	0.33	3941	99.62
8	5.656286	0.14	3946.656	99.76
9	1.535383	0.04	3948.192	99.80

12/13 - P1 - CASI H7.2 - No. serves of vegetables/day				
ghb13a1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10	2.704998	0.07	3950.897	99.87
12	5.103403	0.13	3956	100.00

12/13 - P1 - CASI H7.2 - No. serves of vegetables/day (6+)				
ghb13a1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	133.2208	3.37	133.2208	3.37
-3	9.522744	0.24	142.7436	3.61
Less than 1	35.37323	0.89	178.1168	4.50
1	1018.802	25.75	1196.919	30.26
2	1134.5	28.68	2331.419	58.93
3	894.3193	22.61	3225.738	81.54
4	440.4608	11.13	3666.199	92.67
5	210.936	5.33	3877.135	98.01
6 or more	78.86471	1.99	3956	100.00

12/13 - P1 - CASI H7.3 - Days per week exercise				
ghb14a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	133.2208	3.37	133.2208	3.37
-3	9.95521	0.25	143.176	3.62
0	507.61	12.83	650.786	16.45
1	525.7086	13.29	1176.495	29.74
2	646.395	16.34	1822.89	46.08
3	730.109	18.46	2552.999	64.53
4	461.5078	11.67	3014.506	76.20
5	500.7305	12.66	3515.237	88.86
6	183.0542	4.63	3698.291	93.49
7	257.7089	6.51	3956	100.00

12/13 - P1 - CASI H8.1/H8.2 - Current cigarette smoking-Frequency				
ghb15a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	133.2208	3.37	133.2208	3.37
-3	7.929784	0.20	141.1506	3.57
Do not smoke at all	3085.785	78.00	3226.936	81.57
Less than once a day	84.8983	2.15	3311.834	83.72
At least once a day	644.1657	16.28	3956	100.00

12/13 - P1 - CASI H8.1- Current cigarette smoking				
ghb15a5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	133.2208	3.37	133.2208	3.37
-3	7.929784	0.20	141.1506	3.57
Yes	729.064	18.43	870.2146	22.00
No	3085.785	78.00	3956	100.00

12/13 - P1 - CASI H8.2 - Smoke once a day				
ghb15a7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	141.1506	3.57	141.1506	3.57
Yes	644.1657	16.28	785.3163	19.85
No	3170.684	80.15	3956	100.00

12/13 - P1 - CASI H8.3 - No. cigarettes smoked per day				
ghb15a8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3311.834	83.72	3311.834	83.72
1 to 5 per day	95.66472	2.42	3407.499	86.13
6 to 10 per day	202.2551	5.11	3609.754	91.25
11 to 20 per day	264.7898	6.69	3874.544	97.94
More than 20 per day	81.45609	2.06	3956	100.00

12/13 - P1 - CASI H8.4 - No. residents smoke inside				
ghb15a4b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	271.9528	6.87	271.9528	6.87
-3	20.83036	0.53	292.7832	7.40
0	3284.556	83.03	3577.339	90.43
1	227.7797	5.76	3805.119	96.19
2	128.9754	3.26	3934.094	99.45
3	13.81214	0.35	3947.906	99.80
4	3.809259	0.10	3951.716	99.89
5	2.46685	0.06	3954.182	99.95
9	1.81758	0.05	3956	100.00

12/13 - P1 - CASI H8.4 - No. residents smoke inside (5+)				
ghb15a4a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	271.9528	6.87	271.9528	6.87
-3	20.83036	0.53	292.7832	7.40
None	3284.556	83.03	3577.339	90.43
1	227.7797	5.76	3805.119	96.19
2	128.9754	3.26	3934.094	99.45

12/13 - P1 - CASI H8.4 - No. residents smoke inside (5+)				
ghb15a4a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3	13.81214	0.35	3947.906	99.80
4	3.809259	0.10	3951.716	99.89
5 or more	4.28443	0.11	3956	100.00

12/13 - P1 - CASI H9.1 - Frequency of drinking alcohol				
ghb16a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	133.2208	3.37	133.2208	3.37
-3	7.12404	0.18	140.3449	3.55
Never	618.728	15.64	759.0729	19.19
Not in the last year	179.6445	4.54	938.7173	23.73
Monthly or less	937.8341	23.71	1876.551	47.44
2 to 3 times a month	447.6768	11.32	2324.228	58.75
Once a week	448.0387	11.33	2772.267	70.08
2 to 3 times a week	715.8904	18.10	3488.157	88.17
4 to 6 times a week	354.1135	8.95	3842.271	97.13
Everyday	113.7292	2.87	3956	100.00

12/13 - P1 - CASI H9.2 - Av. daily alcohol when drinking				
ghb16a3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	751.9488	19.01	751.9488	19.01
-3	8.918281	0.23	760.8671	19.23
1 or 2	2200.845	55.63	2961.712	74.87
3 or 4	742.6411	18.77	3704.353	93.64
5 or 6	197.576	4.99	3901.929	98.63
7 to 10	46.72581	1.18	3948.655	99.81
11 or more	7.345009	0.19	3956	100.00

12/13 - P1 - CASI H9.3 - Freq binge drinking (v4)-5 or more std drinks				
ghb16a7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	760.8671	19.23	760.8671	19.23
Everyday	24.05222	0.61	784.9193	19.84
4-6 times a week	14.91787	0.38	799.8372	20.22
2-3 times a week	62.9964	1.59	862.8336	21.81
Once a week	216.3933	5.47	1079.227	27.28
2-3 times a month	169.7363	4.29	1248.963	31.57
Monthly or less	1065.944	26.95	2314.908	58.52
Never	1641.092	41.48	3956	100.00

12/13 - P1 - CASI H9.4 - Freq binge drinking (v4)-7 or more std drinks				
ghb16a8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	762.239	19.27	762.239	19.27
-3	7.589468	0.19	769.8284	19.46
Everyday	10.0319	0.25	779.8603	19.71
4-6 times a week	5.005228	0.13	784.8655	19.84
2-3 times a week	22.63792	0.57	807.5035	20.41
Once a week	95.21856	2.41	902.722	22.82
2-3 times a month	100.4456	2.54	1003.168	25.36
Monthly or less	675.6621	17.08	1678.83	42.44
Never	2277.17	57.56	3956	100.00

12/13 - P1 - Freq binge drinking (v3)				
ghb16a5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	135.7452	3.43	135.7452	3.43
-9	625.1219	15.80	760.8671	19.23
-3	7.589468	0.19	768.4566	19.43
Everyday	21.66262	0.55	790.1192	19.97
4-6 times a week	13.3523	0.34	803.4715	20.31
2-3 times a week	55.81137	1.41	859.2829	21.72
Once a week	207.2769	5.24	1066.56	26.96
2-3 times a month	163.7148	4.14	1230.275	31.10
Monthly or less	1046.827	26.46	2277.102	57.56
Never	1678.898	42.44	3956	100.00

12/13 - P1 - Freq binge drinking (v2)				
ghb16a5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2441.387	61.71	2441.387	61.71
Everyday	21.66262	0.55	2463.05	62.26
4-6 times a week	13.3523	0.34	2476.402	62.60
2-3 times a week	55.81137	1.41	2532.214	64.01
Once a week	208.9621	5.28	2741.176	69.29
2-3 times a month	163.7148	4.14	2904.891	73.43
Monthly or less	1051.109	26.57	3956	100.00

12/13 - P1 - Average daily alcohol consumption				
gaavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	134.7567	3.41	134.7567	3.41
-9	6.393873	0.16	141.1506	3.57
0	798.3725	20.18	939.5231	23.75
0.0534	699.7046	17.69	1639.228	41.44
0.125	169.8086	4.29	1809.036	45.73
0.143	294.218	7.44	2103.254	53.17
0.196	49.31237	1.25	2152.567	54.41
0.214	280.5908	7.09	2433.157	61.51
0.304	16.24785	0.41	2449.405	61.92
0.321	115.3247	2.92	2564.73	64.83
0.429	2.760698	0.07	2567.491	64.90
0.5	137.6728	3.48	2705.163	68.38
0.571	463.8649	11.73	3169.028	80.11
0.786	54.23728	1.37	3223.266	81.48
1.143	244.2628	6.17	3467.528	87.65
1.214	12.26755	0.31	3479.796	87.96
1.286	212.099	5.36	3691.895	93.32
1.5	56.8342	1.44	3748.729	94.76
1.714	1.404312	0.04	3750.134	94.80
2	35.71527	0.90	3785.849	95.70
2.571	90.39583	2.29	3876.245	97.98
3.143	3.405584	0.09	3879.65	98.07
3.5	37.14092	0.94	3916.791	99.01
4	19.4548	0.49	3936.246	99.50
5.5	12.05147	0.30	3948.297	99.81
8.5	5.363737	0.14	3953.661	99.94
12	2.338876	0.06	3956	100.00

12/13 - P1- Alcohol consumption groups				
gaalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	134.7567	3.41	134.7567	3.41
-9	6.393873	0.16	141.1506	3.57
Abstain not in the last year	798.3725	20.18	939.5231	23.75
Occasional less than monthly	937.8341	23.71	1877.357	47.46
Light <2 drinks/day men, <1 women	1386.052	35.04	3263.409	82.49
Moderate >=2 to <4 men, >=1 to <2 women	509.7747	12.89	3773.184	95.38
Hazardous >=4 to <6 men, >=2 and <4 women	152.8444	3.86	3926.029	99.24
Harmful >=6 men, >=4 women	29.97134	0.76	3956	100.00

12/13 - P1 - Heavy daily alcohol consumption				
gahvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	141.1506	3.57	141.1506	3.57
Yes	182.8158	4.62	323.9664	8.19
No	3632.034	91.81	3956	100.00

12/13 - P1 - Frequent binge drinking				
gabinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	141.1506	3.57	141.1506	3.57
Yes	520.629	13.16	661.7796	16.73
No	3294.22	83.27	3956	100.00

12/13 - P1 - Problematic alcohol use				
gaalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	141.1506	3.57	141.1506	3.57
Yes	562.7487	14.23	703.8993	17.79
No	3252.101	82.21	3956	100.00

12/13 - F2F J10.1 - Frequency of sun protection				
ghb20a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.01106	1.37	54.01106	1.37
-2	8.312465	0.21	62.32353	1.58
Every day	1900.348	48.04	1962.672	49.61
Most days	1450.391	36.66	3413.063	86.28
Some days	371.9922	9.40	3785.055	95.68
Never or hardly ever	170.945	4.32	3956	100.00

12/13 - F2F U1.4+W2-4 - Had dental problems				
ghb23c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	21.72135	0.55	21.72135	0.55
-2	1.058875	0.03	22.78023	0.58
Yes	2644.682	66.85	2667.462	67.43
No	1288.538	32.57	3956	100.00

12/13 - F2F U1.4.1+W2-4 - Had cavities or dental decay				
ghb23c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	27.0126	0.68	27.0126	0.68
No	1974.166	49.90	2001.178	50.59
Yes	1954.822	49.41	3956	100.00

12/13 - F2F U1.4.2+W2-4 - Had accident causing tooth damage				
ghb23c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	48.35033	1.22	48.35033	1.22
No	3294.805	83.29	3343.155	84.51
Yes	612.8451	15.49	3956	100.00

12/13 - F2F U1.5.1+W2-4 - Had teeth filled due to decay				
ghb23c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	31.7742	0.80	31.7742	0.80
No	2084.766	52.70	2116.54	53.50
Yes	1839.46	46.50	3956	100.00

12/13 - F2F U1.5.2+W2-4 - Had teeth pulled due to decay				
ghb23c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	47.25434	1.19	47.25434	1.19
No	3401.768	85.99	3449.022	87.18
Yes	506.9778	12.82	3956	100.00

12/13 - F2F U1.4.1 - Last 2 yrs - cavities or dental decay				
ghb23d1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.01106	1.37	54.01106	1.37
No	3218.45	81.36	3272.461	82.72
Yes	683.5392	17.28	3956	100.00

12/13 - F2F U1.5.1 - Last 2 yrs - teeth filled due to decay				
ghb23d2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.01106	1.37	54.01106	1.37
No	3316.483	83.83	3370.494	85.20
Yes	585.5063	14.80	3956	100.00

12/13 - F2F U1.5.2 - Last 2 yrs - teeth pulled due to decay				
ghb23d3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.01106	1.37	54.01106	1.37
No	3829.024	96.79	3883.035	98.16
Yes	72.96486	1.84	3956	100.00

12/13 - F2F U1.4.2 - Last 2 yrs - accidental tooth damage				
ghb23d4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.01106	1.37	54.01106	1.37
No	3778.701	95.52	3832.712	96.88
Yes	123.2883	3.12	3956	100.00

12/13 - F2F U1.4.3 - Braces/other dental issues (e.g. oral surgery) in last 2yrs				
ghb23d5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.01106	1.37	54.01106	1.37
No	3275.952	82.81	3329.963	84.18
Yes	626.037	15.82	3956	100.00

12/13 - F2F U1.4.4 - Last 2 yrs - No problems with teeth				
ghb23d6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.01106	1.37	54.01106	1.37
No	1389.078	35.11	1443.089	36.48
Yes	2512.911	63.52	3956	100.00

12/13 - F2F U1.5.3 - Last 2 yrs - No treatment - result of cavity/dental decay				
ghb23d7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.01106	1.37	54.01106	1.37
No	3834.4	96.93	3888.411	98.29
Yes	67.58927	1.71	3956	100.00

12/13 - F2F M8.9 - SC's choice to spend free time					
ghb14c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
-9	57.88026	1.46	57.88026	1.46	
-2	7.168864	0.18	65.04912	1.64	
Usually chooses inactive pastimes	1735.404	43.87	1800.453	45.51	
Usually chooses active pastimes	1456.445	36.82	3256.898	82.33	
Just as likely to choose active as inactive pastimes	699.1024	17.67	3956	100.00	

12/13 - CSRK 6.1 - Enjoy being physically active				
ghb14c5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	112.0659	2.83	112.0659	2.83
A lot	2175.58	54.99	2287.646	57.83
Quite a lot	1261.836	31.90	3549.482	89.72

12/13 - CSRK 6.1 - Enjoy being physically active				
ghb14c5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Not very much	379.5614	9.59	3929.043	99.32
Not at all	26.95694	0.68	3956	100.00

12/13 - SC - ACASI 3.1.1 - SC had fresh fruit				
ghb21c1a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	560.9933	14.18	681.6918	17.23
Once	1271.924	32.15	1953.616	49.38
Twice	1140.284	28.82	3093.9	78.21
More than twice	862.0999	21.79	3956	100.00

12/13 - SC - ACASI 3.1.1 - SC had fresh fruit				
ghb21c1a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	560.9933	14.18	681.6918	17.23
Once	1271.924	32.15	1953.616	49.38
Twice or more	2002.384	50.62	3956	100.00

12/13 - SC - ACASI 3.1.2 - SC had fresh juice				
ghb21c2a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	1669.601	42.20	1790.299	45.26
Once	1399.493	35.38	3189.793	80.63
Twice	521.8897	13.19	3711.682	93.82
More than twice	244.3176	6.18	3956	100.00

12/13 - SC - ACASI 3.1.2 - SC had fresh juice				
ghb21c2a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	1669.601	42.20	1790.299	45.26
Once	1399.493	35.38	3189.793	80.63
Twice or more	766.2073	19.37	3956	100.00

12/13 - SC - ACASI 3.1.3 - SC had cooked vegetables				
ghb21c1b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	994.2154	25.13	1114.914	28.18
Once	1736.869	43.90	2851.783	72.09
Twice	612.8839	15.49	3464.667	87.58
More than twice	491.3334	12.42	3956	100.00

12/13 - SC - ACASI 3.1.3 - SC had cooked vegetables				
ghb21c1b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	994.2154	25.13	1114.914	28.18
Once	1736.869	43.90	2851.783	72.09
Twice or more	1104.217	27.91	3956	100.00

12/13 - SC - ACASI 3.1.4 - SC had raw vegetables				
ghb21c1c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
-3	1.371839	0.03	122.0704	3.09
Not at all	1758.242	44.44	1880.312	47.53
Once	1408.291	35.60	3288.603	83.13
Twice	435.5025	11.01	3724.106	94.14
More than twice	231.8943	5.86	3956	100.00

12/13 - SC - ACASI 3.1.4 - SC had raw vegetables				
ghb21c1c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
-3	1.371839	0.03	122.0704	3.09
Not at all	1758.242	44.44	1880.312	47.53
Once	1408.291	35.60	3288.603	83.13
Twice or more	667.3968	16.87	3956	100.00

12/13 - SC - ACASI 3.1.5 - SC had pie, hamburger, sausage roll				
ghb21c3a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
-3	2.07085	0.05	122.7694	3.10
Not at all	2486.557	62.86	2609.326	65.96
Once	1024.473	25.90	3633.799	91.86
Twice	204.0208	5.16	3837.82	97.01
More than twice	118.1803	2.99	3956	100.00

12/13 - SC - ACASI 3.1.5 - SC had pie, hamburger, sausage roll				
ghb21c3a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
-3	2.07085	0.05	122.7694	3.10
Not at all	2486.557	62.86	2609.326	65.96
Once	1024.473	25.90	3633.799	91.86
Twice or more	322.2011	8.14	3956	100.00

12/13 - SC - ACASI 3.1.6 - SC had hot chips or french fries				
ghb21c3b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
-3	2.07085	0.05	122.7694	3.10
Not at all	2769.421	70.01	2892.191	73.11
Once	861.8714	21.79	3754.062	94.90
Twice	128.727	3.25	3882.789	98.15
More than twice	73.21082	1.85	3956	100.00

12/13 - SC - ACASI 3.1.6 - SC had hot chips or french fries				
ghb21c3b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
-3	2.07085	0.05	122.7694	3.10
Not at all	2769.421	70.01	2892.191	73.11
Once	861.8714	21.79	3754.062	94.90
Twice or more	201.9378	5.10	3956	100.00

12/13 - SC - ACASI 3.1.7 - SC had potato chips or savoury snacks				
ghb21c3c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	1729.977	43.73	1850.676	46.78
Once	1581.676	39.98	3432.352	86.76
Twice	371.6195	9.39	3803.971	96.16
More than twice	152.0288	3.84	3956	100.00

12/13 - SC - ACASI 3.1.7 - SC had potato chips or savoury snacks				
ghb21c3c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	1729.977	43.73	1850.676	46.78
Once	1581.676	39.98	3432.352	86.76
Twice or more	523.6484	13.24	3956	100.00

12/13 - SC - ACASI 3.1.8 - SC had biscuits, donuts, cake or chocolate				
ghb21c3d1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	1292.128	32.66	1412.827	35.71
Once	1850.217	46.77	3263.044	82.48
Twice	511.243	12.92	3774.287	95.41
More than twice	181.7127	4.59	3956	100.00

12/13 - SC - ACASI 3.1.8 - SC had biscuits, donuts, cake or chocolate				
ghb21c3d2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	1292.128	32.66	1412.827	35.71
Once	1850.217	46.77	3263.044	82.48
Twice or more	692.9558	17.52	3956	100.00

12/13 - SC - ACASI 3.1.9 - SC bread or Toast				
ghb21c8a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	714.7813	18.07	835.4799	21.12
Once	1828.337	46.22	2663.817	67.34
Twice	931.3162	23.54	3595.133	90.88
More than twice	360.8667	9.12	3956	100.00

12/13 - SC - ACASI 3.1.9 - SC bread or Toast				
ghb21c8a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	714.7813	18.07	835.4799	21.12
Once	1828.337	46.22	2663.817	67.34
Twice or more	1292.183	32.66	3956	100.00

12/13 - SC - ACASI 3.1.10 - SC had full cream milk products				
ghb21c3e1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	446.6288	11.29	567.3273	14.34
Once	1582.448	40.00	2149.776	54.34
Twice	1124.184	28.42	3273.959	82.76
More than twice	682.0406	17.24	3956	100.00

12/13 - SC - ACASI 3.1.10 - SC had full cream milk products				
ghb21c3e2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	446.6288	11.29	567.3273	14.34
Once	1582.448	40.00	2149.776	54.34
Twice or more	1806.224	45.66	3956	100.00

12/13 - SC - ACASI 3.1.11 - SC had soy milk products				
ghb21c4b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	3454.012	87.31	3574.711	90.36
Once	252.9144	6.39	3827.625	96.75
Twice	83.97201	2.12	3911.597	98.88
More than twice	44.40302	1.12	3956	100.00

12/13 - SC - ACASI 3.1.11 - SC had soy milk products				
ghb21c4b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	3454.012	87.31	3574.711	90.36
Once	252.9144	6.39	3827.625	96.75
Twice or more	128.375	3.25	3956	100.00

12/13 - SC - ACASI 3.1.12 - SC had water				
ghb21c5a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	79.19355	2.00	199.8921	5.05
Once	288.6165	7.30	488.5086	12.35
Twice	450.2003	11.38	938.7089	23.73
More than twice	3017.291	76.27	3956	100.00

12/13 - SC - ACASI 3.1.12 - SC had water				
ghb21c5a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	79.19355	2.00	199.8921	5.05
Once	288.6165	7.30	488.5086	12.35
Twice or more	3467.491	87.65	3956	100.00

12/13 - SC - ACASI 3.1.13 - SC had soft drink/cordial				
ghb21c2b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	1796.488	45.41	1917.186	48.46
Once	1311.361	33.15	3228.548	81.61
Twice	477.3121	12.07	3705.86	93.68
More than twice	250.1403	6.32	3956	100.00

12/13 - SC - ACASI 3.1.13 - SC had soft drink/cordial				
ghb21c2b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
Not at all	1796.488	45.41	1917.186	48.46
Once	1311.361	33.15	3228.548	81.61
Twice or more	727.4524	18.39	3956	100.00

12/13 - SC - Frequency ate fruit and vegetables (v2)				
gcfandvb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	120.6985	3.05	120.6985	3.05
-3	1.371839	0.03	122.0704	3.09
0	185.4013	4.69	307.4717	7.77
1	447.3493	11.31	754.821	19.08
2	665.9951	16.84	1420.816	35.92
3	733.419	18.54	2154.235	54.45
4	654.991	16.56	2809.226	71.01
5	520.449	13.16	3329.675	84.17
6	283.1645	7.16	3612.84	91.33
7	175.6459	4.44	3788.485	95.77
8	93.0235	2.35	3881.509	98.12
9	74.491	1.88	3956	100.00

12/13 - SC - Frequency ate high fat food (v2)				
gchfatb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	120.6985	3.05	120.6985	3.05
-3	2.07085	0.05	122.7694	3.10
0	377.9931	9.55	500.7625	12.66
1	953.1361	24.09	1453.899	36.75
2	1071.522	27.09	2525.421	63.84
3	630.1323	15.93	3155.553	79.77
4	374.3609	9.46	3529.914	89.23
5	165.8409	4.19	3695.755	93.42
6	97.49055	2.46	3793.245	95.89
7	52.06389	1.32	3845.309	97.20
8	28.78844	0.73	3874.098	97.93
9	31.26586	0.79	3905.363	98.72
10	24.35307	0.62	3929.716	99.34
11	11.88822	0.30	3941.605	99.64
12	14.39533	0.36	3956	100.00

12/13 - SC - Frequency ate high fat food (inc. whole milk) (v2)				
gchfwmb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	120.6985	3.05	120.6985	3.05
-3	2.07085	0.05	122.7694	3.10
0	36.2694	0.92	159.0388	4.02
1	284.2606	7.19	443.2993	11.21
2	692.2271	17.50	1135.526	28.70
3	840.4174	21.24	1975.944	49.95
4	779.8559	19.71	2755.8	69.66
5	492.3834	12.45	3248.183	82.11
6	290.0044	7.33	3538.188	89.44
7	161.4219	4.08	3699.609	93.52
8	87.07398	2.20	3786.683	95.72
9	54.23569	1.37	3840.919	97.09
10	26.1249	0.66	3867.044	97.75
11	29.62659	0.75	3896.671	98.50
12	20.8107	0.53	3917.481	99.03
13	17.03273	0.43	3934.514	99.46
14	11.0564	0.28	3945.57	99.74
15	10.42958	0.26	3956	100.00

12/13 - SC - Frequency drank high sugar drinks (v2)				
gchsdnrkb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	120.6985	3.05	120.6985	3.05
0	897.16	22.68	1017.859	25.73
1	1144.339	28.93	2162.198	54.66
2	886.8044	22.42	3049.002	77.07
3	512.2748	12.95	3561.277	90.02
4	267.1065	6.75	3828.383	96.77
5	96.26649	2.43	3924.65	99.21
6	31.35023	0.79	3956	100.00

12/13 - SC - Frequency ate fruit and vegetables				
gcfandv	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	120.6985	3.05	120.6985	3.05
-3	1.371839	0.03	122.0704	3.09
0	185.4013	4.69	307.4717	7.77
1	447.3493	11.31	754.821	19.08
2	741.8514	18.75	1496.672	37.83
3	895.8586	22.65	2392.531	60.48
4	778.2856	19.67	3170.817	80.15
5	483.2773	12.22	3654.094	92.37
6	301.9061	7.63	3956	100.00

12/13 - SC - Frequency ate high fat food (v1)				
gchfat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	120.6985	3.05	120.6985	3.05
-3	2.07085	0.05	122.7694	3.10
0	377.9931	9.55	500.7625	12.66
1	953.1361	24.09	1453.899	36.75
2	1109.068	28.04	2562.967	64.79
3	646.8887	16.35	3209.856	81.14
4	399.2992	10.09	3609.155	91.23
5	149.3784	3.78	3758.533	95.01
6	95.79135	2.42	3854.325	97.43
7	47.25185	1.19	3901.576	98.62
8	54.42356	1.38	3956	100.00

12/13 - SC - Frequency ate high fat food (inc. whole milk) (v1)				
gchfwm	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	120.6985	3.05	120.6985	3.05
-3	2.07085	0.05	122.7694	3.10
0	36.2694	0.92	159.0388	4.02
1	284.2606	7.19	443.2993	11.21
2	751.6077	19.00	1194.907	30.20
3	933.4659	23.60	2128.373	53.80
4	829.8901	20.98	2958.263	74.78
5	473.2964	11.96	3431.559	86.74
6	256.6447	6.49	3688.204	93.23
7	103.9282	2.63	3792.132	95.86
8	74.79013	1.89	3866.922	97.75
9	41.32345	1.04	3908.246	98.79
10	47.75408	1.21	3956	100.00

12/13 - SC - Frequency drank high sugar drinks (v1)				
gchsdrrnk	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	120.6985	3.05	120.6985	3.05
0	897.16	22.68	1017.859	25.73
1	1144.339	28.93	2162.198	54.66
2	1045.582	26.43	3207.78	81.09
3	530.2097	13.40	3737.99	94.49
4	218.0103	5.51	3956	100.00

12/13 - SC - ACASI 3.3 - Eat breakfast				
ghb22c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
-3	0.661494	0.02	121.36	3.07
Yes	3412.195	86.25	3533.555	89.32
No	422.4448	10.68	3956	100.00

12/13 - ACASI 3.4 - Body Shape				
ghb25c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
-3	2.749656	0.07	123.4482	3.12
Picture 1	8.173697	0.21	131.6219	3.33
Picture 2	150.2811	3.80	281.903	7.13
Picture 3	918.364	23.21	1200.267	30.34
Picture 4	1710.796	43.25	2911.063	73.59

12/13 - ACASI 3.4 - Body Shape				
ghb25c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Picture 5	875.1589	22.12	3786.222	95.71
Picture 6	159.5663	4.03	3945.788	99.74
Picture 7	10.21181	0.26	3956	100.00

12/13 - ACASI 3.5 - Body Shape SC wants				
ghb25c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
-3	4.026974	0.10	124.7255	3.15
Picture 1	25.65031	0.65	150.3758	3.80
Picture 2	235.6829	5.96	386.0587	9.76
Picture 3	1289.866	32.61	1675.924	42.36
Picture 4	2064.502	52.19	3740.426	94.55
Picture 5	204.5289	5.17	3944.955	99.72
Picture 6	10.23961	0.26	3955.195	99.98
Picture 7	0.805499	0.02	3956	100.00

12/13 - ACASI 8.3 - How often teeth cleaned per day				
ghb23b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
-3	5.063838	0.13	125.7624	3.18
Not at all	187.2176	4.73	312.98	7.91
Once	1043.509	26.38	1356.489	34.29
Twice	2413.48	61.01	3769.969	95.30
More than twice	186.0309	4.70	3956	100.00

12/13 - ACASI 9.2 - Ever smoked part of a cigarette					
ghb15c9	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
-9	120.6985	3.05	120.6985	3.05	
-3	4.901326	0.12	125.5999	3.17	
No	3696.706	93.45	3822.306	96.62	
Yes, just a few puffs	104.2836	2.64	3926.589	99.26	
Yes, I have smoked fewer than 10 cigarettes in my life	15.00188	0.38	3941.591	99.64	
Yes, I have smoked 10 to 100 cigarettes in my life	10.4785	0.26	3952.07	99.90	
Yes, I have smoked more than 100 cigarettes in my life	3.930164	0.10	3956	100.00	

12/13 - ACASI 9.3 - First cigarette - Age				
ghb15c10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3822.306	96.62	3822.306	96.62
-3	1.884975	0.05	3824.191	96.67
4	2.275951	0.06	3826.467	96.73
5	4.897341	0.12	3831.364	96.85
6	4.543995	0.11	3835.908	96.96
7	0.881201	0.02	3836.789	96.99
8	3.73689	0.09	3840.526	97.08
9	12.46746	0.32	3852.994	97.40
10	13.00222	0.33	3865.996	97.72
11	23.20601	0.59	3889.202	98.31
12	57.66293	1.46	3946.865	99.77
13	9.135178	0.23	3956	100.00

12/13 - ACASI 9.4 - Smoked in last 12 months				
ghb15c11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3822.306	96.62	3822.306	96.62
Yes	60.53736	1.53	3882.843	98.15
No	73.1568	1.85	3956	100.00

12/13 - ACASI 9.5 - Smoked in last 4 weeks				
ghb15c12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3895.463	98.47	3895.463	98.47
Yes	24.68056	0.62	3920.143	99.09
No	35.8568	0.91	3956	100.00

12/13 - ACASI 9.6 - No. cigarettes smoked per week				
ghb15c13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3931.319	99.38	3931.319	99.38
-3	1.642541	0.04	3932.962	99.42
0	6.834561	0.17	3939.797	99.59
1	3.819512	0.10	3943.616	99.69
2	0.848708	0.02	3944.465	99.71
3	2.346235	0.06	3946.811	99.77
5	1.52012	0.04	3948.331	99.81
8	1.187569	0.03	3949.519	99.84
11	0.49558	0.01	3950.014	99.85
16	1.676162	0.04	3951.69	99.89

12/13 - ACASI 9.6 - No. cigarettes smoked per week				
ghb15c13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
32	2.250888	0.06	3953.941	99.95
40	2.058683	0.05	3956	100.00

12/13 - ACASI 9.7 - Ever had alcoholic drink					
ghb16c11	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
-9	120.6985	3.05	120.6985	3.05	
-3	6.502754	0.16	127.2013	3.22	
No	2570.436	64.98	2697.637	68.19	
Yes, just a few sips	1184.972	29.95	3882.609	98.14	
Yes, I have had fewer than 10 alcoholic drinks in my life	52.14153	1.32	3934.751	99.46	
Yes, I have had 10 or more alcoholic drinks in my life	21.249	0.54	3956	100.00	

12/13 - ACASI 9.8 - First alcoholic drink - Age				
ghb16c12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.176558	0.03	1.176558	0.03
-9	3882.609	98.14	3883.786	98.17
-3	0.935465	0.02	3884.721	98.20
5	2.491185	0.06	3887.213	98.26
8	3.162003	0.08	3890.375	98.34
9	1.987497	0.05	3892.362	98.39
10	11.73146	0.30	3904.094	98.69
11	15.43531	0.39	3919.529	99.08
12	24.41778	0.62	3943.947	99.70
13	12.05326	0.30	3956	100.00

12/13 - ACASI 9.9 - Alcohol consumption - In last 12 months				
ghb16c13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3882.609	98.14	3882.609	98.14
Yes	59.9229	1.51	3942.532	99.66
No	13.46762	0.34	3956	100.00

12/13 - ACASI 9.10 - Alcohol consumption - In last four weeks				
ghb16c9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3896.077	98.49	3896.077	98.49
Yes	26.69438	0.67	3922.771	99.16
No	33.22852	0.84	3956	100.00

12/13 - ACASI 9.11 - Previous week's alcohol consumption				
ghb16c10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3929.306	99.33	3929.306	99.33
0	14.321	0.36	3943.627	99.69
1	5.125256	0.13	3948.752	99.82
3	2.250888	0.06	3951.003	99.87
4	2.163436	0.05	3953.166	99.93
6	0.989724	0.03	3954.156	99.95
7	0.656499	0.02	3954.812	99.97
10	1.187569	0.03	3956	100.00

12/13 - ACASI 10.1 - Ever had marijuana				
ghb26c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
-3	6.502754	0.16	127.2013	3.22
Yes	74.41149	1.88	201.6128	5.10
No	3754.387	94.90	3956	100.00

12/13 - ACASI 10.2 - First marijuana - Age				
ghb26c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	48.10539	1.22	48.10539	1.22
-9	3881.589	98.12	3929.694	99.34
-3	9.697235	0.25	3939.391	99.58
6	0.867063	0.02	3940.258	99.60
10	1.459013	0.04	3941.717	99.64
11	1.732933	0.04	3943.45	99.68
12	5.805076	0.15	3949.255	99.83
13	6.744776	0.17	3956	100.00

12/13 - ACASI 10.3 - Marijuana - In last twelve months				
ghb26c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3881.589	98.12	3881.589	98.12
Yes	12.60651	0.32	3894.195	98.44
No	61.80498	1.56	3956	100.00

12/13 - ACASI 10.4 - Marijuana - In last four weeks				
ghb26c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3943.393	99.68	3943.393	99.68
Yes	7.525968	0.19	3950.919	99.87
No	5.08054	0.13	3956	100.00

12/13 - ACASI 10.5 - Ever tried sniffing				
ghb27c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
-3	8.918671	0.23	129.6172	3.28
Yes	37.09269	0.94	166.7099	4.21
No	3789.29	95.79	3956	100.00

12/13 - ACASI 10.6 - First sniffing - Age				
ghb27c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	6.541566	0.17	6.541566	0.17
-9	3918.907	99.06	3925.449	99.23
-3	0.378349	0.01	3925.827	99.24
5	0.697033	0.02	3926.524	99.25
7	1.878089	0.05	3928.402	99.30
9	1.676162	0.04	3930.079	99.34
10	2.633148	0.07	3932.712	99.41
11	3.299066	0.08	3936.011	99.49
12	13.79327	0.35	3949.804	99.84
13	6.196009	0.16	3956	100.00

12/13 - ACASI 10.7 - Sniffing - In last twelve months				
ghb27c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3918.907	99.06	3918.907	99.06
Yes	21.85299	0.55	3940.76	99.61
No	15.2397	0.39	3956	100.00

12/13 - ACASI 10.8 - Sniffing - In last four weeks				
ghb27c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3934.147	99.45	3934.147	99.45
Yes	8.220346	0.21	3942.367	99.66
No	13.63265	0.34	3956	100.00

12/13 - ACASI 10.9 - Ever had other drugs				
ghb28c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	120.6985	3.05	120.6985	3.05
-3	7.678412	0.19	128.3769	3.25
Yes	4.890525	0.12	133.2675	3.37
No	3822.733	96.63	3956	100.00

12/13 - ACASI 10.11 - First other drugs - Age				
ghb28c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.104036	0.08	3.104036	0.08
-9	3951.109	99.88	3954.214	99.95
7	0.598921	0.02	3954.812	99.97
12	1.187569	0.03	3956	100.00

12/13 - ACASI 10.12 - Other drugs - In last twelve months				
ghb28c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3951.109	99.88	3951.109	99.88
Yes	4.890525	0.12	3956	100.00

12/13 - ACASI 10.13 - Other drugs - In last four weeks				
ghb28c5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3951.109	99.88	3951.109	99.88
Yes	3.104036	0.08	3954.214	99.95
No	1.78649	0.05	3956	100.00

12/13 - PLE - PLE 19.2 - Current cigarette smoking				
ghb15p5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3480.47	87.98	3480.47	87.98
Yes	161.728	4.09	3642.198	92.07
No	313.8017	7.93	3956	100.00

12/13 - PLE - PLE 19.2/3 - Current cigarette smoking -Frequency				
ghb15p1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3480.47	87.98	3480.47	87.98
Do not smoke at all	313.8017	7.93	3794.272	95.91
Less than once a day	2.215567	0.06	3796.488	95.97
At least once a day	159.5124	4.03	3956	100.00

12/13 - PLE - PLE 19.3 - Smoke once a day				
ghb15p7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3794.272	95.91	3794.272	95.91
Yes	159.5124	4.03	3953.784	99.94
No	2.215567	0.06	3956	100.00

12/13 - PLE - PLE 19.4 - No. cigarettes smoked per day				
ghb15p8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3796.488	95.97	3796.488	95.97
1 to 5 per day	18.56703	0.47	3815.055	96.44
6 to 10 per day	39.48592	1.00	3854.541	97.44
11 to 20 per day	60.93737	1.54	3915.478	98.98
More than 20 per day	40.52208	1.02	3956	100.00

12/13 - PLE - PLE 20.1 - Frequency of drinking alcohol				
ghb16p2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3480.47	87.98	3480.47	87.98
Never	49.31239	1.25	3529.783	89.23
Not in the last year	14.03157	0.35	3543.814	89.58
Monthly or less	68.98376	1.74	3612.798	91.32
2 to 3 times a month	29.18086	0.74	3641.979	92.06
Once a week	90.74484	2.29	3732.724	94.36
2 to 3 times a week	104.8979	2.65	3837.622	97.01
4 to 6 times a week	56.59977	1.43	3894.221	98.44
Everyday	61.77865	1.56	3956	100.00

12/13 - PLE - PLE 20.2 - Av. daily alcohol when drinking				
ghb16p3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3543.814	89.58	3543.814	89.58
1 or 2	195.6973	4.95	3739.512	94.53
3 or 4	143.0201	3.62	3882.532	98.14
5 or 6	47.66589	1.20	3930.198	99.35
7 to 10	16.10723	0.41	3946.305	99.75
11 or more	9.695252	0.25	3956	100.00

12/13 - PLE - PLE 20.3 - Freq binge drinking (v4)-5 or more std drinks				
ghb16p7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3543.814	89.58	3543.814	89.58
Everyday	2.973992	0.08	3546.788	89.66
4-6 times a week	10.62197	0.27	3557.41	89.92
2-3 times a week	32.33333	0.82	3589.744	90.74
Once a week	72.97207	1.84	3662.716	92.59
2-3 times a month	39.14946	0.99	3701.865	93.58
Monthly or less	159.0392	4.02	3860.904	97.60
Never	95.09571	2.40	3956	100.00

12/13 - PLE - PLE 20.4 - Freq binge drinking (v4)-7 or more std drinks				
ghb16p8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3543.814	89.58	3543.814	89.58
Everyday	0.773082	0.02	3544.587	89.60
4-6 times a week	3.450309	0.09	3548.038	89.69
2-3 times a week	5.559035	0.14	3553.597	89.83
Once a week	46.38149	1.17	3599.978	91.00
2-3 times a month	20.7584	0.52	3620.737	91.53
Monthly or less	166.4267	4.21	3787.163	95.73
Never	168.8367	4.27	3956	100.00

12/13 - PLE - Freq binge drinking (v3)				
ghb16p5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	14.03157	0.35	14.03157	0.35
-9	3529.783	89.23	3543.814	89.58
Everyday	0.773082	0.02	3544.587	89.60
4-6 times a week	5.921082	0.15	3550.508	89.75
2-3 times a week	5.559035	0.14	3556.067	89.89
Once a week	49.87055	1.26	3605.938	91.15
2-3 times a month	19.121	0.48	3625.059	91.63
Monthly or less	173.5279	4.39	3798.587	96.02
Never	157.4131	3.98	3956	100.00

12/13 - PLE - Freq binge drinking (v2)				
ghb16p5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3701.227	93.56	3701.227	93.56
Everyday	0.773082	0.02	3702	93.58
4-6 times a week	5.921082	0.15	3707.922	93.73
2-3 times a week	5.559035	0.14	3713.481	93.87

12/13 - PLE - Freq binge drinking (v2)				
ghb16p5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once a week	49.87055	1.26	3763.351	95.13
2-3 times a month	19.121	0.48	3782.472	95.61
Monthly or less	173.5279	4.39	3956	100.00

12/13 - PLE - Average daily alcohol consumption				
gpavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3480.47	87.98	3480.47	87.98
0	63.34396	1.60	3543.814	89.58
0.0534	43.0014	1.09	3586.816	90.67
0.125	10.31017	0.26	3597.126	90.93
0.143	16.61427	0.42	3613.74	91.35
0.196	7.847931	0.20	3621.588	91.55
0.214	37.63409	0.95	3659.222	92.50
0.304	1.442944	0.04	3660.665	92.53
0.321	10.20251	0.26	3670.868	92.79
0.429	6.381308	0.16	3677.249	92.95
0.5	31.87624	0.81	3709.125	93.76
0.571	47.18446	1.19	3756.31	94.95
0.786	12.80405	0.32	3769.114	95.28
1.143	24.97282	0.63	3794.086	95.91
1.214	7.480597	0.19	3801.567	96.10
1.286	44.25097	1.12	3845.818	97.21
1.5	26.29024	0.66	3872.108	97.88
1.714	3.313944	0.08	3875.422	97.96
2	10.32472	0.26	3885.747	98.22
2.571	22.34301	0.56	3908.09	98.79
3.143	3.137732	0.08	3911.228	98.87
3.5	26.40126	0.67	3937.629	99.54
4	6.011057	0.15	3943.64	99.69
5.5	8.31406	0.21	3951.954	99.90
6.286	3.27288	0.08	3955.227	99.98
8.5	0.773082	0.02	3956	100.00

12/13 - PLE - Alcohol consumption groups				
gpalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3498.449	88.43	3498.449	88.43
Abstain not in the last year	63.34396	1.60	3561.792	90.04
Occasional less than monthly	68.98376	1.74	3630.776	91.78
Light <2 drinks/day men, <1 women	200.2261	5.06	3831.002	96.84

12/13 - PLE - Alcohol consumption groups				
gpalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Moderate >=2 to <4 men, >=1 to <2 women	46.9326	1.19	3877.935	98.03
Hazardous >=4 to <6 men, >=2 and <4 women	63.73996	1.61	3941.675	99.64
Harmful >=6 men, >=4 women	14.32512	0.36	3956	100.00

12/13 - PLE - Heavy daily alcohol consumption				
gphvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3480.47	87.98	3480.47	87.98
Yes	18.37108	0.46	3498.841	88.44
No	457.1586	11.56	3956	100.00

12/13 - PLE - Frequent binge drinking				
gpbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3480.47	87.98	3480.47	87.98
Yes	81.24475	2.05	3561.715	90.03
No	394.285	9.97	3956	100.00

12/13 - PLE - Problematic alcohol use				
gpalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3480.47	87.98	3480.47	87.98
Yes	82.18703	2.08	3562.657	90.06
No	393.3427	9.94	3956	100.00

12/13 - P2 - P2K 15 - No. serves of fruit/day				
ghb13b2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	45.95747	1.16	45.95747	1.16
-9	1743.821	44.08	1789.779	45.24
0	183.9703	4.65	1973.749	49.89
1	1071.578	27.09	3045.327	76.98
2	587.116	14.84	3632.443	91.82
3	225.4631	5.70	3857.906	97.52
4	63.54185	1.61	3921.448	99.13
5	23.8713	0.60	3945.32	99.73
6	2.357678	0.06	3947.677	99.79
7	5.261595	0.13	3952.939	99.92
8	2.295113	0.06	3955.234	99.98
9	0.765993	0.02	3956	100.00

12/13 - P2 - P2K 15 - No. serves of fruit/day (6+)				
ghb13b2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	45.95747	1.16	45.95747	1.16
-9	1743.821	44.08	1789.779	45.24
Less than 1	183.9703	4.65	1973.749	49.89
1	1071.578	27.09	3045.327	76.98
2	587.116	14.84	3632.443	91.82
3	225.4631	5.70	3857.906	97.52
4	63.54185	1.61	3921.448	99.13
5	23.8713	0.60	3945.32	99.73
6 or more	10.68038	0.27	3956	100.00

12/13 - P2 - P2K 16 - No. serves of vegetables/day				
ghb13b1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	25.68242	0.65	25.68242	0.65
-9	1743.821	44.08	1769.504	44.73
0	23.6778	0.60	1793.182	45.33
1	808.4934	20.44	2601.675	65.77
2	779.6918	19.71	3381.367	85.47
3	377.9924	9.55	3759.359	95.03
4	129.6784	3.28	3889.038	98.31
5	50.07845	1.27	3939.116	99.57
6	10.22095	0.26	3949.337	99.83
7	5.676518	0.14	3955.014	99.98
8	0.986461	0.02	3956	100.00

12/13 - P2 - P2K 16 - No. serves of vegetables/day (6+)				
ghb13b1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	25.68242	0.65	25.68242	0.65
-9	1743.821	44.08	1769.504	44.73
Less than 1	23.6778	0.60	1793.182	45.33
1	808.4934	20.44	2601.675	65.77
2	779.6918	19.71	3381.367	85.47
3	377.9924	9.55	3759.359	95.03
4	129.6784	3.28	3889.038	98.31
5	50.07845	1.27	3939.116	99.57
6 or more	16.88393	0.43	3956	100.00

12/13 - P2 - P2K 17 - Days per week exercise				
ghb14b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	43.1682	1.09	43.1682	1.09
-9	1743.821	44.08	1786.99	45.17
0	198.5121	5.02	1985.502	50.19
1	278.6226	7.04	2264.124	57.23
2	386.133	9.76	2650.257	66.99
3	389.3231	9.84	3039.58	76.83
4	236.7387	5.98	3276.319	82.82
5	338.2742	8.55	3614.593	91.37
6	131.4416	3.32	3746.035	94.69
7	209.965	5.31	3956	100.00

12/13 - P2 - P2K 21 - Current cigarette smoking				
ghb15b5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	18.22445	0.46	18.22445	0.46
-9	1743.821	44.08	1762.046	44.54
Yes	305.6522	7.73	2067.698	52.27
No	1888.302	47.73	3956	100.00

12/13 - P2 - P2K 21/22 - Current cigarette smoking-Frequency				
ghb15b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	32.29491	0.82	32.29491	0.82
-9	1743.821	44.08	1776.116	44.90
Do not smoke at all	1888.302	47.73	3664.418	92.63
Less than once a day	18.18225	0.46	3682.601	93.09
At least once a day	273.3995	6.91	3956	100.00

12/13 - P2 - P2K 22 - Smoke once a day				
ghb15b7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	25.75031	0.65	25.75031	0.65
-9	1743.821	44.08	1769.572	44.73
Yes	273.9918	6.93	2043.564	51.66
No	1912.436	48.34	3956	100.00

12/13 - P2 - P2K 22/23 - No. cigarettes smoked per day				
ghb15b8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	64.73456	1.64	64.73456	1.64
-9	3632.123	91.81	3696.858	93.45
1 to 5 per day	48.28016	1.22	3745.138	94.67
6 to 10 per day	59.2619	1.50	3804.4	96.17
11 to 20 per day	105.7215	2.67	3910.122	98.84
More than 20 per day	45.87847	1.16	3956	100.00

12/13 - P2 - P2K 24 - Frequency of drinking alcohol				
ghb16b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	17.76553	0.45	17.76553	0.45
-9	1743.821	44.08	1761.587	44.53
Never	230.5886	5.83	1992.176	50.36
Not in the last year	36.23551	0.92	2028.411	51.27
Monthly or less	316.429	8.00	2344.84	59.27
2 to 3 times a month	247.4189	6.25	2592.259	65.53
Once a week	263.406	6.66	2855.665	72.19
2 to 3 times a week	559.5302	14.14	3415.195	86.33
4 to 6 times a week	358.6879	9.07	3773.883	95.40
Everyday	182.117	4.60	3956	100.00

12/13 - P2 - P2K 25 - Av. daily alcohol when drinking				
ghb16b3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	32.9825	0.83	32.9825	0.83
-9	1974.41	49.91	2007.393	50.74
1 or 2	1029.066	26.01	3036.458	76.76
3 or 4	631.4429	15.96	3667.901	92.72
5 or 6	233.4466	5.90	3901.348	98.62
7 to 10	46.11101	1.17	3947.459	99.78
11 or more	8.541469	0.22	3956	100.00

12/13 - P2 - P2K 26 - Freq binge drinking (v4)-5 or more std drinks				
ghb16b7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	34.98598	0.88	34.98598	0.88
-9	1974.41	49.91	2009.396	50.79
Everyday	28.46575	0.72	2037.862	51.51
4-6 times a week	42.03101	1.06	2079.893	52.58
2-3 times a week	137.5123	3.48	2217.405	56.05
Once a week	240.8559	6.09	2458.261	62.14

12/13 - P2 - P2K 26 - Freq binge drinking (v4)-5 or more std drinks				
ghb16b7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2-3 times a month	175.3305	4.43	2633.591	66.57
Monthly or less	774.7294	19.58	3408.321	86.16
Never	547.6791	13.84	3956	100.00

12/13 - P2 - P2K 27 - Freq binge drinking (v4)-7 or more std drinks				
ghb16b8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	86.36778	2.18	86.36778	2.18
-9	1974.41	49.91	2060.778	52.09
Everyday	6.073862	0.15	2066.852	52.25
4-6 times a week	9.619904	0.24	2076.472	52.49
2-3 times a week	58.20732	1.47	2134.679	53.96
Once a week	119.7376	3.03	2254.417	56.99
2-3 times a month	104.2199	2.63	2358.636	59.62
Monthly or less	651.4623	16.47	3010.099	76.09
Never	945.9013	23.91	3956	100.00

12/13 - P2 -Freq binge drinking (v3)				
ghb16b5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	317.4304	8.02	317.4304	8.02
-9	1743.821	44.08	2061.252	52.10
Everyday	6.073862	0.15	2067.326	52.26
4-6 times a week	10.60579	0.27	2077.932	52.53
2-3 times a week	60.95707	1.54	2138.889	54.07
Once a week	125.663	3.18	2264.552	57.24
2-3 times a month	108.0458	2.73	2372.597	59.97
Monthly or less	661.6312	16.72	3034.229	76.70
Never	921.7714	23.30	3956	100.00

12/13 - P2 - Freq binge drinking (v2)				
ghb16b5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	317.4304	8.02	317.4304	8.02
-9	2665.593	67.38	2983.023	75.41
Everyday	6.073862	0.15	2989.097	75.56
4-6 times a week	10.60579	0.27	2999.703	75.83
2-3 times a week	60.95707	1.54	3060.66	77.37
Once a week	125.663	3.18	3186.323	80.54
2-3 times a month	108.0458	2.73	3294.369	83.28
Monthly or less	661.6312	16.72	3956	100.00

12/13 - P2 - Average daily alcohol consumption				
gbavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	27.70212	0.70	27.70212	0.70
-9	1743.821	44.08	1771.524	44.78
0	266.8241	6.74	2038.348	51.53
0.0534	226.8414	5.73	2265.189	57.26
0.125	52.61343	1.33	2317.802	58.59
0.143	148.2014	3.75	2466.004	62.34
0.196	22.05426	0.56	2488.058	62.89
0.214	141.4966	3.58	2629.555	66.47
0.304	5.684489	0.14	2635.239	66.61
0.321	77.69508	1.96	2712.934	68.58
0.429	0.649618	0.02	2713.584	68.59
0.5	96.5815	2.44	2810.165	71.04
0.571	249.079	6.30	3059.244	77.33
0.786	41.94867	1.06	3101.193	78.39
1.089	0.873928	0.02	3102.067	78.41
1.143	170.9177	4.32	3272.985	82.73
1.214	2.025688	0.05	3275.01	82.79
1.286	218.2097	5.52	3493.22	88.30
1.5	68.34715	1.73	3561.567	90.03
1.714	0.651251	0.02	3562.219	90.05
2	73.67905	1.86	3635.898	91.91
2.571	133.5481	3.38	3769.446	95.28
3.143	16.03726	0.41	3785.483	95.69
3.5	61.13522	1.55	3846.618	97.24
4	42.53343	1.08	3889.152	98.31
4.357	2.525117	0.06	3891.677	98.37
5.5	42.92029	1.08	3934.597	99.46
6.286	10.30787	0.26	3944.905	99.72
8.5	7.253543	0.18	3952.158	99.90
8.714	1.380725	0.03	3953.539	99.94
12	2.460829	0.06	3956	100.00

12/13 - P2 - Alcohol consumption groups				
gbalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	19.11634	0.48	19.11634	0.48
-9	1743.821	44.08	1762.938	44.56
Abstain not in the last year	266.8241	6.74	2029.762	51.31
Occasional less than monthly	316.429	8.00	2346.191	59.31
Light <2 drinks/day men, <1 women	1194.777	30.20	3540.968	89.51

12/13 - P2 - Alcohol consumption groups				
gbalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Moderate >=2 to <4 men, >=1 to <2 women	299.3199	7.57	3840.288	97.08
Hazardous >=4 to <6 men, >=2 and <4 women	92.80566	2.35	3933.094	99.42
Harmful >=6 men, >=4 women	22.90627	0.58	3956	100.00

12/13 - P2 - Heavy daily alcohol consumption				
gbhvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	27.70212	0.70	27.70212	0.70
-9	1743.821	44.08	1771.524	44.78
Yes	115.7119	2.92	1887.236	47.71
No	2068.764	52.29	3956	100.00

12/13 - P2 - Frequent binge drinking				
gbbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21.95693	0.56	21.95693	0.56
-9	1743.821	44.08	1765.778	44.64
Yes	311.3456	7.87	2077.124	52.51
No	1878.876	47.49	3956	100.00

12/13 - P2 - Problematic alcohol use				
gbalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	28.54592	0.72	28.54592	0.72
-9	1743.821	44.08	1772.367	44.80
Yes	323.3496	8.17	2095.717	52.98
No	1860.283	47.02	3956	100.00

12/13 - M - CASI H7.1+P2K 15 - No. serves of fruit/day				
ghb13m2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	14.30112	0.36	14.30112	0.36
-9	246.5029	6.23	260.804	6.59
-3	11.62479	0.29	272.4288	6.89
0	268.6742	6.79	541.103	13.68
1	1671.262	42.25	2212.365	55.92
2	1222.942	30.91	3435.307	86.84
3	371.053	9.38	3806.36	96.22
4	90.8975	2.30	3897.258	98.52
5	45.7617	1.16	3943.02	99.67
6	7.223741	0.18	3950.243	99.85
7	0.859809	0.02	3951.103	99.88

12/13 - M - CASI H7.1+P2K 15 - No. serves of fruit/day				
ghb13m2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8	2.882922	0.07	3953.986	99.95
10	2.014012	0.05	3956	100.00

12/13 - M - CASI H7.1+P2K 15 - No. serves of fruit/day (6+)				
ghb13m2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	14.30112	0.36	14.30112	0.36
-9	246.5029	6.23	260.804	6.59
-3	11.62479	0.29	272.4288	6.89
Less than 1	268.6742	6.79	541.103	13.68
1	1671.262	42.25	2212.365	55.92
2	1222.942	30.91	3435.307	86.84
3	371.053	9.38	3806.36	96.22
4	90.8975	2.30	3897.258	98.52
5	45.7617	1.16	3943.02	99.67
6 or more	12.98048	0.33	3956	100.00

12/13 - M - CASI H7.2+P2K 16 - No. serves of vegetables/day				
ghb13m1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.29808	0.29	11.29808	0.29
-9	246.5029	6.23	257.801	6.52
-3	9.522744	0.24	267.3237	6.76
0	28.24341	0.71	295.5672	7.47
1	950.1796	24.02	1245.747	31.49
2	1105.244	27.94	2350.991	59.43
3	883.9261	22.34	3234.917	81.77
4	428.602	10.83	3663.519	92.61
5	209.5986	5.30	3873.118	97.90
6	53.54816	1.35	3926.666	99.26
7	14.33414	0.36	3941	99.62
8	5.656286	0.14	3946.656	99.76
9	1.535383	0.04	3948.192	99.80
10	2.704998	0.07	3950.897	99.87
12	5.103403	0.13	3956	100.00

12/13 - M - CASI H7.2+P2K 16 - No. serves of vegetables/day (6+)				
ghb13m1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.29808	0.29	11.29808	0.29
-9	246.5029	6.23	257.801	6.52
-3	9.522744	0.24	267.3237	6.76
Less than 1	28.24341	0.71	295.5672	7.47
1	950.1796	24.02	1245.747	31.49
2	1105.244	27.94	2350.991	59.43
3	883.9261	22.34	3234.917	81.77
4	428.602	10.83	3663.519	92.61
5	209.5986	5.30	3873.118	97.90
6 or more	82.88237	2.10	3956	100.00

12/13 - M - CASI H7.3+P2K 17 - Days per week exercise				
ghb14m2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	14.00632	0.35	14.00632	0.35
-9	246.5029	6.23	260.5092	6.59
-3	9.95521	0.25	270.4644	6.84
0	493.785	12.48	764.2495	19.32
1	501.4652	12.68	1265.715	31.99
2	629.7759	15.92	1895.491	47.91
3	714.2224	18.05	2609.713	65.97
4	444.9373	11.25	3054.65	77.22
5	482.2716	12.19	3536.922	89.41
6	175.4051	4.43	3712.327	93.84
7	243.673	6.16	3956	100.00

12/13 - M - CASI H8.1/H8.2+P2K 21/22 - Current cigarette smoking -Frequency				
ghb15m1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	10.11184	0.26	10.11184	0.26
-9	246.5029	6.23	256.6148	6.49
-3	7.929784	0.20	264.5445	6.69
Do not smoke at all	3016.813	76.26	3281.357	82.95
Less than once a day	75.28493	1.90	3356.642	84.85
At least once a day	599.3577	15.15	3956	100.00

12/13 - M - CASI H8.1+P2K 21 - Current cigarette smoking				
ghb15m5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	10.11184	0.26	10.11184	0.26
-9	246.5029	6.23	256.6148	6.49
-3	7.929784	0.20	264.5445	6.69
Yes	674.6426	17.05	939.1871	23.74
No	3016.813	76.26	3956	100.00

12/13 - M - CASI H8.2+P2K 22 - Smoke once a day				
ghb15m7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	10.11184	0.26	10.11184	0.26
-9	254.4327	6.43	264.5445	6.69
Yes	599.3577	15.15	863.9022	21.84
No	3092.098	78.16	3956	100.00

12/13 - M - CASI H8.3+P2K 22/23 - No. cigarettes smoked per day				
ghb15m8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.31245	0.29	11.31245	0.29
-9	3345.33	84.56	3356.642	84.85
1 to 5 per day	97.47784	2.46	3454.12	87.31
6 to 10 per day	188.1592	4.76	3642.279	92.07
11 to 20 per day	246.0902	6.22	3888.37	98.29
More than 20 per day	67.63036	1.71	3956	100.00

12/13 - M - CASI H9.1+P2K 24 - Frequency of drinking alcohol				
ghb16m2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.41586	0.29	11.41586	0.29
-9	246.5029	6.23	257.9188	6.52
-3	7.12404	0.18	265.0428	6.70
Never	618.7699	15.64	883.8127	22.34
Not in the last year	171.1785	4.33	1054.991	26.67
Monthly or less	911.1825	23.03	1966.174	49.70
2 to 3 times a month	425.3474	10.75	2391.521	60.45
Once a week	429.8718	10.87	2821.393	71.32
2 to 3 times a week	696.5136	17.61	3517.907	88.93
4 to 6 times a week	333.6756	8.43	3851.582	97.36
Everyday	104.4178	2.64	3956	100.00

12/13 - M - CASI H9.2+P2K 25 - Av. daily alcohol when drinking				
ghb16m3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12.63608	0.32	12.63608	0.32
-9	866.4497	21.90	879.0858	22.22
-3	8.918281	0.23	888.0041	22.45
1 or 2	2155.561	54.49	3043.565	76.94
3 or 4	699.5289	17.68	3743.093	94.62
5 or 6	168.7515	4.27	3911.845	98.88
7 to 10	38.07748	0.96	3949.922	99.85
11 or more	6.077633	0.15	3956	100.00

12/13 - M - CASI H9.3+P2K 25 - Freq binge drinking (v4)-5 or more std drinks				
ghb16m7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12.63608	0.32	12.63608	0.32
-9	875.368	22.13	888.0041	22.45
Everyday	17.46988	0.44	905.4739	22.89
4-6 times a week	13.15323	0.33	918.6272	23.22
2-3 times a week	55.15228	1.39	973.7794	24.62
Once a week	190.0966	4.81	1163.876	29.42
2-3 times a month	159.1301	4.02	1323.006	33.44
Monthly or less	1021.317	25.82	2344.323	59.26
Never	1611.677	40.74	3956	100.00

12/13 - M - CASI H9.4+P2K 27 - Freq binge drinking (v4) >6 std drinks				
ghb16m8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.33889	0.34	13.33889	0.34
-9	875.5629	22.13	888.9018	22.47
-3	5.967679	0.15	894.8695	22.62
Everyday	5.839149	0.15	900.7086	22.77
4-6 times a week	3.82027	0.10	904.5289	22.86
2-3 times a week	19.22909	0.49	923.758	23.35
Once a week	72.72441	1.84	996.4824	25.19
2-3 times a month	92.035	2.33	1088.517	27.52
Monthly or less	636.1413	16.08	1724.659	43.60
Never	2231.341	56.40	3956	100.00

12/13 - M - Freq binge drinking (v3)				
ghb16m5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	175.3889	4.43	175.3889	4.43
-9	712.6151	18.01	888.0041	22.45
-3	5.967679	0.15	893.9717	22.60
Everyday	17.46988	0.44	911.4416	23.04
4-6 times a week	13.15323	0.33	924.5948	23.37
2-3 times a week	55.15228	1.39	979.7471	24.77
Once a week	188.4114	4.76	1168.158	29.53
2-3 times a month	159.1301	4.02	1327.289	33.55
Monthly or less	1017.034	25.71	2344.323	59.26
Never	1611.677	40.74	3956	100.00

12/13 - M - Freq binge drinking (v2)				
ghb16m5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	41.12536	1.04	41.12536	1.04
-9	2458.556	62.15	2499.681	63.19
Everyday	17.46988	0.44	2517.151	63.63
4-6 times a week	13.15323	0.33	2530.304	63.96
2-3 times a week	55.15228	1.39	2585.457	65.36
Once a week	190.0966	4.81	2775.553	70.16
2-3 times a month	159.1301	4.02	2934.683	74.18
Monthly or less	1021.317	25.82	3956	100.00

12/13 - M - Average daily alcohol consumption				
gmavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	145.454	3.68	145.454	3.68
-9	122.3345	3.09	267.7885	6.77
0	789.9484	19.97	1057.737	26.74
0.0534	684.3606	17.30	1742.098	44.04
0.125	161.8512	4.09	1903.949	48.13
0.143	287.4735	7.27	2191.422	55.39
0.196	47.00275	1.19	2238.425	56.58
0.214	273.5441	6.91	2511.969	63.50
0.304	13.26732	0.34	2525.236	63.83
0.321	108.1295	2.73	2633.366	66.57
0.429	2.760698	0.07	2636.127	66.64
0.5	126.9305	3.21	2763.057	69.84
0.571	462.6902	11.70	3225.747	81.54
0.786	47.28865	1.20	3273.036	82.74
1.143	237.5701	6.01	3510.606	88.74
1.214	10.44868	0.26	3521.055	89.01
1.286	200.417	5.07	3721.472	94.07
1.5	57.01444	1.44	3778.486	95.51
1.714	1.404312	0.04	3779.89	95.55
2	29.69578	0.75	3809.586	96.30
2.571	79.49999	2.01	3889.086	98.31
3.143	2.904817	0.07	3891.991	98.38
3.5	35.8613	0.91	3927.852	99.29
4	16.60558	0.42	3944.458	99.71
5.5	7.16646	0.18	3951.624	99.89
8.5	3.304136	0.08	3954.928	99.97
12	1.071501	0.03	3956	100.00

12/13 - M - Alcohol consumption groups				
gmalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	143.514	3.63	143.514	3.63
-9	122.3345	3.09	265.8486	6.72
Abstain not in the last year	789.9484	19.97	1055.797	26.69
Occasional less than monthly	911.1825	23.03	1966.979	49.72
Light <2 drinks/day men, <1 women	1306.056	33.01	3273.036	82.74
Moderate >=2 to <4 men, >=1 to <2 women	506.8545	12.81	3779.89	95.55
Hazardous >=4 to <6 men, >=2 and <4 women	147.9619	3.74	3927.852	99.29
Harmful >=6 men, >=4 women	28.14768	0.71	3956	100.00

12/13 - M - Heavy daily alcohol consumption				
gmhvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12.17891	0.31	12.17891	0.31
-9	255.6096	6.46	267.7885	6.77
Yes	176.1096	4.45	443.8981	11.22
No	3512.102	88.78	3956	100.00

12/13 - M - Frequent binge drinking				
gmbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	10.87489	0.27	10.87489	0.27
-9	255.6096	6.46	266.4845	6.74
Yes	432.0636	10.92	698.5481	17.66
No	3257.452	82.34	3956	100.00

12/13 - M - Problematic alcohol use				
gmalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12.17891	0.31	12.17891	0.31
-9	255.6096	6.46	267.7885	6.77
Yes	473.7686	11.98	741.5571	18.75
No	3214.443	81.25	3956	100.00

12/13 - F - CASI H7.1+P2K 15 - No. serves of fruit/day				
ghb13f2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	66.40244	1.68	66.40244	1.68
-9	1616.488	40.86	1682.891	42.54
-3	0.863865	0.02	1683.755	42.56
0	212.7482	5.38	1896.503	47.94
1	1121.037	28.34	3017.54	76.28
2	601.1474	15.20	3618.687	91.47
3	236.4164	5.98	3855.104	97.45
4	63.33287	1.60	3918.437	99.05
5	26.45781	0.67	3944.894	99.72
6	2.357678	0.06	3947.252	99.78
7	5.686844	0.14	3952.939	99.92
8	2.295113	0.06	3955.234	99.98
9	0.765993	0.02	3956	100.00

12/13 - F - CASI H7.1+P2K 15 - No. serves of fruit/day (6+)				
ghb13f2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	66.40244	1.68	66.40244	1.68
-9	1616.488	40.86	1682.891	42.54
-3	0.863865	0.02	1683.755	42.56
Less than 1	212.7482	5.38	1896.503	47.94
1	1121.037	28.34	3017.54	76.28
2	601.1474	15.20	3618.687	91.47
3	236.4164	5.98	3855.104	97.45
4	63.33287	1.60	3918.437	99.05
5	26.45781	0.67	3944.894	99.72
6 or more	11.10563	0.28	3956	100.00

12/13 - F - CASI H7.2+P2K 16 - No. serves of vegetables/day				
ghb13f1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	49.13044	1.24	49.13044	1.24
-9	1616.488	40.86	1665.619	42.10
0	30.80762	0.78	1696.426	42.88
1	864.3502	21.85	2560.777	64.73
2	805.4438	20.36	3366.221	85.09
3	387.8488	9.80	3754.069	94.90
4	138.4468	3.50	3892.516	98.40
5	51.41586	1.30	3943.932	99.69
6	6.660648	0.17	3950.593	99.86
7	4.420935	0.11	3955.014	99.98
8	0.986461	0.02	3956	100.00

12/13 - F - CASI H7.2+P2K 16 - No. serves of vegetables/day (6+)				
ghb13f1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	49.13044	1.24	49.13044	1.24
-9	1616.488	40.86	1665.619	42.10
Less than 1	30.80762	0.78	1696.426	42.88
1	864.3502	21.85	2560.777	64.73
2	805.4438	20.36	3366.221	85.09
3	387.8488	9.80	3754.069	94.90
4	138.4468	3.50	3892.516	98.40
5	51.41586	1.30	3943.932	99.69
6 or more	12.06804	0.31	3956	100.00

12/13 - F - CASI H7.3+P2K 17 - Days per week exercise				
ghb14f2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	63.90797	1.62	63.90797	1.62
-9	1616.488	40.86	1680.396	42.48
0	209.455	5.29	1889.851	47.77
1	296.3689	7.49	2186.22	55.26
2	399.7738	10.11	2585.994	65.37
3	401.217	10.14	2987.211	75.51
4	253.3092	6.40	3240.52	81.91
5	355.0195	8.97	3595.54	90.89
6	137.4566	3.47	3732.996	94.36
7	223.0037	5.64	3956	100.00

12/13 - F - CASI H8.1/H8.2+P2K 21/22 - Current cigarette smoking --Frequency				
ghb15f1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	56.92917	1.44	56.92917	1.44
-9	1616.488	40.86	1673.418	42.30
Do not smoke at all	1952.373	49.35	3625.791	91.65
Less than once a day	27.79561	0.70	3653.586	92.36
At least once a day	302.4136	7.64	3956	100.00

12/13 - F - CASI H8.1+P2K 21 - Current cigarette smoking				
ghb15f5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	42.8587	1.08	42.8587	1.08
-9	1616.488	40.86	1659.347	41.95
Yes	344.2797	8.70	2003.627	50.65
No	1952.373	49.35	3956	100.00

12/13 - F- CASI H8.2+P2K 22 - Smoke once a day				
ghb15f7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	50.38457	1.27	50.38457	1.27
-9	1616.488	40.86	1666.873	42.14
Yes	303.006	7.66	1969.879	49.79
No	1986.121	50.21	3956	100.00

12/13 - F - CASI H8.3+P2K 22/23 - No. cigarettes smoked per day				
ghb15f8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	88.16821	2.23	88.16821	2.23
-9	3579.676	90.49	3667.844	92.72
1 to 5 per day	44.44991	1.12	3712.294	93.84
6 to 10 per day	66.99376	1.69	3779.287	95.53
11 to 20 per day	120.1945	3.04	3899.482	98.57
More than 20 per day	56.51806	1.43	3956	100.00

12/13 - F - CASI H9.1+P2K 24 - Frequency of drinking alcohol				
ghb16f2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	41.09576	1.04	41.09576	1.04
-9	1616.488	40.86	1657.584	41.90
Never	224.8821	5.68	1882.466	47.59
Not in the last year	42.79644	1.08	1925.263	48.67
Monthly or less	336.8673	8.52	2262.13	57.18
2 to 3 times a month	267.5651	6.76	2529.695	63.95
Once a week	281.5729	7.12	2811.268	71.06
2 to 3 times a week	576.6103	14.58	3387.878	85.64
4 to 6 times a week	376.6933	9.52	3764.572	95.16
Everyday	191.4284	4.84	3956	100.00

12/13 - F - CASI H9.2+P2K 25 - Av. daily alcohol when drinking				
ghb16f3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	53.91561	1.36	53.91561	1.36
-9	1841.371	46.55	1895.286	47.91
1 or 2	1068.299	27.00	2963.585	74.91
3 or 4	668.9354	16.91	3632.521	91.82
5 or 6	259.6216	6.56	3892.142	98.39
7 to 10	54.0487	1.37	3946.191	99.75
11 or more	9.808845	0.25	3956	100.00

12/13 - F - CASI H9.3+P2K 25 - Freq binge drinking (v4)-5 or more std drinks				
ghb16f7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	55.91908	1.41	55.91908	1.41
-9	1841.371	46.55	1897.29	47.96
Everyday	35.0481	0.89	1932.338	48.85
4-6 times a week	43.79565	1.11	1976.133	49.95
2-3 times a week	145.3565	3.67	2121.49	53.63
Once a week	263.2217	6.65	2384.712	60.28

12/13 - F - CASI H9.3+P2K 25 - Freq binge drinking (v4)-5 or more std drinks				
ghb16f7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2-3 times a month	185.9367	4.70	2570.648	64.98
Monthly or less	812.6741	20.54	3383.322	85.52
Never	572.6776	14.48	3956	100.00

12/13 - F - CASI H9.4+P2K 27 - Freq binge drinking (v4) - >6 std drinks at once				
ghb16f8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	107.775	2.72	107.775	2.72
-9	1841.371	46.55	1949.146	49.27
-3	1.621789	0.04	1950.767	49.31
Everyday	10.26661	0.26	1961.034	49.57
4-6 times a week	10.80486	0.27	1971.839	49.84
2-3 times a week	61.61615	1.56	2033.455	51.40
Once a week	140.5976	3.55	2174.053	54.96
2-3 times a month	112.6305	2.85	2286.683	57.80
Monthly or less	684.741	17.31	2971.424	75.11
Never	984.5759	24.89	3956	100.00

12/13 - F - Freq binge drinking (v3)				
ghb16f5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	319.2565	8.07	319.2565	8.07
-9	1629.889	41.20	1949.146	49.27
-3	1.621789	0.04	1950.767	49.31
Everyday	10.26661	0.26	1961.034	49.57
4-6 times a week	10.80486	0.27	1971.839	49.84
2-3 times a week	61.61615	1.56	2033.455	51.40
Once a week	140.5976	3.55	2174.053	54.96
2-3 times a month	112.6305	2.85	2286.683	57.80
Monthly or less	684.741	17.31	2971.424	75.11
Never	984.5759	24.89	3956	100.00

12/13 - F - Freq binge drinking (v2)				
ghb16f5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	307.2586	7.77	307.2586	7.77
-9	2628.085	66.43	2935.343	74.20
Everyday	10.26661	0.26	2945.61	74.46
4-6 times a week	10.80486	0.27	2956.415	74.73
2-3 times a week	61.61615	1.56	3018.031	76.29

12/13 - F - Freq binge drinking (v2)				
ghb16f5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once a week	140.5976	3.55	3158.629	79.84
2-3 times a month	112.6305	2.85	3271.259	82.69
Monthly or less	684.741	17.31	3956	100.00

12/13 - F - Average daily alcohol consumption				
gfavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	61.09027	1.54	61.09027	1.54
-9	1604.491	40.56	1665.581	42.10
0	267.6786	6.77	1933.259	48.87
0.0534	239.6737	6.06	2172.933	54.93
0.125	56.86923	1.44	2229.802	56.37
0.143	154.9459	3.92	2384.748	60.28
0.196	24.36388	0.62	2409.112	60.90
0.214	148.5433	3.75	2557.655	64.65
0.304	8.665014	0.22	2566.32	64.87
0.321	84.89028	2.15	2651.211	67.02
0.429	0.649618	0.02	2651.86	67.03
0.5	105.8513	2.68	2757.712	69.71
0.571	250.2537	6.33	3007.965	76.04
0.786	48.18667	1.22	3056.152	77.25
1.089	0.873928	0.02	3057.026	77.28
1.143	175.9763	4.45	3233.002	81.72
1.214	3.844565	0.10	3236.847	81.82
1.286	228.7718	5.78	3465.619	87.60
1.5	68.16691	1.72	3533.786	89.33
1.714	0.651251	0.02	3534.437	89.34
2	78.52164	1.98	3612.958	91.33
2.571	143.6457	3.63	3756.604	94.96
3.143	16.53802	0.42	3773.142	95.38
3.5	62.41484	1.58	3835.557	96.96
4	45.38266	1.15	3880.94	98.10
4.357	2.525117	0.06	3883.465	98.17
5.5	47.8053	1.21	3931.27	99.37
6.286	10.30787	0.26	3941.578	99.64
8.5	9.313144	0.24	3950.891	99.87
8.714	1.380725	0.03	3952.272	99.91
12	3.728205	0.09	3956	100.00

12/13 - F - Alcohol consumption groups				
gfalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	54.44446	1.38	54.44446	1.38
-9	1604.491	40.56	1658.935	41.93
Abstain not in the last year	267.6786	6.77	1926.614	48.70
Occasional less than monthly	336.8673	8.52	2263.481	57.22
Light <2 drinks/day men, <1 women	1270.956	32.13	3534.437	89.34
Moderate >=2 to <4 men, >=1 to <2 women	301.1202	7.61	3835.557	96.96
Hazardous >=4 to <6 men, >=2 and <4 women	95.71307	2.42	3931.27	99.37
Harmful >=6 men, >=4 women	24.72994	0.63	3956	100.00

12/13 - F - Heavy daily alcohol consumption				
gfhvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	49.09239	1.24	49.09239	1.24
-9	1616.488	40.86	1665.581	42.10
Yes	120.443	3.04	1786.024	45.15
No	2169.976	54.85	3956	100.00

12/13 - F - Frequent binge drinking				
gfbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	44.65123	1.13	44.65123	1.13
-9	1616.488	40.86	1661.14	41.99
Yes	395.9801	10.01	2057.12	52.00
No	1898.88	48.00	3956	100.00

12/13 - F - Problematic alcohol use				
gfalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	49.9362	1.26	49.9362	1.26
-9	1616.488	40.86	1666.425	42.12
Yes	407.6005	10.30	2074.025	52.43
No	1881.975	47.57	3956	100.00