

6/7 - P1 -CASI H5 - No. serves of fruit/day				
dhb13a2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	41.27633	0.97	41.27633	0.97
-3	18.56341	0.44	59.83974	1.41
0	236.5837	5.58	296.4235	6.99
1	1799.808	42.43	2096.231	49.42
2	1486.647	35.05	3582.879	84.46
3	487.4437	11.49	4070.322	95.95
4	111.9716	2.64	4182.294	98.59
5	46.40522	1.09	4228.699	99.69
6	5.48311	0.13	4234.182	99.82
7	2.371528	0.06	4236.554	99.87
8	2.569484	0.06	4239.123	99.93
10	2.876556	0.07	4242	100.00

6/7 - P1 -CASI H5 - No. serves of fruit/day (6+)				
dhb13a2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	41.27633	0.97	41.27633	0.97
-3	18.56341	0.44	59.83974	1.41
Less than 1	236.5837	5.58	296.4235	6.99
1	1799.808	42.43	2096.231	49.42
2	1486.647	35.05	3582.879	84.46
3	487.4437	11.49	4070.322	95.95
4	111.9716	2.64	4182.294	98.59
5	46.40522	1.09	4228.699	99.69
6 or more	13.30068	0.31	4242	100.00

6/7 - P1 -CASI H6 - No. serves of vegetables/day				
dhb13a1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	41.27633	0.97	41.27633	0.97
-3	18.56341	0.44	59.83974	1.41
0	36.13301	0.85	95.97275	2.26
1	1056.935	24.92	1152.908	27.18
2	1312.126	30.93	2465.034	58.11
3	970.6637	22.88	3435.698	80.99
4	531.9501	12.54	3967.648	93.53
5	212.4556	5.01	4180.104	98.54
6	47.62146	1.12	4227.725	99.66
7	7.893023	0.19	4235.618	99.85
8	6.381747	0.15	4242	100.00

6/7 - P1 -CASI H6 - No. serves of vegetables/day (6+)				
dhb13a1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	41.27633	0.97	41.27633	0.97
-3	18.56341	0.44	59.83974	1.41
Less than 1	36.13301	0.85	95.97275	2.26
1	1056.935	24.92	1152.908	27.18
2	1312.126	30.93	2465.034	58.11
3	970.6637	22.88	3435.698	80.99
4	531.9501	12.54	3967.648	93.53
5	212.4556	5.01	4180.104	98.54
6 or more	61.89623	1.46	4242	100.00

6/7 - P1 -CASI H7 - Days per week exercise				
dhb14a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	41.27633	0.97	41.27633	0.97
-3	20.619	0.49	61.89533	1.46
0	488.3512	11.51	550.2465	12.97
1	615.1085	14.50	1165.355	27.47
2	806.8432	19.02	1972.198	46.49
3	876.3603	20.66	2848.559	67.15
4	498.7459	11.76	3347.304	78.91
5	479.9537	11.31	3827.258	90.22
6	174.7915	4.12	4002.05	94.34
7	239.9504	5.66	4242	100.00

6/7 - P1 -CASI H9.1 - Current cigarette smoking				
dhb15a5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	41.27633	0.97	41.27633	0.97
-3	18.56341	0.44	59.83974	1.41
Yes	915.5079	21.58	975.3476	22.99
No	3266.652	77.01	4242	100.00

6/7 - P1 -CASI H9.2 - Smoke once a day				
dhb15a7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	59.83974	1.41	59.83974	1.41
-9	3266.652	77.01	3326.492	78.42
Yes	821.7891	19.37	4148.281	97.79
No	93.71878	2.21	4242	100.00

6/7 - P1 - Current cigarette smoking				
dhb15a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	59.83974	1.41	59.83974	1.41
Do not smoke at all	3266.652	77.01	3326.492	78.42
Less than once a day	93.71878	2.21	3420.211	80.63
At least once a day	821.7891	19.37	4242	100.00

6/7 - P1 -CASI H9.3 - No. cigarettes smoked per day				
dhb15a8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3326.492	78.42	3326.492	78.42
1	93.71878	2.21	3420.211	80.63
1 to 5 per day	142.4353	3.36	3562.646	83.99
6 to 10 per day	347.3638	8.19	3910.01	92.17
11 to 20 per day	272.7855	6.43	4182.795	98.60
More than 20 per day	59.20459	1.40	4242	100.00

6/7 - P1 -CASI H9.4 - No. residents smoke inside				
dhb15a4b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	587.2647	13.84	587.2647	13.84
-3	23.43982	0.55	610.7045	14.40
0	3323.296	78.34	3934.001	92.74
1	262.2577	6.18	4196.258	98.92
2	37.82416	0.89	4234.082	99.81
3	7.917524	0.19	4242	100.00

6/7 - P1 -CASI H9.4 - No. residents smoke inside (5+)				
dhb15a4a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	255.3102	6.02	255.3102	6.02
-3	23.43982	0.55	278.75	6.57
None	3592.32	84.68	3871.07	91.26
1	262.2577	6.18	4133.328	97.44
2	93.1934	2.20	4226.522	99.64
3	10.44776	0.25	4236.969	99.88
4	1.27828	0.03	4238.248	99.91
5 or more	3.752305	0.09	4242	100.00

6/7 - P1 -CASI H10.1 - Frequency of drinking alcohol				
dhb16a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	41.27633	0.97	41.27633	0.97
-3	20.35905	0.48	61.63537	1.45
Never	704.9486	16.62	766.5839	18.07
Not in the last year	213.7527	5.04	980.3366	23.11
Monthly or less	1059.909	24.99	2040.245	48.10
2 to 3 times a month	539.9373	12.73	2580.183	60.82
Once a week	571.8044	13.48	3151.987	74.30
2 to 3 times a week	706.8248	16.66	3858.812	90.97
4 to 6 times a week	297.655	7.02	4156.467	97.98
Everyday	85.53307	2.02	4242	100.00

6/7 - P1 -CASI H10.2 - Av. daily alcohol when drinking				
dhb16a3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	41.27633	0.97	41.27633	0.97
-9	704.9486	16.62	746.2249	17.59
-3	26.98107	0.64	773.206	18.23
1 or 2	2214.346	52.20	2987.552	70.43
3 or 4	867.0562	20.44	3854.608	90.87
5 or 6	233.6382	5.51	4088.246	96.38
7 to 10	63.27019	1.49	4151.516	97.87
11 or more	90.48347	2.13	4242	100.00

6/7 - P1 -CASI H10.3 - Freq binge drinking (v4)				
dhb16a7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	68.25739	1.61	68.25739	1.61
-9	704.9486	16.62	773.206	18.23
Everyday	7.713873	0.18	780.9198	18.41
4-6 times a week	8.832647	0.21	789.7525	18.62
2-3 times a week	63.60581	1.50	853.3583	20.12
Once a week	184.1989	4.34	1037.557	24.46
2-3 times a month	220.3471	5.19	1257.904	29.65
Monthly or less	1365.231	32.18	2623.136	61.84
Never	1618.864	38.16	4242	100.00

6/7 - P1 -CASI H10.4 - Freq binge drinking (v4)				
dhb16a8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	68.25739	1.61	68.25739	1.61
-9	704.9486	16.62	773.206	18.23
-3	3.849446	0.09	777.0554	18.32
Everyday	3.195676	0.08	780.2511	18.39
4-6 times a week	2.361437	0.06	782.6125	18.45
2-3 times a week	14.44247	0.34	797.055	18.79
Once a week	76.32461	1.80	873.3796	20.59
2-3 times a month	92.97052	2.19	966.3501	22.78
Monthly or less	824.6907	19.44	1791.041	42.22
Never	2450.959	57.78	4242	100.00

6/7 - P1 - Freq binge drinking (v3)				
dhb16a5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	91.7983	2.16	91.7983	2.16
-9	704.9486	16.62	796.7469	18.78
-3	1.702736	0.04	798.4496	18.82
Everyday	7.713873	0.18	806.1635	19.00
4-6 times a week	8.832647	0.21	814.9961	19.21
2-3 times a week	58.19098	1.37	873.1871	20.58
Once a week	175.8487	4.15	1049.036	24.73
2-3 times a month	211.8858	4.99	1260.922	29.72
Monthly or less	1368.14	32.25	2629.061	61.98
Never	1612.939	38.02	4242	100.00

6/7 - P1 - Freq binge drinking (v2)				
dhb16a5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	91.7983	2.16	91.7983	2.16
-9	2317.887	54.64	2409.686	56.81
-3	1.702736	0.04	2411.388	56.85
Everyday	7.713873	0.18	2419.102	57.03
4-6 times a week	8.832647	0.21	2427.935	57.24
2-3 times a week	58.19098	1.37	2486.126	58.61
Once a week	175.8487	4.15	2661.975	62.75
2-3 times a month	211.8858	4.99	2873.86	67.75
Monthly or less	1368.14	32.25	4242	100.00

6/7 - P1 - Average daily alcohol consumption				
daavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	63.51406	1.50	63.51406	1.50
-9	704.9486	16.62	768.4626	18.12
0	213.7527	5.04	982.2153	23.15
0.0534	707.8877	16.69	1690.103	39.84
0.125	215.9267	5.09	1906.03	44.93
0.143	309.085	7.29	2215.115	52.22
0.196	82.44245	1.94	2297.557	54.16
0.214	323.3891	7.62	2620.946	61.79
0.304	20.55634	0.48	2641.502	62.27
0.321	153.798	3.63	2795.3	65.90
0.429	32.09615	0.76	2827.397	66.65
0.5	209.248	4.93	3036.645	71.59
0.571	452.9692	10.68	3489.614	82.26
0.786	64.35565	1.52	3553.97	83.78
1.089	18.12874	0.43	3572.098	84.21
1.143	201.4081	4.75	3773.506	88.96
1.214	23.47931	0.55	3796.986	89.51
1.286	206.5065	4.87	4003.492	94.38
1.5	51.89507	1.22	4055.387	95.60
1.714	9.378814	0.22	4064.766	95.82
2	31.18344	0.74	4095.949	96.56
2.571	76.39453	1.80	4172.344	98.36
3.143	4.228488	0.10	4176.573	98.46
3.5	30.1047	0.71	4206.677	99.17
4	11.91208	0.28	4218.589	99.45
4.357	11.93716	0.28	4230.526	99.73
5.5	2.552603	0.06	4233.079	99.79
6.286	1.073247	0.03	4234.152	99.82
8.714	6.866963	0.16	4241.019	99.98
12	0.980685	0.02	4242	100.00

6/7 - P1 - Alcohol consumption groups				
daalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	62.51454	1.47	62.51454	1.47
-9	704.9486	16.62	767.4631	18.09
Abstain not in the last year	213.7527	5.04	981.2158	23.13
Occasional less than monthly	1059.909	24.99	2041.125	48.12
Light <2 drinks/day men, <1 women	1541.748	36.34	3582.873	84.46
Moderate >=2 to <4 men, >=1 to <2 women	496.9508	11.72	4079.824	96.18

6/7 - P1 - Alcohol consumption groups				
daalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hazardous >=4 to <6 men, >=2 and <4 women	132.2595	3.12	4212.083	99.29
Harmful >=6 men, >=4 women	29.91677	0.71	4242	100.00

6/7 - P1 - Heavy daily alcohol consumption				
dahvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	63.51406	1.50	63.51406	1.50
-9	704.9486	16.62	768.4626	18.12
Yes	162.1763	3.82	930.6389	21.94
No	3311.361	78.06	4242	100.00

6/7 - P1 - Frequent binge drinking				
dabinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	88.75771	2.09	88.75771	2.09
-9	704.9486	16.62	793.7063	18.71
Yes	462.472	10.90	1256.178	29.61
No	2985.822	70.39	4242	100.00

6/7 - P1 - Problematic alcohol use				
daalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	88.75771	2.09	88.75771	2.09
-9	704.9486	16.62	793.7063	18.71
Yes	507.7954	11.97	1301.502	30.68
No	2940.498	69.32	4242	100.00

6/7 - P1 -F2F J1.1 - SC had fresh fruit				
dhb21a1a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	11.06305	0.26	14.929	0.35
Not at all	398.7076	9.40	413.6366	9.75
Once	953.4129	22.48	1367.05	32.23
Twice	1466.983	34.58	2834.033	66.81
More than twice	1407.967	33.19	4242	100.00

6/7 - P1 -F2F J1.2 - SC had fresh juice				
dhb21a2a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	11.19017	0.26	15.05612	0.35
Not at all	2021.93	47.66	2036.986	48.02
Once	1241.058	29.26	3278.044	77.28
Twice	642.1904	15.14	3920.234	92.41
More than twice	321.7656	7.59	4242	100.00

6/7 - P1 -F2F J1.3 - SC had cooked vegetables				
dhb21a1b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	8.951863	0.21	12.81781	0.30
Not at all	1003.406	23.65	1016.223	23.96
Once	2229.011	52.55	3245.234	76.50
Twice	709.3301	16.72	3954.564	93.22
More than twice	287.4356	6.78	4242	100.00

6/7 - P1 -F2F J1.4 - SC had raw vegetables				
dhb21a1c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	9.325974	0.22	13.19192	0.31
Not at all	2281.887	53.79	2295.079	54.10
Once	1414.11	33.34	3709.19	87.44
Twice	407.1408	9.60	4116.33	97.04
More than twice	125.6695	2.96	4242	100.00

6/7 - P1 -F2F J1.5 - SC had pie, etc.				
dhb21a3a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	5.210031	0.12	9.075981	0.21
Not at all	3126.795	73.71	3135.871	73.92
Once	1006.687	23.73	4142.558	97.66
Twice	85.23282	2.01	4227.79	99.67
More than twice	14.20955	0.33	4242	100.00

6/7 - P1 -F2F J1.6 - SC had hot chips or french fries				
dhb21a3b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	5.210031	0.12	9.075981	0.21
Not at all	3136.986	73.95	3146.061	74.16
Once	1042.364	24.57	4188.425	98.74
Twice	45.05393	1.06	4233.479	99.80
More than twice	8.520909	0.20	4242	100.00

6/7 - P1 -F2F J1.7 - SC had potato chips or savoury snacks				
dhb21a3c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	9.928046	0.23	13.794	0.33
Not at all	2450.608	57.77	2464.402	58.10
Once	1484.469	34.99	3948.871	93.09
Twice	235.0847	5.54	4183.956	98.63
More than twice	58.04385	1.37	4242	100.00

6/7 - P1 -F2F J1.8 - SC had biscuits, etc.				
dhb21a3d1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	6.201725	0.15	10.06767	0.24
Not at all	1066.194	25.13	1076.261	25.37
Once	2168.433	51.12	3244.694	76.49
Twice	794.2728	18.72	4038.967	95.21
More than twice	203.0329	4.79	4242	100.00

6/7 - P1 -F2F J1.10 - SC had full cream milk products				
dhb21a3e1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	8.559733	0.20	12.42568	0.29
Not at all	824.4427	19.44	836.8684	19.73
Once	1014.841	23.92	1851.71	43.65
Twice	1290.897	30.43	3142.606	74.08
More than twice	1099.394	25.92	4242	100.00

6/7 - P1 -F2F J1.11 - SC had skim milk products				
dhb21a4a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	8.820342	0.21	12.68629	0.30
Not at all	3254.508	76.72	3267.194	77.02
Once	395.1601	9.32	3662.354	86.34
Twice	332.7823	7.84	3995.136	94.18
More than twice	246.8635	5.82	4242	100.00

6/7 - P1 -F2F J1.12 - SC had water				
dhb21a5a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	18.3752	0.43	22.24115	0.52
Not at all	88.11171	2.08	110.3529	2.60
Once	182.8442	4.31	293.1971	6.91
Twice	377.557	8.90	670.7541	15.81
More than twice	3571.246	84.19	4242	100.00

6/7 - P1 -F2F J1.13 - SC had soft drink/cordial				
dhb21a2b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	7.679817	0.18	11.54577	0.27
Not at all	2768.491	65.26	2780.037	65.54
Once	978.2231	23.06	3758.26	88.60
Twice	341.0331	8.04	4099.293	96.64
More than twice	142.7067	3.36	4242	100.00

6/7 - P1 -F2F B1.13 - SC had diet soft drink or cordial				
dhb21a6a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	6.818445	0.16	10.68439	0.25
Not at all	3948.931	93.09	3959.616	93.34
Once	200.4933	4.73	4160.109	98.07
Twice	57.15543	1.35	4217.265	99.42
More than twice	24.73535	0.58	4242	100.00

6/7 - P1 - Serves of fruit and vegetables (v2)				
dafandvb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	8.785452	0.21	8.785452	0.21
0	139.5173	3.29	148.3027	3.50
1	351.9615	8.30	500.2642	11.79
2	782.6768	18.45	1282.941	30.24
3	1218.861	28.73	2501.802	58.98
4	1084.547	25.57	3586.35	84.54
5	440.4035	10.38	4026.753	94.93
6	215.2469	5.07	4242	100.00

6/7 - P1 - Serves of high fat food (v2)				
dahfatb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7.588862	0.18	7.588862	0.18
0	360.6314	8.50	368.2203	8.68
1	1175.388	27.71	1543.608	36.39
2	1398.516	32.97	2942.124	69.36
3	809.2497	19.08	3751.374	88.43
4	347.3621	8.19	4098.736	96.62
5	96.04791	2.26	4194.784	98.89
6	24.58971	0.58	4219.374	99.47
7	9.550606	0.23	4228.924	99.69
8	13.0757	0.31	4242	100.00

6/7 - P1 - Serves of high fat food (inc. whole milk) (v2)				
dahfwmb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7.588862	0.18	7.588862	0.18
0	76.47475	1.80	84.06361	1.98
1	339.2404	8.00	423.304	9.98
2	771.9115	18.20	1195.216	28.18
3	1103.825	26.02	2299.041	54.20
4	1029.491	24.27	3328.531	78.47
5	588.2616	13.87	3916.793	92.33
6	217.0023	5.12	4133.795	97.45
7	67.71255	1.60	4201.508	99.05
8	21.22798	0.50	4222.736	99.55
9	7.998622	0.19	4230.735	99.73
10	11.26543	0.27	4242	100.00

6/7 - P1 - Serves of high sugar drinks (v2)				
dahsdrnkb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7.051615	0.17	7.051615	0.17
0	1404.634	33.11	1411.686	33.28
1	1211.461	28.56	2623.147	61.84
2	1106.093	26.07	3729.24	87.91
3	360.014	8.49	4089.254	96.40
4	152.7459	3.60	4242	100.00

6/7 - P1 -F2F J1.1 - SC had fresh fruit				
dhb21a1a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	11.06305	0.26	14.929	0.35
Not at all	398.7076	9.40	413.6366	9.75
Once	953.4129	22.48	1367.05	32.23
Twice or more	2874.95	67.77	4242	100.00

6/7 - P1 -F2F J1.2 - SC had fresh juice				
dhb21a2a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	11.19017	0.26	15.05612	0.35
Not at all	2021.93	47.66	2036.986	48.02
Once	1241.058	29.26	3278.044	77.28
Twice or more	963.956	22.72	4242	100.00

6/7 - P1 -F2F J1.3 - SC had cooked vegetables				
dhb21a1b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	8.951863	0.21	12.81781	0.30
Not at all	1003.406	23.65	1016.223	23.96
Once	2229.011	52.55	3245.234	76.50
Twice or more	996.7657	23.50	4242	100.00

6/7 - P1 -F2F J1.4 - SC had raw vegetables				
dhb21a1c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	9.325974	0.22	13.19192	0.31
Not at all	2281.887	53.79	2295.079	54.10

6/7 - P1 -F2F J1.4 - SC had raw vegetables				
dhb21a1c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once	1414.11	33.34	3709.19	87.44
Twice or more	532.8103	12.56	4242	100.00

6/7 - P1 -F2F J1.5 - SC had pie, etc.				
dhb21a3a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	5.210031	0.12	9.075981	0.21
Not at all	3126.795	73.71	3135.871	73.92
Once	1006.687	23.73	4142.558	97.66
Twice or more	99.44238	2.34	4242	100.00

6/7 - P1 -F2F J1.6 - SC had hot chips or french fries				
dhb21a3b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	5.210031	0.12	9.075981	0.21
Not at all	3136.986	73.95	3146.061	74.16
Once	1042.364	24.57	4188.425	98.74
Twice or more	53.57484	1.26	4242	100.00

6/7 - P1 -F2F J1.7 - SC had potato chips or savoury snacks				
dhb21a3c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	9.928046	0.23	13.794	0.33
Not at all	2450.608	57.77	2464.402	58.10
Once	1484.469	34.99	3948.871	93.09
Twice or more	293.1285	6.91	4242	100.00

6/7 - P1 -F2F J1.8 - SC had biscuits, etc.				
dhb21a3d2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	6.201725	0.15	10.06767	0.24
Not at all	1066.194	25.13	1076.261	25.37
Once	2168.433	51.12	3244.694	76.49
Twice or more	997.3057	23.51	4242	100.00

6/7 - P1 -F2F J1.10 - SC had full cream milk products				
dhb21a3e2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	8.559733	0.20	12.42568	0.29
Not at all	824.4427	19.44	836.8684	19.73
Once	1014.841	23.92	1851.71	43.65
Twice or more	2390.29	56.35	4242	100.00

6/7 - P1 -F2F J1.11 - SC had skim milk products				
dhb21a4a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	8.820342	0.21	12.68629	0.30
Not at all	3254.508	76.72	3267.194	77.02
Once	395.1601	9.32	3662.354	86.34
Twice or more	579.6458	13.66	4242	100.00

6/7 - P1 -F2F J1.12 - SC had water				
dhb21a5a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	18.3752	0.43	22.24115	0.52
Not at all	88.11171	2.08	110.3529	2.60
Once	182.8442	4.31	293.1971	6.91
Twice or more	3948.803	93.09	4242	100.00

6/7 - P1 -F2F J1.13 - SC had soft drink/cordial				
dhb21a2b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	7.679817	0.18	11.54577	0.27
Not at all	2768.491	65.26	2780.037	65.54
Once	978.2231	23.06	3758.26	88.60
Twice or more	483.7398	11.40	4242	100.00

6/7 - P1 -F2F B1.13 - SC had diet soft drink or cordial				
dhb21a6a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-2	6.818445	0.16	10.68439	0.25
Not at all	3948.931	93.09	3959.616	93.34
Once	200.4933	4.73	4160.109	98.07
Twice or more	81.89078	1.93	4242	100.00

6/7 - P1 - Serves of fruit and vegetables				
dafandv	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	8.538734	0.20	8.538734	0.20
0	285.3908	6.73	293.9295	6.93
1	921.5932	21.73	1215.523	28.65
2	1136.972	26.80	2352.495	55.46
3	903.0108	21.29	3255.506	76.74
4	520.8017	12.28	3776.308	89.02
5	275.9662	6.51	4052.274	95.53
6	114.3262	2.70	4166.6	98.22
7	55.83734	1.32	4222.437	99.54
8	14.37698	0.34	4236.814	99.88
9	5.185722	0.12	4242	100.00

6/7 - P1 - Serves of high fat food (v1)				
dahfat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7.588862	0.18	7.588862	0.18
0	360.6314	8.50	368.2203	8.68
1	1175.388	27.71	1543.608	36.39
2	1321.841	31.16	2865.449	67.55
3	824.4713	19.44	3689.92	86.99
4	362.3982	8.54	4052.318	95.53
5	106.3882	2.51	4158.706	98.04
6	43.77503	1.03	4202.481	99.07
7	17.83939	0.42	4220.321	99.49
8	4.559204	0.11	4224.88	99.60
9	6.596598	0.16	4231.477	99.75
10	4.046714	0.10	4235.523	99.85
11	2.909666	0.07	4238.433	99.92
12	3.566922	0.08	4242	100.00

6/7 - P1 - Serves of high fat food (inc. whole milk) (v1)				
dahfwm	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7.588862	0.18	7.588862	0.18
0	76.47475	1.80	84.06361	1.98
1	339.2404	8.00	423.304	9.98
2	664.9776	15.68	1088.282	25.65
3	926.3965	21.84	2014.678	47.49
4	907.3852	21.39	2922.063	68.88
5	713.8072	16.83	3635.871	85.71
6	360.8764	8.51	3996.747	94.22
7	131.6335	3.10	4128.381	97.32
8	61.91907	1.46	4190.3	98.78
9	22.53747	0.53	4212.837	99.31
10	14.44752	0.34	4227.285	99.65
11	1.946469	0.05	4229.231	99.70
12	6.292327	0.15	4235.523	99.85
14	2.909666	0.07	4238.433	99.92
15	3.566922	0.08	4242	100.00

6/7 - P1 - Serves of high sugar drinks (v1)				
dahsdrnk	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7.051615	0.17	7.051615	0.17
0	1404.634	33.11	1411.686	33.28
1	1211.461	28.56	2623.147	61.84
2	859.9828	20.27	3483.13	82.11
3	491.2343	11.58	3974.364	93.69
4	178.1787	4.20	4152.543	97.89
5	75.44169	1.78	4227.985	99.67
6	14.01537	0.33	4242	100.00

6/7 - F2F J2 - Did child eat breakfast				
dhb22a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.865949	0.09	3.865949	0.09
-3	169.9132	4.01	173.7791	4.10
-2	6.748982	0.16	180.5281	4.26
Yes	4061.472	95.74	4242	100.00

6/7 - F2F W3+J32.1 - Age SC started clean teeth				
zhb23a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	128.2334	3.02	128.2334	3.02
-1	2.406351	0.06	130.6397	3.08
1	11.59193	0.27	142.2316	3.35
2	6.262501	0.15	148.4941	3.50
3	30.71581	0.72	179.21	4.22
4	101.9738	2.40	281.1837	6.63
5	113.65	2.68	394.8337	9.31
6	577.2818	13.61	972.1155	22.92
7	179.8885	4.24	1152.004	27.16
8	360.8356	8.51	1512.84	35.66
9	239.5189	5.65	1752.359	41.31
10	194.8975	4.59	1947.256	45.90
11	92.42064	2.18	2039.677	48.08
12	1206.417	28.44	3246.094	76.52
13	27.38824	0.65	3273.482	77.17
14	61.55737	1.45	3335.039	78.62
15	37.75067	0.89	3372.79	79.51
16	18.90143	0.45	3391.691	79.96
17	3.902662	0.09	3395.594	80.05
18	368.3269	8.68	3763.921	88.73
19	3.016502	0.07	3766.937	88.80
20	19.01202	0.45	3785.949	89.25
21	2.566423	0.06	3788.516	89.31
22	6.727027	0.16	3795.243	89.47
23	2.378644	0.06	3797.621	89.52
24	347.6848	8.20	4145.306	97.72
25	1.108714	0.03	4146.415	97.75
27	0.525395	0.01	4146.94	97.76
28	4.441713	0.10	4151.382	97.86
30	20.27387	0.48	4171.656	98.34
31	1.340079	0.03	4172.996	98.37
32	2.954987	0.07	4175.951	98.44
33	1.295718	0.03	4177.247	98.47
34	3.423128	0.08	4180.67	98.55
35	2.940647	0.07	4183.61	98.62
36	37.42269	0.88	4221.033	99.51
37	2.097375	0.05	4223.131	99.56
38	1.95232	0.05	4225.083	99.60
39	3.427364	0.08	4228.51	99.68

6/7 - F2F W3+J32.1 - Age SC started clean teeth				
zhb23a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
48	11.47123	0.27	4239.981	99.95
55	2.018504	0.05	4242	100.00

6/7 - F2F W3+J32.1.1 - Age SC started clean teeth - Unit				
zhb23a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	128.2334	3.02	128.2334	3.02
don't clean child's teeth	2.406351	0.06	130.6397	3.08
Months	3035.649	71.56	3166.289	74.64
Years	1075.711	25.36	4242	100.00

6/7 - F2F W3+J32.1.2 - Age SC started clean teeth - Amount				
zhhb23a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	128.2334	3.02	128.2334	3.02
-9	2.406351	0.06	130.6397	3.08
1	700.6792	16.52	831.3189	19.60
2	343.9925	8.11	1175.311	27.71
3	68.13849	1.61	1243.45	29.31
4	113.445	2.67	1356.895	31.99
5	113.65	2.68	1470.545	34.67
6	577.2818	13.61	2047.827	48.28
7	179.8885	4.24	2227.715	52.52
8	360.8356	8.51	2588.551	61.02
9	239.5189	5.65	2828.07	66.67
10	194.8975	4.59	3022.967	71.26
11	92.42064	2.18	3115.388	73.44
12	517.3295	12.20	3632.717	85.64
13	27.38824	0.65	3660.106	86.28
14	61.55737	1.45	3721.663	87.73
15	37.75067	0.89	3759.414	88.62
16	18.90143	0.45	3778.315	89.07
17	3.902662	0.09	3782.218	89.16
18	368.3269	8.68	4150.545	97.84
19	3.016502	0.07	4153.561	97.92
20	19.01202	0.45	4172.573	98.36
21	2.566423	0.06	4175.14	98.42
22	6.727027	0.16	4181.867	98.58
23	2.378644	0.06	4184.245	98.64
24	9.954817	0.23	4194.2	98.87
25	1.108714	0.03	4195.309	98.90
27	0.525395	0.01	4195.834	98.91
28	4.441713	0.10	4200.276	99.02
30	20.27387	0.48	4220.55	99.49
31	1.340079	0.03	4221.89	99.53
32	2.954987	0.07	4224.845	99.60
33	1.295718	0.03	4226.141	99.63
34	3.423128	0.08	4229.564	99.71
35	2.940647	0.07	4232.504	99.78
37	2.097375	0.05	4234.602	99.83
38	1.95232	0.05	4236.554	99.87
39	3.427364	0.08	4239.981	99.95
55	2.018504	0.05	4242	100.00

6/7 - F2F J32.1 - How often are child's teeth cleaned				
dhb23b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.557004	0.11	4.557004	0.11
More than twice a day	83.30483	1.96	87.86183	2.07
Twice a day	2591.3	61.09	2679.162	63.16
Once a day	1368.682	32.27	4047.844	95.42
Less than once a day	181.3733	4.28	4229.217	99.70
don't clean teeth	12.78268	0.30	4242	100.00

6/7 - F2F W3+J33.3 - Had dental problems				
dhb23c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	48.46465	1.14	48.46465	1.14
-2	0.727467	0.02	49.19212	1.16
Yes	1551.469	36.57	1600.661	37.73
No	2641.339	62.27	4242	100.00

6/7 - F2F W3+J33.4.1 - Had cavities or dental decay				
dhb23c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	50.63645	1.19	50.63645	1.19
-2	0.727467	0.02	51.36392	1.21
No	2969.047	69.99	3020.41	71.20
Yes	1221.589	28.80	4242	100.00

6/7 - F2F W3+J33.4.2 - Had accident causing tooth damage				
dhb23c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	59.79278	1.41	59.79278	1.41
-2	0.727467	0.02	60.52024	1.43
No	3667.019	86.45	3727.54	87.87
Yes	514.4604	12.13	4242	100.00

6/7 - F2F W3+J33.4.3 - Had teeth filled due to decay				
dhb23c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	53.58525	1.26	53.58525	1.26
-2	0.727467	0.02	54.31272	1.28
No	3205.99	75.58	3260.303	76.86
Yes	981.6973	23.14	4242	100.00

6/7 - F2F W3+J33.4.4 - Had teeth pulled due to decay				
dhb23c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	62.62916	1.48	62.62916	1.48
-2	0.727467	0.02	63.35663	1.49
No	4040.006	95.24	4103.362	96.73
Yes	138.6377	3.27	4242	100.00

6/7 - F2F A21.4.1 - Last 2 yrs - cavities or dental decay				
dhb23d1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.557004	0.11	4.557004	0.11
-2	47.22948	1.11	51.78649	1.22
No	3163.896	74.59	3215.682	75.81
Yes	1026.318	24.19	4242	100.00

6/7 - F2F A21.4.2 - Last 2 yrs - teeth filled due to decay				
dhb23d2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.557004	0.11	4.557004	0.11
-2	47.22948	1.11	51.78649	1.22
No	3347.943	78.92	3399.729	80.14
Yes	842.2705	19.86	4242	100.00

6/7 - F2F A21.4.3 - Last 2 yrs - teeth pulled due to decay				
dhb23d3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.557004	0.11	4.557004	0.11
-2	47.22948	1.11	51.78649	1.22
No	4116.181	97.03	4167.968	98.25
Yes	74.03208	1.75	4242	100.00

6/7 - F2F A21.4.4 - Last 2 yrs - accidental tooth damage				
dhb23d4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.557004	0.11	4.557004	0.11
-2	47.22948	1.11	51.78649	1.22
No	3957.976	93.30	4009.762	94.53
Yes	232.238	5.47	4242	100.00

6/7 - F2F J37 - Frequency of sun protection				
dhb20a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	6.014561	0.14	6.014561	0.14
Every day	2892.736	68.19	2898.75	68.33
Most days	1119.762	26.40	4018.513	94.73
Some days	176.7107	4.17	4195.223	98.90
Never or hardly ever	46.77655	1.10	4242	100.00

6/7 - SC - F2F J38 - SC's enjoyment of physical activity				
dhb14c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	6.014561	0.14	6.014561	0.14
-2	1.138564	0.03	7.153124	0.17
Very much dislikes activity	133.7379	3.15	140.8911	3.32
Somewhat dislikes activity	81.45047	1.92	222.3415	5.24
Neutral	182.4627	4.30	404.8042	9.54
Somewhat enjoys activity	855.621	20.17	1260.425	29.71
Very much likes activity	2981.575	70.29	4242	100.00

6/7 - SC - F2F M12 - SC's choice to spend free time					
dhb14c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
-9	6.014561	0.14	6.014561	0.14	
-2	3.621786	0.09	9.636347	0.23	
Usually chooses inactive pastimes	1078.399	25.42	1088.036	25.65	
Usually chooses active pastimes	1436.552	33.86	2524.588	59.51	
Just as likely to choose active as inactive pastimes	1717.412	40.49	4242	100.00	

6/7 - PLE - PLE 40.1 - Current cigarette smoking				
dhb15p5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.797429	0.02	0.797429	0.02
-9	3822.725	90.12	3823.522	90.13
Yes	192.6899	4.54	4016.212	94.68
No	225.7879	5.32	4242	100.00

6/7 - PLE - PLE 40.2 - Smoke once a day				
dhb15p7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4049.31	95.46	4049.31	95.46
Yes	186.8178	4.40	4236.128	99.86
No	5.872131	0.14	4242	100.00

6/7 - PLE - PLE 40.3 - No. cigarettes smoked per day				
dhb15p8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4055.182	95.60	4055.182	95.60
1 to 5 per day	17.87535	0.42	4073.058	96.02
6 to 10 per day	43.82625	1.03	4116.884	97.05
11 to 20 per day	93.83364	2.21	4210.717	99.26
More than 20 per day	31.28255	0.74	4242	100.00

6/7 - PLE - PLE 41.1 - Frequency of drinking alcohol				
dhb16p2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.797429	0.02	0.797429	0.02
-9	3822.725	90.12	3823.522	90.13
Never	36.28274	0.86	3859.805	90.99
Not in the last year	4.180814	0.10	3863.986	91.09
Monthly or less	64.08408	1.51	3928.07	92.60
2 to 3 times a month	40.73817	0.96	3968.808	93.56
Once a week	65.83019	1.55	4034.638	95.11
2 to 3 times a week	120.4184	2.84	4155.057	97.95
4 to 6 times a week	40.97317	0.97	4196.03	98.92
Everyday	45.97024	1.08	4242	100.00

6/7 - PLE - PLE 41.2 - Av. daily alcohol when drinking				
dhb16p3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3863.986	91.09	3863.986	91.09
1 or 2	124.0405	2.92	3988.026	94.01
3 or 4	129.6344	3.06	4117.661	97.07
5 or 6	76.25569	1.80	4193.916	98.87
7 to 10	29.2027	0.69	4223.119	99.55
11 or more	18.881	0.45	4242	100.00

6/7 - PLE - PLE 41.2 - Freq binge drinking (v4)				
dhb16p7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3863.986	91.09	3863.986	91.09
Everyday	8.769292	0.21	3872.755	91.30
4-6 times a week	12.16338	0.29	3884.918	91.58
2-3 times a week	31.14991	0.73	3916.068	92.32
Once a week	68.25115	1.61	3984.319	93.93
2-3 times a month	57.85859	1.36	4042.178	95.29
Monthly or less	131.0262	3.09	4173.204	98.38
Never	68.79571	1.62	4242	100.00

6/7 - PLE - PLE 41.3 - Freq binge drinking (v4)				
dhb16p8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3932.781	92.71	3932.781	92.71
Everyday	5.459828	0.13	3938.241	92.84
4-6 times a week	3.325753	0.08	3941.567	92.92
2-3 times a week	19.31527	0.46	3960.882	93.37
Once a week	38.61055	0.91	3999.493	94.28
2-3 times a month	39.52944	0.93	4039.022	95.22
Monthly or less	135.3209	3.19	4174.343	98.41
Never	67.65679	1.59	4242	100.00

6/7 - PLE - Freq binge drinking (v3)				
dhb16p5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	5.516125	0.13	5.516125	0.13
-9	3927.495	92.59	3933.011	92.72
Everyday	5.459828	0.13	3938.471	92.84
4-6 times a week	3.325753	0.08	3941.796	92.92
2-3 times a week	21.288	0.50	3963.084	93.42
Once a week	39.38805	0.93	4002.472	94.35
2-3 times a month	37.64355	0.89	4040.116	95.24
Monthly or less	137.8441	3.25	4177.96	98.49
Never	64.03981	1.51	4242	100.00

6/7 - PLE - Freq binge drinking (v2)				
dhb16p5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	5.516125	0.13	5.516125	0.13
-9	3991.535	94.10	3997.051	94.23
Everyday	5.459828	0.13	4002.51	94.35
4-6 times a week	3.325753	0.08	4005.836	94.43
2-3 times a week	21.288	0.50	4027.124	94.93
Once a week	39.38805	0.93	4066.512	95.86
2-3 times a month	37.64355	0.89	4104.156	96.75
Monthly or less	137.8441	3.25	4242	100.00

6/7 - PLE - Average daily alcohol consumption				
dpavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.797429	0.02	0.797429	0.02
-9	3822.725	90.12	3823.522	90.13
0	40.46355	0.95	3863.986	91.09
0.0534	29.67504	0.70	3893.661	91.79
0.125	15.26995	0.36	3908.931	92.15
0.143	14.20656	0.33	3923.137	92.48
0.196	11.54127	0.27	3934.679	92.76
0.214	19.37689	0.46	3954.055	93.21
0.304	2.649172	0.06	3956.705	93.27
0.321	12.17595	0.29	3968.881	93.56
0.429	4.948649	0.12	3973.829	93.68
0.5	26.79767	0.63	4000.627	94.31
0.571	34.54686	0.81	4035.174	95.12
0.786	19.05202	0.45	4054.226	95.57
1.089	1.633696	0.04	4055.859	95.61
1.143	13.07548	0.31	4068.935	95.92
1.214	5.15475	0.12	4074.09	96.04
1.286	53.21708	1.25	4127.307	97.30
1.5	13.1597	0.31	4140.466	97.61
1.714	8.170836	0.19	4148.637	97.80
2	27.92192	0.66	4176.559	98.46
2.571	14.92792	0.35	4191.487	98.81
3.143	4.732545	0.11	4196.22	98.92
3.5	13.86965	0.33	4210.089	99.25
4	5.079362	0.12	4215.169	99.37
5.5	12.13538	0.29	4227.304	99.65
6.286	7.890411	0.19	4235.194	99.84
8.5	2.677708	0.06	4237.872	99.90
12	4.127817	0.10	4242	100.00

6/7 - PLE - Alcohol consumption groups				
dpalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.459481	0.03	1.459481	0.03
-9	3822.725	90.12	3824.184	90.15
Abstain not in the last year	40.46355	0.95	3864.648	91.10
Occasional less than monthly	64.08408	1.51	3928.732	92.62
Light <2 drinks/day men, <1 women	214.2692	5.05	4143.001	97.67
Moderate >=2 to <4 men, >=1 to <2 women	65.64871	1.55	4208.65	99.21

6/7 - PLE - Alcohol consumption groups				
dpalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hazardous >=4 to <6 men, >=2 and <4 women	18.65428	0.44	4227.304	99.65
Harmful >=6 men, >=4 women	14.69594	0.35	4242	100.00

6/7 - PLE - Heavy daily alcohol consumption				
dphvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	6.313554	0.15	6.313554	0.15
-9	3822.725	90.12	3829.038	90.26
Yes	33.35022	0.79	3862.388	91.05
No	379.6115	8.95	4242	100.00

6/7 - PLE - Frequent binge drinking				
dpbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	69.8226	1.65	69.8226	1.65
-9	3822.725	90.12	3892.547	91.76
Yes	107.1052	2.52	3999.652	94.29
No	242.3475	5.71	4242	100.00

6/7 - PLE - Problematic alcohol use				
dpalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	69.8226	1.65	69.8226	1.65
-9	3822.725	90.12	3892.547	91.76
Yes	109.4726	2.58	4002.02	94.34
No	239.98	5.66	4242	100.00

6/7 - P2 -P2L 10 - No. serves of fruit/day				
dhb13b2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21.08762	0.50	21.08762	0.50
-9	1850.861	43.63	1871.949	44.13
0	208.6813	4.92	2080.63	49.05
1	1129.639	26.63	3210.269	75.68
2	702.0902	16.55	3912.359	92.23
3	213.2268	5.03	4125.586	97.26
4	65.56306	1.55	4191.149	98.80
5	32.06319	0.76	4223.213	99.56
6	10.66168	0.25	4233.874	99.81
7	5.159892	0.12	4239.034	99.93

6/7 - P2 -P2L 10 - No. serves of fruit/day				
dhb13b2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8	2.147387	0.05	4241.181	99.98
9	0.818455	0.02	4242	100.00

6/7 - P2 -P2L 10 - No. serves of fruit/day (6+)				
dhb13b2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21.08762	0.50	21.08762	0.50
-9	1850.861	43.63	1871.949	44.13
Less than 1	208.6813	4.92	2080.63	49.05
1	1129.639	26.63	3210.269	75.68
2	702.0902	16.55	3912.359	92.23
3	213.2268	5.03	4125.586	97.26
4	65.56306	1.55	4191.149	98.80
5	32.06319	0.76	4223.213	99.56
6 or more	18.78741	0.44	4242	100.00

6/7 - P2 -P2L 11 - No. serves of vegetables/day				
dhb13b1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.42041	0.27	11.42041	0.27
-9	1850.861	43.63	1862.282	43.90
0	29.56592	0.70	1891.848	44.60
1	903.0616	21.29	2794.909	65.89
2	800.4804	18.87	3595.39	84.76
3	401.9616	9.48	3997.351	94.23
4	167.6446	3.95	4164.996	98.18
5	57.95215	1.37	4222.948	99.55
6	11.02986	0.26	4233.978	99.81
7	6.035755	0.14	4240.013	99.95
8	1.986475	0.05	4242	100.00

6/7 - P2 -P2L 11 - No. serves of vegetables/day (6+)				
dhb13b1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.42041	0.27	11.42041	0.27
-9	1850.861	43.63	1862.282	43.90
Less than 1	29.56592	0.70	1891.848	44.60
1	903.0616	21.29	2794.909	65.89
2	800.4804	18.87	3595.39	84.76
3	401.9616	9.48	3997.351	94.23
4	167.6446	3.95	4164.996	98.18

6/7 - P2 -P2L 11 - No. serves of vegetables/day (6+)				
dhb13b1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5	57.95215	1.37	4222.948	99.55
6 or more	19.05209	0.45	4242	100.00

6/7 - P2 -P2L 12 - Days per week exercise				
dhb14b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	19.19286	0.45	19.19286	0.45
-9	1850.861	43.63	1870.054	44.08
0	197.9767	4.67	2068.031	48.75
1	318.1203	7.50	2386.151	56.25
2	434.009	10.23	2820.16	66.48
3	409.7037	9.66	3229.864	76.14
4	271.9333	6.41	3501.797	82.55
5	368.4662	8.69	3870.263	91.24
6	152.7019	3.60	4022.965	94.84
7	219.0348	5.16	4242	100.00

6/7 - P2 -P2L 15.1 - Current cigarette smoking				
dhb15b5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	15.16409	0.36	15.16409	0.36
-9	1850.861	43.63	1866.025	43.99
Yes	416.2924	9.81	2282.318	53.80
No	1959.682	46.20	4242	100.00

6/7 - P2 -P2L 15.2 - No. cigarettes smoked per day				
dhb15b8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3758.081	88.59	3758.081	88.59
1	80.82751	1.91	3838.908	90.50
1 to 5 per day	91.9539	2.17	3930.862	92.67
6 to 10 per day	102.1962	2.41	4033.058	95.07
11 to 20 per day	156.7934	3.70	4189.852	98.77
More than 20 per day	52.14838	1.23	4242	100.00

6/7 - P2 -P2L 16.1 - Frequency of drinking alcohol				
dhb16b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.499339	0.11	4.499339	0.11
-9	1850.861	43.63	1855.361	43.74
Never	209.3581	4.94	2064.719	48.67
Not in the last year	38.24739	0.90	2102.966	49.57
Monthly or less	378.0691	8.91	2481.035	58.49
2 to 3 times a month	269.2014	6.35	2750.237	64.83
Once a week	329.2004	7.76	3079.437	72.59
2 to 3 times a week	635.9997	14.99	3715.437	87.59
4 to 6 times a week	395.6909	9.33	4111.128	96.91
Everyday	130.8724	3.09	4242	100.00

6/7 - P2 -P2L 16.2 - Av. daily alcohol when drinking				
dhb16b3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	223.8349	5.28	223.8349	5.28
-9	1850.861	43.63	2074.696	48.91
1 or 2	1124.386	26.51	3199.082	75.41
3 or 4	750.4441	17.69	3949.526	93.11
5 or 6	208.4487	4.91	4157.975	98.02
7 to 10	73.03555	1.72	4231.01	99.74
11 or more	10.98976	0.26	4242	100.00

6/7 - P2 -P2L 16.2 - Freq binge drinking (v4)				
dhb16b7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	214.2808	5.05	214.2808	5.05
-9	1850.861	43.63	2065.142	48.68
Everyday	12.8868	0.30	2078.029	48.99
4-6 times a week	38.49075	0.91	2116.519	49.89
2-3 times a week	133.4503	3.15	2249.97	53.04
Once a week	285.6468	6.73	2535.617	59.77
2-3 times a month	233.555	5.51	2769.172	65.28
Monthly or less	943.7517	22.25	3712.923	87.53
Never	529.0766	12.47	4242	100.00

6/7 - P2 -P2L 16.3 - Freq binge drinking (v4)				
dhb16b8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	532.9648	12.56	532.9648	12.56
-9	1850.861	43.63	2383.826	56.20
Everyday	2.694841	0.06	2386.521	56.26
4-6 times a week	7.410967	0.17	2393.932	56.43
2-3 times a week	45.61543	1.08	2439.547	57.51
Once a week	130.9614	3.09	2570.509	60.60
2-3 times a month	136.0719	3.21	2706.581	63.80
Monthly or less	844.9489	19.92	3551.53	83.72
Never	690.4704	16.28	4242	100.00

6/7 - P2 - Freq binge drinking (v3)				
dhb16b5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	514.079	12.12	514.079	12.12
-9	1850.861	43.63	2364.94	55.75
Everyday	2.694841	0.06	2367.635	55.81
4-6 times a week	7.410967	0.17	2375.046	55.99
2-3 times a week	45.61543	1.08	2420.661	57.06
Once a week	132.964	3.13	2553.625	60.20
2-3 times a month	139.459	3.29	2693.084	63.49
Monthly or less	855.7223	20.17	3548.807	83.66
Never	693.1932	16.34	4242	100.00

6/7 - P2 - Freq binge drinking (v3)				
dhb16b5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	514.079	12.12	514.079	12.12
-9	2544.054	59.97	3058.133	72.09
Everyday	2.694841	0.06	3060.828	72.16
4-6 times a week	7.410967	0.17	3068.239	72.33
2-3 times a week	45.61543	1.08	3113.855	73.41
Once a week	132.964	3.13	3246.819	76.54
2-3 times a month	139.459	3.29	3386.278	79.83
Monthly or less	855.7223	20.17	4242	100.00

6/7 - P2 - Average daily alcohol consumption				
dbavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	16.99686	0.40	16.99686	0.40
-9	1850.861	43.63	1867.858	44.03
0	247.6055	5.84	2115.464	49.87
0.0534	221.7761	5.23	2337.24	55.10
0.125	105.4731	2.49	2442.713	57.58
0.143	144.623	3.41	2587.336	60.99
0.196	30.41859	0.72	2617.754	61.71
0.214	172.9517	4.08	2790.706	65.79
0.304	10.30268	0.24	2801.009	66.03
0.321	87.32598	2.06	2888.335	68.09
0.429	3.150125	0.07	2891.485	68.16
0.5	128.3837	3.03	3019.868	71.19
0.571	312.5229	7.37	3332.391	78.56
0.786	42.79049	1.01	3375.182	79.57
1.089	1.319503	0.03	3376.501	79.60
1.143	190.553	4.49	3567.054	84.09
1.214	16.06002	0.38	3583.114	84.47
1.286	234.1782	5.52	3817.293	89.99
1.5	48.15597	1.14	3865.449	91.12
1.714	2.313463	0.05	3867.762	91.18
2	66.7221	1.57	3934.484	92.75
2.571	157.6303	3.72	4092.114	96.47
3.143	19.05506	0.45	4111.169	96.92
3.5	54.38866	1.28	4165.558	98.20
4	34.12045	0.80	4199.679	99.00
4.357	2.247007	0.05	4201.926	99.06
5.5	21.90251	0.52	4223.828	99.57
6.286	10.78478	0.25	4234.613	99.83
8.5	5.427404	0.13	4240.04	99.95
8.714	0.961779	0.02	4241.002	99.98
12	0.997881	0.02	4242	100.00

6/7 - P2 - Alcohol consumption groups				
dbalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	10.04828	0.24	10.04828	0.24
-9	1850.861	43.63	1860.909	43.87
Abstain not in the last year	247.6055	5.84	2108.515	49.71
Occasional less than monthly	378.0691	8.91	2486.584	58.62
Light <2 drinks/day men, <1 women	1372.222	32.35	3858.807	90.97

6/7 - P2 - Alcohol consumption groups				
dbalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Moderate >=2 to <4 men, >=1 to <2 women	303.8199	7.16	4162.626	98.13
Hazardous >=4 to <6 men, >=2 and <4 women	61.20166	1.44	4223.828	99.57
Harmful >=6 men, >=4 women	18.17184	0.43	4242	100.00

6/7 - P2 - Heavy daily alcohol consumption				
dbhvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	16.99686	0.40	16.99686	0.40
-9	1850.861	43.63	1867.858	44.03
Yes	79.37351	1.87	1947.232	45.90
No	2294.768	54.10	4242	100.00

6/7 - P2 - Frequent binge drinking				
dbbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	297.3654	7.01	297.3654	7.01
-9	1850.861	43.63	2148.227	50.64
Yes	328.1443	7.74	2476.371	58.38
No	1765.629	41.62	4242	100.00

6/7 - P2 - Problematic alcohol use				
dbalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	300.776	7.09	300.776	7.09
-9	1850.861	43.63	2151.637	50.72
Yes	339.0432	7.99	2490.68	58.71
No	1751.32	41.29	4242	100.00

6/7 - Teach 16 - Activity during organised activities				
dhb24a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	8.759261	0.21	8.759261	0.21
-9	878.1729	20.70	886.9322	20.91
I have not observed this child in such activities	63.15641	1.49	950.0886	22.40
A lot less active than most	64.09407	1.51	1014.183	23.91
A little less active than most	308.6538	7.28	1322.836	31.18
About the same as most	2143.192	50.52	3466.029	81.71
A little more active than most	552.271	13.02	4018.3	94.73
A lot more active than most	223.7002	5.27	4242	100.00

6/7 - Teach 17 - Activity during play				
dhb24b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	5.597703	0.13	5.597703	0.13
-9	878.1729	20.70	883.7706	20.83
I have not observed this child in such activities	44.69609	1.05	928.4667	21.89
A lot less active than most	53.67799	1.27	982.1447	23.15
A little less active than most	298.8537	7.05	1280.998	30.20
About the same as most	2324.498	54.80	3605.496	85.00
A little more active than most	457.2717	10.78	4062.768	95.77
A lot more active than most	179.2319	4.23	4242	100.00

6/7 - M -CASI H5 - No. serves of fruit/day				
dhb13m2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	37.07905	0.87	37.07905	0.87
-9	68.31377	1.61	105.3928	2.48
-3	16.51789	0.39	121.9107	2.87
0	228.9387	5.40	350.8494	8.27
1	1765.519	41.62	2116.368	49.89
2	1473.826	34.74	3590.195	84.63
3	482.5282	11.38	4072.723	96.01
4	108.6101	2.56	4181.333	98.57
5	47.69804	1.12	4229.031	99.69
6	5.15117	0.12	4234.182	99.82
7	2.371528	0.06	4236.554	99.87
8	2.569484	0.06	4239.123	99.93
10	2.876556	0.07	4242	100.00

6/7 - M -CASI H5 - No. serves of fruit/day (6+)				
dhb13m2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	37.07905	0.87	37.07905	0.87
-9	68.31377	1.61	105.3928	2.48
-3	16.51789	0.39	121.9107	2.87
Less than 1	228.9387	5.40	350.8494	8.27
1	1765.519	41.62	2116.368	49.89
2	1473.826	34.74	3590.195	84.63
3	482.5282	11.38	4072.723	96.01
4	108.6101	2.56	4181.333	98.57
5	47.69804	1.12	4229.031	99.69
6 or more	12.96874	0.31	4242	100.00

6/7 - M -CASI H6 - No. serves of vegetables/day				
dhb13m1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	37.07905	0.87	37.07905	0.87
-9	68.31377	1.61	105.3928	2.48
-3	16.51789	0.39	121.9107	2.87
0	32.4617	0.77	154.3724	3.64
1	1027.663	24.23	1182.036	27.87
2	1291	30.43	2473.036	58.30
3	963.291	22.71	3436.327	81.01
4	527.8392	12.44	3964.166	93.45
5	212.4556	5.01	4176.622	98.46
6	49.08561	1.16	4225.707	99.62
7	9.910912	0.23	4235.618	99.85
8	6.381747	0.15	4242	100.00

6/7 - M -CASI H6 - No. serves of vegetables/day (6+)				
dhb13m1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	37.07905	0.87	37.07905	0.87
-9	68.31377	1.61	105.3928	2.48
-3	16.51789	0.39	121.9107	2.87
Less than 1	32.4617	0.77	154.3724	3.64
1	1027.663	24.23	1182.036	27.87
2	1291	30.43	2473.036	58.30
3	963.291	22.71	3436.327	81.01
4	527.8392	12.44	3964.166	93.45
5	212.4556	5.01	4176.622	98.46
6 or more	65.37827	1.54	4242	100.00

6/7 - M -CASI H7 - Days per week exercise				
dhb14m2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	37.66975	0.89	37.66975	0.89
-9	68.31377	1.61	105.9835	2.50
-3	18.57348	0.44	124.557	2.94
0	472.8208	11.15	597.3778	14.08
1	608.972	14.36	1206.35	28.44
2	800.5688	18.87	2006.919	47.31
3	862.3134	20.33	2869.232	67.64
4	496.3984	11.70	3365.63	79.34
5	477.1509	11.25	3842.781	90.59
6	170.2869	4.01	4013.068	94.60
7	228.9318	5.40	4242	100.00

6/7 - M -CASI H9.1 - Current cigarette smoking				
dhb15m5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	37.07905	0.87	37.07905	0.87
-9	68.31377	1.61	105.3928	2.48
-3	16.51789	0.39	121.9107	2.87
Yes	889.8545	20.98	1011.765	23.85
No	3230.235	76.15	4242	100.00

6/7 - M -CASI H9.3 - No. cigarettes smoked per day				
dhb15m8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	113.3625	2.67	113.3625	2.67
-9	3237.96	76.33	3351.322	79.00
1	91.90444	2.17	3443.227	81.17
1 to 5 per day	140.5689	3.31	3583.795	84.48
6 to 10 per day	337.4058	7.95	3921.201	92.44
11 to 20 per day	264.281	6.23	4185.482	98.67
More than 20 per day	56.5176	1.33	4242	100.00

6/7 - M -CASI H10.1 - Frequency of drinking alcohol				
dhb16m2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	37.07905	0.87	37.07905	0.87
-9	68.31377	1.61	105.3928	2.48
-3	18.31352	0.43	123.7063	2.92
Never	695.0893	16.39	818.7956	19.30
Not in the last year	213.7527	5.04	1032.548	24.34
Monthly or less	1057.253	24.92	2089.802	49.26
2 to 3 times a month	534.5765	12.60	2624.378	61.87
Once a week	561.3301	13.23	3185.708	75.10
2 to 3 times a week	696.1494	16.41	3881.858	91.51
4 to 6 times a week	283.1177	6.67	4164.975	98.18
Everyday	77.02462	1.82	4242	100.00

6/7 - M -CASI H10.2 - Av. daily alcohol when drinking				
dhb16m3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	48.72911	1.15	48.72911	1.15
-9	751.753	17.72	800.4821	18.87
-3	24.93554	0.59	825.4176	19.46
1 or 2	2209.589	52.09	3035.006	71.55
3 or 4	833.8096	19.66	3868.816	91.20
5 or 6	221.2867	5.22	4090.103	96.42

6/7 - M -CASI H10.2 - Av. daily alcohol when drinking				
dhb16m3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
7 to 10	63.27019	1.49	4153.373	97.91
11 or more	88.62712	2.09	4242	100.00

6/7 - M -CASI H10.3 - Freq binge drinking (v4)				
dhb16m7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	71.62863	1.69	71.62863	1.69
-9	751.753	17.72	823.3816	19.41
Everyday	7.713873	0.18	831.0955	19.59
4-6 times a week	8.832647	0.21	839.9281	19.80
2-3 times a week	55.51055	1.31	895.4387	21.11
Once a week	171.9432	4.05	1067.382	25.16
2-3 times a month	209.2425	4.93	1276.624	30.09
Monthly or less	1347.63	31.77	2624.254	61.86
Never	1617.746	38.14	4242	100.00

6/7 - M -CASI H10.4 - Freq binge drinking (v4)				
dhb16m8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	87.20774	2.06	87.20774	2.06
-9	751.753	17.72	838.9607	19.78
-3	2.14671	0.05	841.1074	19.83
Everyday	3.195676	0.08	844.3031	19.90
4-6 times a week	2.361437	0.06	846.6646	19.96
2-3 times a week	11.76204	0.28	858.4266	20.24
Once a week	70.41653	1.66	928.8431	21.90
2-3 times a month	86.94011	2.05	1015.783	23.95
Monthly or less	795.1333	18.74	1810.917	42.69
Never	2431.083	57.31	4242	100.00

6/7 - M - Freq binge drinking (v3)				
dhb16m5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	71.62863	1.69	71.62863	1.69
-9	751.753	17.72	823.3816	19.41
Everyday	7.713873	0.18	831.0955	19.59
4-6 times a week	8.832647	0.21	839.9281	19.80
2-3 times a week	55.51055	1.31	895.4387	21.11
Once a week	171.9432	4.05	1067.382	25.16
2-3 times a month	209.2425	4.93	1276.624	30.09

6/7 - M - Freq binge drinking (v3)				
dhb16m5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Monthly or less	1347.63	31.77	2624.254	61.86
Never	1617.746	38.14	4242	100.00

6/7 - M - Freq binge drinking (v2)				
dhb16m5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	71.62863	1.69	71.62863	1.69
-9	2369.499	55.86	2441.128	57.55
Everyday	7.713873	0.18	2448.842	57.73
4-6 times a week	8.832647	0.21	2457.674	57.94
2-3 times a week	55.51055	1.31	2513.185	59.25
Once a week	171.9432	4.05	2685.128	63.30
2-3 times a month	209.2425	4.93	2894.37	68.23
Monthly or less	1347.63	31.77	4242	100.00

6/7 - M - Average daily alcohol consumption				
dmavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	57.27126	1.35	57.27126	1.35
-9	751.753	17.72	809.0243	19.07
0	225.4027	5.31	1034.427	24.39
0.0534	707.8191	16.69	1742.246	41.07
0.125	214.2378	5.05	1956.484	46.12
0.143	306.7716	7.23	2263.256	53.35
0.196	81.54442	1.92	2344.8	55.28
0.214	323.8192	7.63	2668.619	62.91
0.304	20.55634	0.48	2689.176	63.39
0.321	148.5962	3.50	2837.772	66.90
0.429	32.09615	0.76	2869.868	67.65
0.5	204.8291	4.83	3074.697	72.48
0.571	457.0028	10.77	3531.7	83.26
0.786	62.02528	1.46	3593.725	84.72
1.089	18.12874	0.43	3611.854	85.15
1.143	196.4803	4.63	3808.334	89.78
1.214	21.91564	0.52	3830.25	90.29
1.286	194.5418	4.59	4024.791	94.88
1.5	49.98404	1.18	4074.775	96.06
1.714	8.94168	0.21	4083.717	96.27
2	28.43921	0.67	4112.156	96.94
2.571	72.34903	1.71	4184.505	98.64
3.143	4.228488	0.10	4188.734	98.74
3.5	24.76851	0.58	4213.502	99.33
4	7.767335	0.18	4221.27	99.51
4.357	11.93716	0.28	4233.207	99.79
5.5	1.29138	0.03	4234.498	99.82
6.286	1.073247	0.03	4235.572	99.85
8.714	5.447755	0.13	4241.019	99.98
12	0.980685	0.02	4242	100.00

6/7 - M - Alcohol consumption groups				
dmalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	56.27174	1.33	56.27174	1.33
-9	751.753	17.72	808.0247	19.05
Abstain not in the last year	225.4027	5.31	1033.427	24.36
Occasional less than monthly	1057.253	24.92	2090.681	49.29
Light <2 drinks/day men, <1 women	1503.044	35.43	3593.725	84.72
Moderate >=2 to <4 men, >=1 to <2 women	489.9922	11.55	4083.717	96.27

6/7 - M - Alcohol consumption groups				
dmalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hazardous >=4 to <6 men, >=2 and <4 women	129.7852	3.06	4213.502	99.33
Harmful >=6 men, >=4 women	28.49756	0.67	4242	100.00

6/7 - M - Heavy daily alcohol consumption				
dmhvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	57.27126	1.35	57.27126	1.35
-9	751.753	17.72	809.0243	19.07
Yes	158.2828	3.73	967.3071	22.80
No	3274.693	77.20	4242	100.00

6/7 - M - Frequent binge drinking				
dmbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	57.27126	1.35	57.27126	1.35
-9	751.753	17.72	809.0243	19.07
Yes	453.2427	10.68	1262.267	29.76
No	2979.733	70.24	4242	100.00

6/7 - M - Problematic alcohol use				
dmalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	57.27126	1.35	57.27126	1.35
-9	751.753	17.72	809.0243	19.07
Yes	500.0167	11.79	1309.041	30.86
No	2932.959	69.14	4242	100.00

6/7 - F -CASI H5 - No. serves of fruit/day				
dhb13f2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	25.28489	0.60	25.28489	0.60
-9	1782.547	42.02	1807.832	42.62
-3	2.045525	0.05	1809.878	42.67
0	216.3263	5.10	2026.204	47.77
1	1163.928	27.44	3190.132	75.20
2	714.9111	16.85	3905.043	92.06
3	218.1423	5.14	4123.186	97.20
4	68.92454	1.62	4192.11	98.82
5	30.77037	0.73	4222.881	99.55
6	10.99362	0.26	4233.874	99.81
7	5.159892	0.12	4239.034	99.93

6/7 - F -CASI H5 - No. serves of fruit/day				
dhb13f2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8	2.147387	0.05	4241.181	99.98
9	0.818455	0.02	4242	100.00

6/7 - F -CASI H5 - No. serves of fruit/day (6+)				
dhb13f2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	25.28489	0.60	25.28489	0.60
-9	1782.547	42.02	1807.832	42.62
-3	2.045525	0.05	1809.878	42.67
Less than 1	216.3263	5.10	2026.204	47.77
1	1163.928	27.44	3190.132	75.20
2	714.9111	16.85	3905.043	92.06
3	218.1423	5.14	4123.186	97.20
4	68.92454	1.62	4192.11	98.82
5	30.77037	0.73	4222.881	99.55
6 or more	19.11935	0.45	4242	100.00

6/7 - F -CASI H6 - No. serves of vegetables/day				
dhb13f1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	15.61769	0.37	15.61769	0.37
-9	1782.547	42.02	1798.165	42.39
-3	2.045525	0.05	1800.211	42.44
0	33.23724	0.78	1833.448	43.22
1	932.3337	21.98	2765.782	65.20
2	821.6064	19.37	3587.388	84.57
3	409.3343	9.65	3996.722	94.22
4	171.7556	4.05	4168.478	98.27
5	57.95215	1.37	4226.43	99.63
6	9.565708	0.23	4235.996	99.86
7	4.017867	0.09	4240.013	99.95
8	1.986475	0.05	4242	100.00

6/7 - F -CASI H6 - No. serves of vegetables/day (6+)				
dhb13f1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	15.61769	0.37	15.61769	0.37
-9	1782.547	42.02	1798.165	42.39
-3	2.045525	0.05	1800.211	42.44
Less than 1	33.23724	0.78	1833.448	43.22
1	932.3337	21.98	2765.782	65.20
2	821.6064	19.37	3587.388	84.57
3	409.3343	9.65	3996.722	94.22
4	171.7556	4.05	4168.478	98.27
5	57.95215	1.37	4226.43	99.63
6 or more	15.57005	0.37	4242	100.00

6/7 - F -CASI H7 - Days per week exercise				
dhb14f2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	22.79945	0.54	22.79945	0.54
-9	1782.547	42.02	1805.347	42.56
-3	2.045525	0.05	1807.392	42.61
0	213.5071	5.03	2020.9	47.64
1	324.2568	7.64	2345.156	55.28
2	440.2833	10.38	2785.44	65.66
3	423.7506	9.99	3209.19	75.65
4	274.2808	6.47	3483.471	82.12
5	371.269	8.75	3854.74	90.87
6	157.2064	3.71	4011.946	94.58
7	230.0535	5.42	4242	100.00

6/7 - F -CASI H9.1 - Current cigarette smoking				
dhb15f5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	19.36136	0.46	19.36136	0.46
-9	1782.547	42.02	1801.909	42.48
-3	2.045525	0.05	1803.954	42.53
Yes	441.9458	10.42	2245.9	52.94
No	1996.1	47.06	4242	100.00

6/7 - F -CASI H9.3 - No. cigarettes smoked per day				
dhb15f8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3644.718	85.92	3644.718	85.92
-9	88.5324	2.09	3733.25	88.01
1	82.64185	1.95	3815.892	89.96
1 to 5 per day	93.82036	2.21	3909.713	92.17
6 to 10 per day	112.1541	2.64	4021.867	94.81
11 to 20 per day	165.2978	3.90	4187.165	98.71
More than 20 per day	54.83538	1.29	4242	100.00

6/7 - F -CASI H10.1 - Frequency of drinking alcohol				
dhb16f2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	8.696614	0.21	8.696614	0.21
-9	1782.547	42.02	1791.244	42.23
-3	2.045525	0.05	1793.29	42.27
Never	219.2174	5.17	2012.507	47.44
Not in the last year	38.24739	0.90	2050.754	48.34
Monthly or less	380.7246	8.98	2431.479	57.32
2 to 3 times a month	274.5622	6.47	2706.041	63.79
Once a week	339.6746	8.01	3045.716	71.80
2 to 3 times a week	646.6751	15.24	3692.391	87.04
4 to 6 times a week	410.2282	9.67	4102.619	96.71
Everyday	139.3809	3.29	4242	100.00

6/7 - F -CASI H10.2 - Av. daily alcohol when drinking				
dhb16f3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	216.3822	5.10	216.3822	5.10
-9	1804.057	42.53	2020.439	47.63
-3	2.045525	0.05	2022.484	47.68
1 or 2	1129.143	26.62	3151.627	74.30
3 or 4	783.6908	18.47	3935.318	92.77
5 or 6	220.8003	5.21	4156.118	97.98
7 to 10	73.03555	1.72	4229.154	99.70
11 or more	12.8461	0.30	4242	100.00

6/7 - F -CASI H10.3 - Freq binge drinking (v4)				
dhb16f7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	210.9095	4.97	210.9095	4.97
-9	1804.057	42.53	2014.966	47.50
Everyday	12.8868	0.30	2027.853	47.80
4-6 times a week	38.49075	0.91	2066.344	48.71
2-3 times a week	141.5456	3.34	2207.889	52.05
Once a week	297.9025	7.02	2505.792	59.07
2-3 times a month	244.6597	5.77	2750.452	64.84
Monthly or less	961.3536	22.66	3711.805	87.50
Never	530.1947	12.50	4242	100.00

6/7 - F -CASI H10.4 - Freq binge drinking (v4)				
dhb16f8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	514.0145	12.12	514.0145	12.12
-9	1804.057	42.53	2318.071	54.65
-3	1.702736	0.04	2319.774	54.69
Everyday	2.694841	0.06	2322.469	54.75
4-6 times a week	7.410967	0.17	2329.88	54.92
2-3 times a week	48.29586	1.14	2378.176	56.06
Once a week	136.8695	3.23	2515.045	59.29
2-3 times a month	142.1023	3.35	2657.147	62.64
Monthly or less	874.5063	20.62	3531.654	83.25
Never	710.3462	16.75	4242	100.00

6/7 - F - Freq binge drinking (v3)				
dhb16f5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	534.2486	12.59	534.2486	12.59
-9	1804.057	42.53	2338.305	55.12
-3	1.702736	0.04	2340.008	55.16
Everyday	2.694841	0.06	2342.703	55.23
4-6 times a week	7.410967	0.17	2350.114	55.40
2-3 times a week	48.29586	1.14	2398.41	56.54
Once a week	136.8695	3.23	2535.279	59.77
2-3 times a month	142.1023	3.35	2677.382	63.12
Monthly or less	876.2323	20.66	3553.614	83.77
Never	688.386	16.23	4242	100.00

6/7 - F - Freq binge drinking (v2)				
dhb16f5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	534.2486	12.59	534.2486	12.59
-9	2492.443	58.76	3026.691	71.35
-3	1.702736	0.04	3028.394	71.39
Everyday	2.694841	0.06	3031.089	71.45
4-6 times a week	7.410967	0.17	3038.5	71.63
2-3 times a week	48.29586	1.14	3086.796	72.77
Once a week	136.8695	3.23	3223.665	75.99
2-3 times a month	142.1023	3.35	3365.768	79.34
Monthly or less	876.2323	20.66	4242	100.00

6/7 - F - Average daily alcohol consumption				
dfavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	23.23966	0.55	23.23966	0.55
-9	1804.057	42.53	1827.296	43.08
0	235.9554	5.56	2063.252	48.64
0.0534	221.8447	5.23	2285.097	53.87
0.125	107.1619	2.53	2392.258	56.39
0.143	146.9363	3.46	2539.195	59.86
0.196	31.31661	0.74	2570.511	60.60
0.214	172.5215	4.07	2743.033	64.66
0.304	10.30268	0.24	2753.336	64.91
0.321	92.52783	2.18	2845.863	67.09
0.429	3.150125	0.07	2849.014	67.16
0.5	132.8026	3.13	2981.816	70.29
0.571	308.4894	7.27	3290.306	77.56
0.786	45.12087	1.06	3335.426	78.63
1.089	1.319503	0.03	3336.746	78.66
1.143	195.4809	4.61	3532.227	83.27
1.214	17.62369	0.42	3549.85	83.68
1.286	246.1429	5.80	3795.993	89.49
1.5	50.067	1.18	3846.06	90.67
1.714	2.750597	0.06	3848.811	90.73
2	69.46633	1.64	3918.277	92.37
2.571	161.6758	3.81	4079.953	96.18
3.143	19.05506	0.45	4099.008	96.63
3.5	59.72485	1.41	4158.733	98.04
4	38.26519	0.90	4196.998	98.94
4.357	2.247007	0.05	4199.245	98.99
5.5	23.16373	0.55	4222.409	99.54

6/7 - F - Average daily alcohol consumption				
dfavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6.286	10.78478	0.25	4233.194	99.79
8.5	5.427404	0.13	4238.621	99.92
8.714	2.380986	0.06	4241.002	99.98
12	0.997881	0.02	4242	100.00

6/7 - F - Alcohol consumption groups					
	dfalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	16.29108	0.38	16.29108	0.38
-9	-9	1804.057	42.53	1820.348	42.91
Abstain not in the last year		235.9554	5.56	2056.303	48.47
Occasional less than monthly		380.7246	8.98	2437.028	57.45
Light <2 drinks/day men, <1 women		1410.927	33.26	3847.954	90.71
Moderate >=2 to <4 men, >=1 to <2 women		310.7786	7.33	4158.733	98.04
Hazardous >=4 to <6 men, >=2 and <4 women		63.67593	1.50	4222.409	99.54
Harmful >=6 men, >=4 women		19.59105	0.46	4242	100.00

6/7 - F - Heavy daily alcohol consumption				
dfhvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	23.23966	0.55	23.23966	0.55
-9	1804.057	42.53	1827.296	43.08
Yes	83.26698	1.96	1910.563	45.04
No	2331.437	54.96	4242	100.00

6/7 - F - Frequent binge drinking				
dfbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	328.8518	7.75	328.8518	7.75
-9	1804.057	42.53	2132.909	50.28
Yes	337.3735	7.95	2470.282	58.23
No	1771.718	41.77	4242	100.00

6/7 - F - Problematic alcohol use				
dfalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	332.2624	7.83	332.2624	7.83
-9	1804.057	42.53	2136.319	50.36
Yes	346.8218	8.18	2483.141	58.54
No	1758.859	41.46	4242	100.00