

8/9 - P1 - CASI H7.1 - No. serves of fruit/day				
ehb13a2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	109.3461	2.68	109.3461	2.68
-3	5.984675	0.15	115.3307	2.82
0	286.1044	7.00	401.4351	9.83
1	1827.197	44.73	2228.632	54.56
2	1279.145	31.31	3507.777	85.87
3	452.2183	11.07	3959.995	96.94
4	82.64609	2.02	4042.641	98.96
5	28.23359	0.69	4070.875	99.65
6	11.14294	0.27	4082.018	99.93
7	0.899846	0.02	4082.918	99.95
8	2.082305	0.05	4085	100.00

8/9 - P1 - CASI H7.1 - No. serves of fruit/day (6+)				
ehb13a2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	109.3461	2.68	109.3461	2.68
-3	5.984675	0.15	115.3307	2.82
Less than 1	286.1044	7.00	401.4351	9.83
1	1827.197	44.73	2228.632	54.56
2	1279.145	31.31	3507.777	85.87
3	452.2183	11.07	3959.995	96.94
4	82.64609	2.02	4042.641	98.96
5	28.23359	0.69	4070.875	99.65
6 or more	14.12509	0.35	4085	100.00

8/9 - P1 - CASI H7.2 - No. serves of vegetables/day				
ehb13a1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	109.3461	2.68	109.3461	2.68
-3	5.567783	0.14	114.9139	2.81
0	28.77555	0.70	143.6894	3.52
1	1003.809	24.57	1147.499	28.09
2	1276.414	31.25	2423.913	59.34
3	924.6224	22.63	3348.535	81.97
4	444.2482	10.88	3792.783	92.85
5	226.6538	5.55	4019.437	98.40
6	49.60943	1.21	4069.047	99.61
7	8.597685	0.21	4077.644	99.82
8	6.486764	0.16	4084.131	99.98
10	0.869037	0.02	4085	100.00

8/9 - P1 - CASI H7.2 - No. serves of vegetables/day (6+)				
ehb13a1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	109.3461	2.68	109.3461	2.68
-3	5.567783	0.14	114.9139	2.81
Less than 1	28.77555	0.70	143.6894	3.52
1	1003.809	24.57	1147.499	28.09
2	1276.414	31.25	2423.913	59.34
3	924.6224	22.63	3348.535	81.97
4	444.2482	10.88	3792.783	92.85
5	226.6538	5.55	4019.437	98.40
6 or more	65.56292	1.60	4085	100.00

8/9 - P1 - CASI H7.3 - Days per week exercise				
ehb14a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	109.3461	2.68	109.3461	2.68
-3	5.984675	0.15	115.3307	2.82
0	476.5414	11.67	591.8722	14.49
1	559.0107	13.68	1150.883	28.17
2	785.263	19.22	1936.146	47.40
3	816.6764	19.99	2752.822	67.39
4	464.3758	11.37	3217.198	78.76
5	503.4481	12.32	3720.646	91.08
6	162.2074	3.97	3882.854	95.05
7	202.1465	4.95	4085	100.00

8/9 - P1 - CASI H8.1/H8.2 - Current cigarette smoking-Frequency				
ehb15a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	107.1586	2.62	107.1586	2.62
-3	9.105511	0.22	116.2641	2.85
Do not smoke at all	3216.451	78.74	3332.715	81.58
Less than once a day	77.23949	1.89	3409.955	83.48
At least once a day	675.045	16.52	4085	100.00

8/9 - P1 - CASI H8.1 - Current cigarette smoking				
ehb15a5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	107.1586	2.62	107.1586	2.62
-3	9.105511	0.22	116.2641	2.85
Yes	752.2845	18.42	868.5486	21.26
No	3216.451	78.74	4085	100.00

8/9 - P1 - CASI H8.2 - Smoke once a day				
ehb15a7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	116.2641	2.85	116.2641	2.85
Yes	675.045	16.52	791.3091	19.37
No	3293.691	80.63	4085	100.00

8/9 - P1 - CASI H8.3 - No. cigarettes smoked per day				
ehb15a8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3409.955	83.48	3409.955	83.48
1 to 5 per day	119.7195	2.93	3529.674	86.41
6 to 10 per day	259.719	6.36	3789.393	92.76
11 to 20 per day	242.7683	5.94	4032.162	98.71
More than 20 per day	52.83817	1.29	4085	100.00

8/9 - P1 - CASI H8.4 - No. residents smoke inside				
ehb15a4b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	326.836	8.00	326.836	8.00
-3	7.84318	0.19	334.6791	8.19
0	3345.54	81.90	3680.219	90.09
1	262.0103	6.41	3942.229	96.51
2	120.1941	2.94	4062.424	99.45
3	18.14611	0.44	4080.57	99.89
4	0.935292	0.02	4081.505	99.91
5	2.5	0.06	4084.005	99.98
7	0.995057	0.02	4085	100.00

8/9 - P1 - CASI H8.4 - No. residents smoke inside (5+)				
ehb15a4a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	326.836	8.00	326.836	8.00
-3	7.84318	0.19	334.6791	8.19
None	3345.54	81.90	3680.219	90.09
1	262.0103	6.41	3942.229	96.51
2	120.1941	2.94	4062.424	99.45
3	18.14611	0.44	4080.57	99.89
4	0.935292	0.02	4081.505	99.91
5 or more	3.495057	0.09	4085	100.00

8/9 - P1 - CASI H9.1 - Frequency of drinking alcohol				
ehb16a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	107.1586	2.62	107.1586	2.62
-3	9.105511	0.22	116.2641	2.85
Never	612.644	15.00	728.9081	17.84
Not in the last year	191.5207	4.69	920.4289	22.53
Monthly or less	1037.184	25.39	1957.613	47.92
2 to 3 times a month	506.8346	12.41	2464.448	60.33
Once a week	532.0994	13.03	2996.547	73.35
2 to 3 times a week	681.7098	16.69	3678.257	90.04
4 to 6 times a week	309.1183	7.57	3987.375	97.61
Everyday	97.62491	2.39	4085	100.00

8/9 - P1 - CASI H9.2 - Av. daily alcohol when drinking				
ehb16a3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	719.8026	17.62	719.8026	17.62
-3	10.69554	0.26	730.4982	17.88
1 or 2	2229.491	54.58	2959.989	72.46
3 or 4	844.3432	20.67	3804.332	93.13
5 or 6	204.9556	5.02	4009.288	98.15
7 to 10	63.25046	1.55	4072.538	99.69
11 or more	12.46173	0.31	4085	100.00

8/9 - P1 - CASI H9.3 - Freq binge drinking (v4)-5 or more std drinks				
ehb16a7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	730.4982	17.88	730.4982	17.88
Everyday	9.648403	0.24	740.1466	18.12
4-6 times a week	15.9059	0.39	756.0525	18.51
2-3 times a week	56.4956	1.38	812.5481	19.89
Once a week	187.5925	4.59	1000.141	24.48
2-3 times a month	206.2537	5.05	1206.394	29.53
Monthly or less	1225.004	29.99	2431.399	59.52
Never	1653.601	40.48	4085	100.00

8/9 - P1 - CASI H9.4 - Freq binge drinking (v4)-7 or more std drinks				
ehb16a8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	741.0058	18.14	741.0058	18.14
-3	0.923144	0.02	741.929	18.16
Everyday	2.835122	0.07	744.7641	18.23
4-6 times a week	9.303115	0.23	754.0672	18.46
2-3 times a week	18.93445	0.46	773.0017	18.92
Once a week	89.29043	2.19	862.2921	21.11
2-3 times a month	107.6932	2.64	969.9853	23.75
Monthly or less	765.7858	18.75	1735.771	42.49
Never	2349.229	57.51	4085	100.00

8/9 - P1 - Freq binge drinking (v3)				
ehb16a5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	109.1934	2.67	109.1934	2.67
-9	623.3283	15.26	732.5217	17.93
-3	0.923144	0.02	733.4448	17.95
Everyday	9.648403	0.24	743.0933	18.19
4-6 times a week	14.3585	0.35	757.4518	18.54
2-3 times a week	50.85882	1.25	808.3106	19.79
Once a week	184.2067	4.51	992.5173	24.30
2-3 times a month	208.5565	5.11	1201.074	29.40
Monthly or less	1210.652	29.64	2411.725	59.04
Never	1673.275	40.96	4085	100.00

8/9 - P1 - Freq binge drinking (v2)				
ehb16a5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2405.796	58.89	2405.796	58.89
Everyday	9.648403	0.24	2415.445	59.13
4-6 times a week	14.3585	0.35	2429.803	59.48
2-3 times a week	50.85882	1.25	2480.662	60.73
Once a week	184.2067	4.51	2664.869	65.24
2-3 times a month	208.5565	5.11	2873.425	70.34
Monthly or less	1211.575	29.66	4085	100.00

8/9 - P1 - Average daily alcohol consumption				
eaavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	105.5798	2.58	105.5798	2.58
-9	10.68429	0.26	116.2641	2.85
0	804.1647	19.69	920.4289	22.53
0.0534	744.3474	18.22	1664.776	40.75
0.125	216.1504	5.29	1880.927	46.04
0.143	294.4786	7.21	2175.405	53.25
0.196	60.30146	1.48	2235.707	54.73
0.214	316.5394	7.75	2552.246	62.48
0.304	15.45754	0.38	2567.704	62.86
0.321	144.6232	3.54	2712.327	66.40
0.429	0.927492	0.02	2713.254	66.42
0.5	199.7778	4.89	2913.032	71.31
0.571	437.632	10.71	3350.664	82.02
0.786	60.99202	1.49	3411.656	83.52
1.089	4.073029	0.10	3415.729	83.62
1.143	221.8538	5.43	3637.583	89.05
1.214	12.98253	0.32	3650.565	89.37
1.286	199.8628	4.89	3850.428	94.26
1.5	50.6516	1.24	3901.08	95.50
1.714	5.467373	0.13	3906.547	95.63
2	33.26674	0.81	3939.814	96.45
2.571	75.17211	1.84	4014.986	98.29
3.143	8.954337	0.22	4023.94	98.51
3.5	34.69749	0.85	4058.638	99.35
4	10.90788	0.27	4069.546	99.62
4.357	1.993841	0.05	4071.54	99.67
5.5	9.440689	0.23	4080.98	99.90
6.286	1.184506	0.03	4082.165	99.93
8.5	2.835122	0.07	4085	100.00

8/9 - P1 - Alcohol consumption groups				
eaalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	105.5798	2.58	105.5798	2.58
-9	10.68429	0.26	116.2641	2.85
Abstain not in the last year	804.1647	19.69	920.4289	22.53
Occasional less than monthly	1037.184	25.39	1957.613	47.92
Light <2 drinks/day men, <1 women	1478.771	36.20	3436.384	84.12
Moderate >=2 to <4 men, >=1 to <2 women	488.4945	11.96	3924.879	96.08

8/9 - P1 - Alcohol consumption groups				
eaalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hazardous >=4 to <6 men, >=2 and <4 women	137.2742	3.36	4062.153	99.44
Harmful >=6 men, >=4 women	22.84697	0.56	4085	100.00

8/9 - P1 - Heavy daily alcohol consumption				
eahvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	116.2641	2.85	116.2641	2.85
Yes	160.1212	3.92	276.3853	6.77
No	3808.615	93.23	4085	100.00

8/9 - P1 - Frequent binge drinking				
eabinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	116.2641	2.85	116.2641	2.85
Yes	499.0821	12.22	615.3463	15.06
No	3469.654	84.94	4085	100.00

8/9 - P1 - Problematic alcohol use				
eaalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	116.2641	2.85	116.2641	2.85
Yes	534.7442	13.09	651.0083	15.94
No	3433.992	84.06	4085	100.00

8/9 - P1 - F2F J1.1 - SC had fresh fruit				
ehb21a1a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	17.93075	0.44	71.38189	1.75
Not at all	380.5671	9.32	451.949	11.06
Once	902.1399	22.08	1354.089	33.15
Twice	1378.636	33.75	2732.725	66.90
More than twice	1352.275	33.10	4085	100.00

8/9 - P1 - F2F J1.1 - SC had fresh fruit				
ehb21a1a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	17.93075	0.44	71.38189	1.75
Not at all	380.5671	9.32	451.949	11.06

8/9 - P1 - F2F J1.1 - SC had fresh fruit				
ehb21a1a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once	902.1399	22.08	1354.089	33.15
Twice or more	2730.911	66.85	4085	100.00

8/9 - P1 - F2F J1.2 - SC had fruit juice				
ehb21a2a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	10.76393	0.26	64.21507	1.57
Not at all	2121.488	51.93	2185.703	53.51
Once	1153.633	28.24	3339.336	81.75
Twice	531.373	13.01	3870.709	94.75
More than twice	214.291	5.25	4085	100.00

8/9 - P1 - F2F J1.2 -SC had fresh juice				
ehb21a2a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	10.76393	0.26	64.21507	1.57
Not at all	2121.488	51.93	2185.703	53.51
Once	1153.633	28.24	3339.336	81.75
Twice or more	745.6639	18.25	4085	100.00

8/9 - P1 - F2F J1.3 - SC had cooked vegetables				
ehb21a1b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	6.847306	0.17	60.29845	1.48
Not at all	973.1345	23.82	1033.433	25.30
Once	2058.917	50.40	3092.35	75.70
Twice	704.5698	17.25	3796.92	92.95
More than twice	288.08	7.05	4085	100.00

8/9 - P1 - F2F J1.3 - SC had cooked vegetables				
ehb21a1b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	6.847306	0.17	60.29845	1.48
Not at all	973.1345	23.82	1033.433	25.30

8/9 - P1 - F2F J1.3 - SC had cooked vegetables				
ehb21a1b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once	2058.917	50.40	3092.35	75.70
Twice or more	992.6498	24.30	4085	100.00

8/9 - P1 - F2F J1.4 - SC had raw vegetables				
ehb21a1c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	8.741811	0.21	62.19295	1.52
Not at all	1899.195	46.49	1961.388	48.01
Once	1478.144	36.18	3439.533	84.20
Twice	488.726	11.96	3928.259	96.16
More than twice	156.7414	3.84	4085	100.00

8/9 - P1 - F2F J1.4 - SC had raw vegetables				
ehb21a1c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	8.741811	0.21	62.19295	1.52
Not at all	1899.195	46.49	1961.388	48.01
Once	1478.144	36.18	3439.533	84.20
Twice or more	645.4674	15.80	4085	100.00

8/9 - P1 - F2F J1.5 - SC had pie, hamburger, sausage roll				
ehb21a3a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	6.941036	0.17	60.39218	1.48
Not at all	2942.57	72.03	3002.963	73.51
Once	994.3966	24.34	3997.359	97.85
Twice	72.19826	1.77	4069.557	99.62
More than twice	15.44257	0.38	4085	100.00

8/9 - P1 - F2F J1.5 - SC had pie, hamburger, sausage roll				
ehb21a3a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	6.941036	0.17	60.39218	1.48
Not at all	2942.57	72.03	3002.963	73.51

8/9 - P1 - F2F J1.5 - SC had pie, hamburger, sausage roll				
ehb21a3a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once	994.3966	24.34	3997.359	97.85
Twice or more	87.64082	2.15	4085	100.00

8/9 - P1 - F2F J1.6 - SC had hot chips or french fries				
ehb21a3b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	7.584258	0.19	61.0354	1.49
Not at all	3030.777	74.19	3091.813	75.69
Once	941.791	23.05	4033.604	98.74
Twice	43.15376	1.06	4076.758	99.80
More than twice	8.24242	0.20	4085	100.00

8/9 - P1 - F2F J1.6 - SC had hot chips or french fries				
ehb21a3b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	7.584258	0.19	61.0354	1.49
Not at all	3030.777	74.19	3091.813	75.69
Once	941.791	23.05	4033.604	98.74
Twice or more	51.39618	1.26	4085	100.00

8/9 - P1 - F2F J1.7 - SC had potato chips or savoury snacks				
ehb21a3c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	5.781715	0.14	59.23286	1.45
Not at all	2237.056	54.76	2296.289	56.21
Once	1473.45	36.07	3769.738	92.28
Twice	267.5436	6.55	4037.282	98.83
More than twice	47.71802	1.17	4085	100.00

8/9 - P1 - F2F J1.7 - SC had potato chips or savoury snacks				
ehb21a3c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	5.781715	0.14	59.23286	1.45
Not at all	2237.056	54.76	2296.289	56.21

8/9 - P1 - F2F J1.7 - SC had potato chips or savoury snacks				
ehb21a3c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once	1473.45	36.07	3769.738	92.28
Twice or more	315.2616	7.72	4085	100.00

8/9 - P1 - F2F J1.8 - SC had biscuits, donuts, cake or chocolate				
ehb21a3d1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	11.4996	0.28	64.95074	1.59
Not at all	1035.962	25.36	1100.913	26.95
Once	2028.108	49.65	3129.021	76.60
Twice	778.3382	19.05	3907.359	95.65
More than twice	177.6407	4.35	4085	100.00

8/9 - P1 - F2F J1.8 - SC had biscuits, donuts, cake or chocolate				
ehb21a3d2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	11.4996	0.28	64.95074	1.59
Not at all	1035.962	25.36	1100.913	26.95
Once	2028.108	49.65	3129.021	76.60
Twice or more	955.9789	23.40	4085	100.00

8/9 - P1 - F2F J1.9 - SC had full cream milk products				
ehb21a3e1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	8.083186	0.20	61.53433	1.51
Not at all	942.3253	23.07	1003.86	24.57
Once	1096.137	26.83	2099.996	51.41
Twice	1139.834	27.90	3239.831	79.31
More than twice	845.1694	20.69	4085	100.00

8/9 - P1 - F2F J1.9 - SC had full cream milk products				
ehb21a3e2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	8.083186	0.20	61.53433	1.51
Not at all	942.3253	23.07	1003.86	24.57

8/9 - P1 - F2F J1.9 - SC had full cream milk products				
ehb21a3e2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once	1096.137	26.83	2099.996	51.41
Twice or more	1985.004	48.59	4085	100.00

8/9 - P1 - F2F J1.10 - SC had skim milk products				
ehb21a4a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	6.277771	0.15	59.72891	1.46
Not at all	2945.81	72.11	3005.539	73.57
Once	411.1088	10.06	3416.647	83.64
Twice	402.42	9.85	3819.067	93.49
More than twice	265.9325	6.51	4085	100.00

8/9 - P1 - F2F J1.10 - SC had skim milk products				
ehb21a4a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	6.277771	0.15	59.72891	1.46
Not at all	2945.81	72.11	3005.539	73.57
Once	411.1088	10.06	3416.647	83.64
Twice or more	668.3525	16.36	4085	100.00

8/9 - P1 - F2F J1.11 - SC had water				
ehb21a5a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	17.54788	0.43	70.99903	1.74
Not at all	62.66371	1.53	133.6627	3.27
Once	160.3749	3.93	294.0377	7.20
Twice	301.2189	7.37	595.2566	14.57
More than twice	3489.743	85.43	4085	100.00

8/9 - P1 - F2F J1.11 - SC had water				
ehb21a5a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	17.54788	0.43	70.99903	1.74
Not at all	62.66371	1.53	133.6627	3.27

8/9 - P1 - F2F J1.11 - SC had water				
ehb21a5a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once	160.3749	3.93	294.0377	7.20
Twice or more	3790.962	92.80	4085	100.00

8/9 - P1 - F2F J1.12 - SC had soft drink/cordial				
ehb21a2b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	4.445329	0.11	57.89647	1.42
Not at all	2615.406	64.02	2673.303	65.44
Once	972.7457	23.81	3646.049	89.25
Twice	319.7946	7.83	3965.843	97.08
More than twice	119.1569	2.92	4085	100.00

8/9 - P1 - F2F J1.12 - SC had soft drink/cordial				
ehb21a2b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	4.445329	0.11	57.89647	1.42
Not at all	2615.406	64.02	2673.303	65.44
Once	972.7457	23.81	3646.049	89.25
Twice or more	438.9515	10.75	4085	100.00

8/9 - P1 - F2F J1.13 - SC had diet soft drink or cordial				
ehb21a6a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	4.445329	0.11	57.89647	1.42
Not at all	3743.534	91.64	3801.431	93.06
Once	210.3532	5.15	4011.784	98.21
Twice	50.85156	1.24	4062.636	99.45
More than twice	22.36436	0.55	4085	100.00

8/9 - P1 - F2F J1.13 - SC had diet soft drink or cordial				
ehb21a6a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.606724	0.24	9.606724	0.24
-9	43.84442	1.07	53.45114	1.31
-2	4.445329	0.11	57.89647	1.42
Not at all	3743.534	91.64	3801.431	93.06

8/9 - P1 - F2F J1.13 - SC had diet soft drink or cordial				
ehb21a6a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once	210.3532	5.15	4011.784	98.21
Twice or more	73.21593	1.79	4085	100.00

8/9 - P1 - Frequency ate fruit and vegetables (v2)				
eafandvb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	57.37474	1.40	57.37474	1.40
0	125.4589	3.07	182.8336	4.48
1	301.8177	7.39	484.6513	11.86
2	606.9217	14.86	1091.573	26.72
3	826.1633	20.22	1917.736	46.95
4	903.3969	22.11	2821.133	69.06
5	643.8608	15.76	3464.994	84.82
6	345.8571	8.47	3810.851	93.29
7	157.7725	3.86	3968.624	97.15
8	79.62527	1.95	4048.249	99.10
9	36.75105	0.90	4085	100.00

8/9 - P1 - Frequency ate high fat food (v2)				
eahfatb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	59.23286	1.45	59.23286	1.45
0	328.8414	8.05	388.0742	9.50
1	1025.954	25.12	1414.028	34.62
2	1391.677	34.07	2805.705	68.68
3	735.9832	18.02	3541.688	86.70
4	369.2124	9.04	3910.9	95.74
5	104.5241	2.56	4015.425	98.30
6	32.00626	0.78	4047.431	99.08
7	20.50277	0.50	4067.934	99.58
8	7.858522	0.19	4075.792	99.77
9	3.502361	0.09	4079.294	99.86
10	3.897892	0.10	4083.192	99.96
12	1.807672	0.04	4085	100.00

8/9 - P1 - Frequency ate high fat food (inc. whole milk) (v2)				
eahfwmb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	57.89647	1.42	57.89647	1.42
0	91.74823	2.25	149.6447	3.66
1	354.8944	8.69	504.5391	12.35
2	679.9607	16.65	1184.5	29.00
3	894.621	21.90	2079.121	50.90
4	865.287	21.18	2944.408	72.08
5	648.0099	15.86	3592.418	87.94
6	283.1471	6.93	3875.565	94.87
7	126.9421	3.11	4002.507	97.98
8	49.21354	1.20	4051.72	99.19
9	15.22947	0.37	4066.95	99.56
10	10.05012	0.25	4077	99.80
11	1.214707	0.03	4078.215	99.83
12	2.477622	0.06	4080.692	99.89
13	3.371197	0.08	4084.064	99.98
14	0.936475	0.02	4085	100.00

8/9 - P1 - Frequency drank high sugar drinks (v2)				
eahsdrnkb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	56.48331	1.38	56.48331	1.38
0	1505.57	36.86	1562.053	38.24
1	1130.839	27.68	2692.892	65.92
2	751.5103	18.40	3444.402	84.32
3	439.7065	10.76	3884.109	95.08
4	144.919	3.55	4029.028	98.63
5	39.43102	0.97	4068.459	99.60
6	16.5412	0.40	4085	100.00

8/9 - P1 - Frequency ate fruit and vegetables				
eafandv	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	57.37474	1.40	57.37474	1.40
0	125.4589	3.07	182.8336	4.48
1	301.8177	7.39	484.6513	11.86
2	698.6214	17.10	1183.273	28.97
3	1109.374	27.16	2292.647	56.12
4	1066.409	26.11	3359.056	82.23
5	471.2244	11.54	3830.281	93.76
6	254.7192	6.24	4085	100.00

8/9 - P1 - Frequency ate high fat food (v1)				
eahfat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	59.23286	1.45	59.23286	1.45
0	328.8414	8.05	388.0742	9.50
1	1025.954	25.12	1414.028	34.62
2	1439.815	35.25	2853.843	69.86
3	774.056	18.95	3627.899	88.81
4	319.2161	7.81	3947.115	96.62
5	95.40581	2.34	4042.521	98.96
6	26.07923	0.64	4068.6	99.60
7	11.0189	0.27	4079.619	99.87
8	5.380973	0.13	4085	100.00

8/9 - P1 - Frequency ate high fat food (inc. whole milk) (v1)				
eahfwm	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	57.89647	1.42	57.89647	1.42
0	91.74823	2.25	149.6447	3.66
1	354.8944	8.69	504.5391	12.35
2	741.6436	18.16	1246.183	30.51
3	1049.21	25.68	2295.393	56.19
4	1020.075	24.97	3315.468	81.16
5	487.4628	11.93	3802.931	93.09
6	201.8361	4.94	4004.767	98.04
7	49.21253	1.20	4053.979	99.24
8	18.18313	0.45	4072.162	99.69
9	8.327993	0.20	4080.49	99.89
10	4.509776	0.11	4085	100.00

8/9 - P1 - Frequency drank high sugar drinks (v1)				
eahsdrnk	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	56.48331	1.38	56.48331	1.38
0	1505.57	36.86	1562.053	38.24
1	1130.839	27.68	2692.892	65.92
2	931.5088	22.80	3624.401	88.72
3	340.644	8.34	3965.045	97.06
4	119.9552	2.94	4085	100.00

8/9 - P1 - F2F J1.14 - Did child eat breakfast				
ehb22a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	53.45114	1.31	53.45114	1.31
-2	8.545073	0.21	61.99622	1.52
Yes	3816.792	93.43	3878.788	94.95
No	206.212	5.05	4085	100.00

8/9 - F2F J10.1 - Frequency of sun protection				
ehb20a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.28424	1.33	54.28424	1.33
Every day	2415.184	59.12	2469.468	60.45
Most days	1340.456	32.81	3809.925	93.27
Some days	223.8417	5.48	4033.766	98.75
Never or hardly ever	51.23369	1.25	4085	100.00

8/9 - F2F J10.2 - SC's enjoyment of physical activity				
ehb14c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.28424	1.33	54.28424	1.33
Very much dislikes activity	192.9752	4.72	247.2595	6.05
Somewhat dislikes activity	119.3732	2.92	366.6326	8.98
Neutral	240.59	5.89	607.2226	14.86
Somewhat enjoys activity	978.3286	23.95	1585.551	38.81
Very much likes activity	2499.449	61.19	4085	100.00

8/9 - F2F U1.1/2 - Age SC started clean teeth				
zhb23a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	245.321	6.01	245.321	6.01
-1	2.03734	0.05	247.3583	6.06
1	11.44216	0.28	258.8005	6.34
2	6.382087	0.16	265.1825	6.49
3	26.63329	0.65	291.8158	7.14
4	95.48583	2.34	387.3017	9.48
5	103.0894	2.52	490.391	12.00
6	551.6131	13.50	1042.004	25.51
7	176.3404	4.32	1218.345	29.82
8	339.5424	8.31	1557.887	38.14
9	223.3018	5.47	1781.189	43.60
10	183.1736	4.48	1964.362	48.09
11	84.22761	2.06	2048.59	50.15
12	1130.217	27.67	3178.807	77.82
13	24.23793	0.59	3203.044	78.41
14	51.26915	1.26	3254.314	79.66
15	35.01979	0.86	3289.333	80.52
16	17.52173	0.43	3306.855	80.95
17	4.232629	0.10	3311.088	81.05
18	337.3799	8.26	3648.468	89.31
19	3.123475	0.08	3651.591	89.39
20	18.60341	0.46	3670.195	89.85
21	2.342645	0.06	3672.537	89.90
22	6.159057	0.15	3678.696	90.05
23	2.479345	0.06	3681.176	90.11
24	315.313	7.72	3996.489	97.83
25	1.464013	0.04	3997.953	97.87
27	0.581953	0.01	3998.535	97.88
28	3.332828	0.08	4001.867	97.96
30	16.21429	0.40	4018.082	98.36
31	1.366671	0.03	4019.448	98.40
32	3.177955	0.08	4022.626	98.47
33	1.41417	0.03	4024.041	98.51
34	3.215197	0.08	4027.256	98.59
35	3.180375	0.08	4030.436	98.66
36	33.03693	0.81	4063.473	99.47
37	2.2233	0.05	4065.696	99.53
38	2.025186	0.05	4067.722	99.58
39	3.290991	0.08	4071.012	99.66

8/9 - F2F U1.1/2 - Age SC started clean teeth				
zhb23a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
48	11.98746	0.29	4083	99.95
55	2.000046	0.05	4085	100.00

8/9 - F2F U1.1 - Age SC started clean teeth - Unit				
zhb23a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	245.321	6.01	245.321	6.01
don't clean child's teeth	2.03734	0.05	247.3583	6.06
Months	2851.845	69.81	3099.203	75.87
Years	985.7967	24.13	4085	100.00

8/9 - F2F U1.2 - Age SC started clean teeth - Amount				
zhb23a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	245.321	6.01	245.321	6.01
1	647.3823	15.85	892.7032	21.85
2	311.2143	7.62	1203.917	29.47
3	59.67022	1.46	1263.588	30.93
4	108.4518	2.65	1372.039	33.59
5	103.0894	2.52	1475.129	36.11
6	551.6131	13.50	2026.742	49.61
7	177.3993	4.34	2204.141	53.96
8	339.5424	8.31	2543.684	62.27
9	223.3018	5.47	2766.985	67.74
10	183.1736	4.48	2950.159	72.22
11	84.22761	2.06	3034.387	74.28
12	494.2765	12.10	3528.663	86.38
13	24.23793	0.59	3552.901	86.97
14	51.26915	1.26	3604.17	88.23
15	35.01979	0.86	3639.19	89.09
16	17.52173	0.43	3656.712	89.52
17	4.232629	0.10	3660.944	89.62
18	337.3799	8.26	3998.324	97.88
19	3.123475	0.08	4001.448	97.95
20	18.60341	0.46	4020.051	98.41
21	2.342645	0.06	4022.394	98.47
22	6.159057	0.15	4028.553	98.62
23	2.479345	0.06	4031.032	98.68
24	10.48087	0.26	4041.513	98.94
25	1.464013	0.04	4042.977	98.97
27	0.581953	0.01	4043.559	98.99
28	3.332828	0.08	4046.892	99.07
30	16.21429	0.40	4063.106	99.46
31	1.366671	0.03	4064.473	99.50
32	3.177955	0.08	4067.651	99.58
33	1.41417	0.03	4069.065	99.61
34	3.215197	0.08	4072.28	99.69
35	3.180375	0.08	4075.46	99.77
37	2.2233	0.05	4077.684	99.82
38	2.025186	0.05	4079.709	99.87
39	3.290991	0.08	4083	99.95
55	2.000046	0.05	4085	100.00

8/9 - F2F U1.3 - How often are child's teeth cleaned				
ehb23b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.28424	1.33	54.28424	1.33
More than twice a day	79.12949	1.94	133.4137	3.27
Twice a day	2522.582	61.75	2655.995	65.02
Once a day	1200.65	29.39	3856.645	94.41
Less than once a day	218.8031	5.36	4075.448	99.77
don't clean teeth	9.551669	0.23	4085	100.00

8/9 - F2F U1.4+W2-4 - Had dental problems				
ehb23c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	50.42652	1.23	50.42652	1.23
-2	5.256851	0.13	55.68337	1.36
Yes	2144.207	52.49	2199.89	53.85
No	1885.11	46.15	4085	100.00

8/9 - F2F U1.4.1+W2-4 - Had cavities or dental decay				
ehb23c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	50.42652	1.23	50.42652	1.23
No	2339.598	57.27	2390.025	58.51
Yes	1694.975	41.49	4085	100.00

8/9 - F2F U1.4.2+W2-4 - Had accident causing tooth damage				
ehb23c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	53.5372	1.31	53.5372	1.31
No	3413.911	83.57	3467.448	84.88
Yes	617.5519	15.12	4085	100.00

8/9 - F2F U1.5.1+W2-4 - Had teeth filled due to decay				
ehb23c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	50.42652	1.23	50.42652	1.23
No	2586.019	63.31	2636.445	64.54
Yes	1448.555	35.46	4085	100.00

8/9 - F2F U1.5.2+W2-4 - Had teeth pulled due to decay				
ehb23c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.28424	1.33	54.28424	1.33
No	3685.487	90.22	3739.771	91.55
Yes	345.2292	8.45	4085	100.00

8/9 - F2F U1.4.1 - Last 2 yrs - cavities or dental decay				
ehb23d1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.28424	1.33	54.28424	1.33
No	2806.302	68.70	2860.586	70.03
Yes	1224.414	29.97	4085	100.00

8/9 - F2F U1.5.1 - Last 2 yrs - teeth filled due to decay				
ehb23d2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.28424	1.33	54.28424	1.33
No	3020.284	73.94	3074.568	75.26
Yes	1010.432	24.74	4085	100.00

8/9 - F2F U1.5.2 - Last 2 yrs - teeth pulled due to decay				
ehb23d3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.28424	1.33	54.28424	1.33
No	3774.77	92.41	3829.054	93.73
Yes	255.946	6.27	4085	100.00

8/9 - F2F U1.4.2 - Last 2 yrs - accidental tooth damage				
ehb23d4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.28424	1.33	54.28424	1.33
No	3853.903	94.34	3908.187	95.67
Yes	176.813	4.33	4085	100.00

8/9 - F2F U1.4.3 - Last 2 yrs - Braces/other dental problems (e.g. oral surgery)				
ehb23d5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.28424	1.33	54.28424	1.33
No	3812.077	93.32	3866.362	94.65
Yes	218.6383	5.35	4085	100.00

8/9 - F2F U1.4.4 - Last 2 yrs - No problems with teeth				
ehb23d6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.28424	1.33	54.28424	1.33
No	1542.812	37.77	1597.097	39.10
Yes	2487.903	60.90	4085	100.00

8/9 - F2F U1.5.3 - Last 2 yrs - No treatment - result of cavity/dental decay				
ehb23d7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.28424	1.33	54.28424	1.33
No	3921.66	96.00	3975.944	97.33
Yes	109.0561	2.67	4085	100.00

8/9 - F2F M8.9 - SC's choice to spend free time					
ehb14c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
-9	55.73861	1.36	55.73861	1.36	
-2	4.409664	0.11	60.14828	1.47	
Usually chooses inactive pastimes	1120.767	27.44	1180.915	28.91	
Usually chooses active pastimes	1736.584	42.51	2917.499	71.42	
Just as likely to choose active as inactive pastimes	1167.501	28.58	4085	100.00	

8/9 - CSRB 6.1 - Body Shape				
ehb25c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	81.74055	2.00	81.74055	2.00
-3	6.883649	0.17	88.6242	2.17
-2	9.810029	0.24	98.43422	2.41
Picture 1	96.21629	2.36	194.6505	4.77
Picture 2	324.6292	7.95	519.2797	12.71
Picture 3	1149.412	28.14	1668.692	40.85
Picture 4	1814.415	44.42	3483.107	85.27
Picture 5	540.0452	13.22	4023.152	98.49
Picture 6	49.59299	1.21	4072.745	99.70
Picture 7	12.25452	0.30	4085	100.00

8/9 - CSRB 6.2 - Body Shape SC wants				
ehb25c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	81.74055	2.00	81.74055	2.00
-3	8.933409	0.22	90.67396	2.22
-2	10.1893	0.25	100.8633	2.47
Picture 1	255.0757	6.24	355.9389	8.71
Picture 2	647.3296	15.85	1003.269	24.56
Picture 3	1511.133	36.99	2514.402	61.55
Picture 4	1406.215	34.42	3920.617	95.98
Picture 5	150.175	3.68	4070.792	99.65
Picture 6	6.813492	0.17	4077.606	99.82
Picture 7	7.394393	0.18	4085	100.00

8/9 - PLE - PLE 19.2 - Current cigarette smoking				
ehb15p5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3657.585	89.54	3657.585	89.54
Yes	148.1435	3.63	3805.728	93.16
No	279.272	6.84	4085	100.00

8/9 - PLE - PLE 19.2/3 - Current cigarette smoking -Frequency				
ehb15p1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3657.585	89.54	3657.585	89.54
Do not smoke at all	279.272	6.84	3936.857	96.37
Less than once a day	6.77854	0.17	3943.635	96.54
At least once a day	141.3649	3.46	4085	100.00

8/9 - PLE - PLE 19.3 - Smoke once a day				
ehb15p7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3936.857	96.37	3936.857	96.37
Yes	141.3649	3.46	4078.221	99.83
No	6.77854	0.17	4085	100.00

8/9 - PLE - PLE 19.4 - No. cigarettes smoked per day				
ehb15p8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3943.635	96.54	3943.635	96.54
1 to 5 per day	18.58396	0.45	3962.219	96.99
6 to 10 per day	43.96975	1.08	4006.189	98.07
11 to 20 per day	47.11906	1.15	4053.308	99.22
More than 20 per day	31.69216	0.78	4085	100.00

8/9 - PLE - PLE 20.1 - Frequency of drinking alcohol				
ehb16p2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3657.585	89.54	3657.585	89.54
Never	37.37577	0.91	3694.96	90.45
Not in the last year	5.600102	0.14	3700.56	90.59
Monthly or less	68.1679	1.67	3768.728	92.26
2 to 3 times a month	45.0951	1.10	3813.823	93.36
Once a week	81.65205	2.00	3895.475	95.36
2 to 3 times a week	112.6077	2.76	4008.083	98.12
4 to 6 times a week	45.12681	1.10	4053.21	99.22
Everyday	31.79011	0.78	4085	100.00

8/9 - PLE - PLE 20.2 - Av. daily alcohol when drinking				
ehb16p3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3700.56	90.59	3700.56	90.59
1 or 2	148.8776	3.64	3849.438	94.23
3 or 4	140.9615	3.45	3990.399	97.68
5 or 6	58.20199	1.42	4048.601	99.11
7 to 10	22.46394	0.55	4071.065	99.66
11 or more	13.93463	0.34	4085	100.00

8/9 - PLE - PLE 20.3 - Freq binge drinking (v4)-5 or more std drinks				
ehb16p7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3700.56	90.59	3700.56	90.59
Everyday	5.710331	0.14	3706.271	90.73
4-6 times a week	11.16486	0.27	3717.436	91.00
2-3 times a week	28.46617	0.70	3745.902	91.70
Once a week	64.20671	1.57	3810.108	93.27
2-3 times a month	47.59472	1.17	3857.703	94.44
Monthly or less	152.2876	3.73	4009.991	98.16
Never	75.00924	1.84	4085	100.00

8/9 - PLE - PLE 20.4 - Freq binge drinking (v4)-7 or more std drinks				
ehb16p8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3700.56	90.59	3700.56	90.59
-2	1.179429	0.03	3701.74	90.62
Everyday	0.819454	0.02	3702.559	90.64
4-6 times a week	4.415193	0.11	3706.974	90.75
2-3 times a week	9.78704	0.24	3716.761	90.99
Once a week	38.22734	0.94	3754.989	91.92
2-3 times a month	24.46849	0.60	3779.457	92.52
Monthly or less	150.3385	3.68	3929.796	96.20
Never	155.2041	3.80	4085	100.00

8/9 - PLE - Freq binge drinking (v3)				
ehb16p5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	5.600102	0.14	5.600102	0.14
-9	3694.96	90.45	3700.56	90.59
-2	1.179429	0.03	3701.74	90.62
Everyday	0.819454	0.02	3702.559	90.64
4-6 times a week	4.415193	0.11	3706.974	90.75
2-3 times a week	9.78704	0.24	3716.761	90.99

8/9 - PLE - Freq binge drinking (v3)				
ehb16p5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once a week	40.77688	1.00	3757.538	91.98
2-3 times a month	25.12268	0.61	3782.661	92.60
Monthly or less	151.8462	3.72	3934.507	96.32
Never	150.4928	3.68	4085	100.00

8/9 - PLE - Freq binge drinking (v2)				
ehb16p5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3851.053	94.27	3851.053	94.27
Everyday	0.819454	0.02	3851.873	94.29
4-6 times a week	4.415193	0.11	3856.288	94.40
2-3 times a week	10.96647	0.27	3867.254	94.67
Once a week	40.77688	1.00	3908.031	95.67
2-3 times a month	25.12268	0.61	3933.154	96.28
Monthly or less	151.8462	3.72	4085	100.00

8/9 - PLE - Average daily alcohol consumption				
epavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3657.585	89.54	3657.585	89.54
0	42.97587	1.05	3700.56	90.59
0.0534	35.60718	0.87	3736.168	91.46
0.125	20.93006	0.51	3757.098	91.97
0.143	16.71996	0.41	3773.818	92.38
0.196	6.055068	0.15	3779.873	92.53
0.214	31.94128	0.78	3811.814	93.31
0.304	1.49515	0.04	3813.309	93.35
0.321	19.50917	0.48	3832.818	93.83
0.429	4.080438	0.10	3836.899	93.93
0.5	24.87238	0.61	3861.771	94.54
0.571	43.30505	1.06	3905.076	95.60
0.786	20.59203	0.50	3925.668	96.10
1.089	0.755408	0.02	3926.424	96.12
1.143	14.41225	0.35	3940.836	96.47
1.214	5.952476	0.15	3946.788	96.62
1.286	48.22744	1.18	3995.016	97.80
1.5	6.891882	0.17	4001.908	97.97
1.714	6.404451	0.16	4008.312	98.12
2	11.14122	0.27	4019.453	98.40
2.571	19.73705	0.48	4039.19	98.88
3.143	8.264958	0.20	4047.455	99.08
3.5	13.9701	0.34	4061.425	99.42
4	6.871424	0.17	4068.297	99.59
4.357	1.668999	0.04	4069.966	99.63
5.5	9.083336	0.22	4079.049	99.85
6.286	4.106083	0.10	4083.155	99.95
8.5	0.819454	0.02	4083.975	99.97
12	1.025337	0.03	4085	100.00

8/9 - PLE - Alcohol consumption groups				
epalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3688.407	90.29	3688.407	90.29
Abstain not in the last year	42.97587	1.05	3731.383	91.34
Occasional less than monthly	68.1679	1.67	3799.551	93.01
Light <2 drinks/day men, <1 women	173.7845	4.25	3973.336	97.27
Moderate >=2 to <4 men, >=1 to <2 women	48.31157	1.18	4021.647	98.45
Hazardous >=4 to <6 men, >=2 and <4 women	47.3979	1.16	4069.045	99.61
Harmful >=6 men, >=4 women	15.95476	0.39	4085	100.00

8/9 - PLE - Heavy daily alcohol consumption				
ephvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3657.585	89.54	3657.585	89.54
Yes	25.02094	0.61	3682.605	90.15
No	402.3946	9.85	4085	100.00

8/9 - PLE - Frequent binge drinking				
epbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3657.585	89.54	3657.585	89.54
Yes	82.10067	2.01	3739.685	91.55
No	345.3148	8.45	4085	100.00

8/9 - PLE - Problematic alcohol use				
epalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3657.585	89.54	3657.585	89.54
Yes	87.04809	2.13	3744.633	91.67
No	340.3674	8.33	4085	100.00

8/9 - P2 - P2B 13 - No. serves of fruit/day				
ehb13b2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	45.2956	1.11	45.2956	1.11
-9	1826.399	44.71	1871.695	45.82
0	235.6663	5.77	2107.361	51.59
1	1056.669	25.87	3164.03	77.45
2	615.297	15.06	3779.327	92.52
3	205.4008	5.03	3984.728	97.55
4	61.54732	1.51	4046.276	99.05
5	24.59224	0.60	4070.868	99.65
6	8.59873	0.21	4079.467	99.86
7	2.335189	0.06	4081.802	99.92
8	2.144479	0.05	4083.946	99.97
9	1.053752	0.03	4085	100.00

8/9 - P2 - P2B 13 - No. serves of fruit/day (6+)				
ehb13b2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	45.2956	1.11	45.2956	1.11
-9	1826.399	44.71	1871.695	45.82
Less than 1	235.6663	5.77	2107.361	51.59
1	1056.669	25.87	3164.03	77.45
2	615.297	15.06	3779.327	92.52

8/9 - P2 - P2B 13 - No. serves of fruit/day (6+)				
ehb13b2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3	205.4008	5.03	3984.728	97.55
4	61.54732	1.51	4046.276	99.05
5	24.59224	0.60	4070.868	99.65
6 or more	14.13215	0.35	4085	100.00

8/9 - P2 - P2B 14 - No. serves of vegetables/day				
ehb13b1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	41.36359	1.01	41.36359	1.01
-9	1826.399	44.71	1867.763	45.72
0	23.66196	0.58	1891.425	46.30
1	868.1664	21.25	2759.591	67.55
2	741.099	18.14	3500.69	85.70
3	378.3588	9.26	3879.049	94.96
4	134.7922	3.30	4013.841	98.26
5	54.34634	1.33	4068.188	99.59
6	15.51764	0.38	4083.705	99.97
7	0.675492	0.02	4084.381	99.98
8	0.619275	0.02	4085	100.00

8/9 - P2 - P2B 14 - No. serves of vegetables/day (6+)				
ehb13b1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	41.36359	1.01	41.36359	1.01
-9	1826.399	44.71	1867.763	45.72
Less than 1	23.66196	0.58	1891.425	46.30
1	868.1664	21.25	2759.591	67.55
2	741.099	18.14	3500.69	85.70
3	378.3588	9.26	3879.049	94.96
4	134.7922	3.30	4013.841	98.26
5	54.34634	1.33	4068.188	99.59
6 or more	16.81241	0.41	4085	100.00

8/9 - P2 - P2B 15 - Days per week exercise				
ehb14b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	40.35922	0.99	40.35922	0.99
-9	1826.399	44.71	1866.759	45.70
0	198.5422	4.86	2065.301	50.56
1	311.7765	7.63	2377.077	58.19
2	389.1018	9.53	2766.179	67.72
3	377.2073	9.23	3143.386	76.95
4	241.8148	5.92	3385.201	82.87
5	347.4943	8.51	3732.696	91.38
6	151.251	3.70	3883.947	95.08
7	201.0534	4.92	4085	100.00

8/9 - P2 - P2B 17 - Current cigarette smoking				
ehb15b5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	16.21576	0.40	16.21576	0.40
-9	1826.399	44.71	1842.615	45.11
Yes	343.4828	8.41	2186.098	53.52
No	1898.902	46.48	4085	100.00

8/9 - P2 - P2B 17/18 - Current cigarette smoking-Frequency				
ehb15b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	35.08922	0.86	35.08922	0.86
-9	1826.399	44.71	1861.489	45.57
Do not smoke at all	1898.902	46.48	3760.391	92.05
Less than once a day	21.86282	0.54	3782.253	92.59
At least once a day	302.7465	7.41	4085	100.00

8/9 - P2 - P2B 18 - Smoke once a day				
ehb15b7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	31.74502	0.78	31.74502	0.78
-9	1826.399	44.71	1858.144	45.49
Yes	305.2996	7.47	2163.444	52.96
No	1921.556	47.04	4085	100.00

8/9 - P2 - P2B 18/19 - No. cigarettes smoked per day				
ehb15b8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	55.36697	1.36	55.36697	1.36
-9	3725.301	91.19	3780.668	92.55
1 to 5 per day	68.48882	1.68	3849.157	94.23
6 to 10 per day	89.26436	2.19	3938.422	96.41
11 to 20 per day	106.3865	2.60	4044.808	99.02
More than 20 per day	40.19199	0.98	4085	100.00

8/9 - P2 - P2B 20 - Frequency of drinking alcohol				
ehb16b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	16.11396	0.39	16.11396	0.39
-9	1826.399	44.71	1842.513	45.10
Never	212.4418	5.20	2054.955	50.30
Not in the last year	44.11817	1.08	2099.073	51.38
Monthly or less	322.6321	7.90	2421.705	59.28
2 to 3 times a month	267.5324	6.55	2689.238	65.83
Once a week	286.9019	7.02	2976.14	72.86
2 to 3 times a week	589.3784	14.43	3565.518	87.28
4 to 6 times a week	381.2406	9.33	3946.759	96.62
Everyday	138.2413	3.38	4085	100.00

8/9 - P2 - P2B 21 - Av. daily alcohol when drinking				
ehb16b3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	25.11164	0.61	25.11164	0.61
-9	2038.841	49.91	2063.953	50.53
1 or 2	1057.531	25.89	3121.484	76.41
3 or 4	656.8913	16.08	3778.376	92.49
5 or 6	232.9402	5.70	4011.316	98.20
7 to 10	60.59019	1.48	4071.906	99.68
11 or more	13.09406	0.32	4085	100.00

8/9 - P2 - P2B 22 - Freq binge drinking (v4)-5 or more std drinks				
ehb16b7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	25.25723	0.62	25.25723	0.62
-9	2038.841	49.91	2064.098	50.53
Everyday	23.36498	0.57	2087.463	51.10
4-6 times a week	40.06343	0.98	2127.527	52.08
2-3 times a week	133.9774	3.28	2261.504	55.36
Once a week	242.2433	5.93	2503.748	61.29

8/9 - P2 - P2B 22 - Freq binge drinking (v4)-5 or more std drinks				
ehb16b7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2-3 times a month	221.8699	5.43	2725.617	66.72
Monthly or less	833.1056	20.39	3558.723	87.12
Never	526.277	12.88	4085	100.00

8/9 - P2 - P2B 23 - Freq binge drinking (v4)-7 or more std drinks				
ehb16b8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	57.81034	1.42	57.81034	1.42
-9	2038.841	49.91	2096.651	51.33
Everyday	7.148901	0.18	2103.8	51.50
4-6 times a week	7.114204	0.17	2110.915	51.67
2-3 times a week	54.8198	1.34	2165.734	53.02
Once a week	130.9536	3.21	2296.688	56.22
2-3 times a month	127.2873	3.12	2423.975	59.34
Monthly or less	758.3098	18.56	3182.285	77.90
Never	902.7148	22.10	4085	100.00

8/9 - P2 - Freq binge drinking (v3)				
ehb16b5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	269.5591	6.60	269.5591	6.60
-9	1826.399	44.71	2095.959	51.31
Everyday	7.148901	0.18	2103.107	51.48
4-6 times a week	7.114204	0.17	2110.222	51.66
2-3 times a week	54.72199	1.34	2164.944	53.00
Once a week	133.2284	3.26	2298.172	56.26
2-3 times a month	128.7592	3.15	2426.931	59.41
Monthly or less	768.8182	18.82	3195.749	78.23
Never	889.2505	21.77	4085	100.00

8/9 - P2 - Freq binge drinking (v2)				
ehb16b5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	269.5591	6.60	269.5591	6.60
-9	2715.65	66.48	2985.209	73.08
Everyday	7.148901	0.18	2992.358	73.25
4-6 times a week	7.114204	0.17	2999.472	73.43
2-3 times a week	54.72199	1.34	3054.194	74.77
Once a week	133.2284	3.26	3187.423	78.03
2-3 times a month	128.7592	3.15	3316.182	81.18
Monthly or less	768.8182	18.82	4085	100.00

8/9 - P2 - Average daily alcohol consumption				
ebavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	20.18288	0.49	20.18288	0.49
-9	1826.399	44.71	1846.582	45.20
0	256.56	6.28	2103.142	51.48
0.0534	211.0929	5.17	2314.235	56.65
0.125	71.16706	1.74	2385.402	58.39
0.143	140.0346	3.43	2525.437	61.82
0.196	23.30636	0.57	2548.743	62.39
0.214	156.8664	3.84	2705.61	66.23
0.304	12.85933	0.31	2718.469	66.55
0.321	86.07566	2.11	2804.544	68.65
0.429	2.413852	0.06	2806.958	68.71
0.5	114.1972	2.80	2921.156	71.51
0.571	298.532	7.31	3219.688	78.82
0.786	46.27243	1.13	3265.96	79.95
1.143	169.7639	4.16	3435.724	84.11
1.214	7.396595	0.18	3443.12	84.29
1.286	202.2979	4.95	3645.418	89.24
1.5	48.16674	1.18	3693.585	90.42
1.714	3.591371	0.09	3697.176	90.51
2	70.3208	1.72	3767.497	92.23
2.571	150.4728	3.68	3917.97	95.91
3.143	13.10347	0.32	3931.074	96.23
3.5	57.86716	1.42	3988.941	97.65
4	48.13121	1.18	4037.072	98.83
4.357	3.543024	0.09	4040.615	98.91
5.5	25.18861	0.62	4065.804	99.53
6.286	11.00632	0.27	4076.81	99.80
8.5	4.644317	0.11	4081.454	99.91
8.714	1.171367	0.03	4082.626	99.94
12	2.374451	0.06	4085	100.00

8/9 - P2 - Alcohol consumption groups				
ebalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	18.3902	0.45	18.3902	0.45
-9	1826.399	44.71	1844.79	45.16
Abstain not in the last year	256.56	6.28	2101.35	51.44
Occasional less than monthly	322.6321	7.90	2423.982	59.34
Light <2 drinks/day men, <1 women	1264.891	30.96	3688.873	90.30
Moderate >=2 to <4 men, >=1 to <2 women	298.0008	7.30	3986.874	97.60

8/9 - P2 - Alcohol consumption groups				
ebalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hazardous >=4 to <6 men, >=2 and <4 women	78.9299	1.93	4065.804	99.53
Harmful >=6 men, >=4 women	19.19646	0.47	4085	100.00

8/9 - P2 - Heavy daily alcohol consumption				
ebhvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	20.18288	0.49	20.18288	0.49
-9	1826.399	44.71	1846.582	45.20
Yes	98.12636	2.40	1944.709	47.61
No	2140.291	52.39	4085	100.00

8/9 - P2 - Frequent binge drinking				
ebbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	17.39634	0.43	17.39634	0.43
-9	1826.399	44.71	1843.796	45.14
Yes	328.8299	8.05	2172.626	53.19
No	1912.374	46.81	4085	100.00

8/9 - P2 - Problematic alcohol use				
ebalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	22.39875	0.55	22.39875	0.55
-9	1826.399	44.71	1848.798	45.26
Yes	343.2865	8.40	2192.085	53.66
No	1892.915	46.34	4085	100.00

8/9 - Teach 16 - Activity during organised activities				
ehb24a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	30.85926	0.76	30.85926	0.76
-9	635.7367	15.56	666.5959	16.32
I have not observed this child in such activities	53.55073	1.31	720.1467	17.63
A lot less active than most	108.6503	2.66	828.797	20.29
A little less active than most	377.7556	9.25	1206.553	29.54
About the same as most	1866.417	45.69	3072.97	75.23
A little more active than most	572.2585	14.01	3645.228	89.23
A lot more active than most	439.7718	10.77	4085	100.00

8/9 - Teach 17 - Activity during play				
ehb24b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	27.34545	0.67	27.34545	0.67
-9	635.7367	15.56	663.0821	16.23
I have not observed this child in such activities	53.91339	1.32	716.9955	17.55
A lot less active than most	80.80748	1.98	797.803	19.53
A little less active than most	395.9004	9.69	1193.703	29.22
About the same as most	2095.536	51.30	3289.239	80.52
A little more active than most	496.51	12.15	3785.749	92.67
A lot more active than most	299.2508	7.33	4085	100.00

8/9 - M - CASI H7.1+P2B 13 - No. serves of fruit/day				
ehb13m2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.7036	0.29	11.7036	0.29
-9	167.5409	4.10	179.2445	4.39
-3	5.984675	0.15	185.2292	4.53
0	281.3778	6.89	466.607	11.42
1	1770.364	43.34	2236.971	54.76
2	1274.425	31.20	3511.395	85.96
3	449.082	10.99	3960.477	96.95
4	83.32783	2.04	4043.805	98.99
5	28.02624	0.69	4071.831	99.68
6	10.1865	0.25	4082.018	99.93
7	0.899846	0.02	4082.918	99.95
8	2.082305	0.05	4085	100.00

8/9 - M - CASI H7.1+P2B 13 - No. serves of fruit/day (6+)				
ehb13m2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.7036	0.29	11.7036	0.29
-9	167.5409	4.10	179.2445	4.39
-3	5.984675	0.15	185.2292	4.53
Less than 1	281.3778	6.89	466.607	11.42
1	1770.364	43.34	2236.971	54.76
2	1274.425	31.20	3511.395	85.96
3	449.082	10.99	3960.477	96.95
4	83.32783	2.04	4043.805	98.99
5	28.02624	0.69	4071.831	99.68
6 or more	13.16865	0.32	4085	100.00

8/9 - M - CASI H7.2+P2B 14 - No. serves of vegetables/day				
ehb13m1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.7036	0.29	11.7036	0.29
-9	167.5409	4.10	179.2445	4.39
-3	5.567783	0.14	184.8123	4.52
0	29.5354	0.72	214.3477	5.25
1	965.0797	23.62	1179.427	28.87
2	1245.23	30.48	2424.657	59.36
3	923.8121	22.61	3348.469	81.97
4	445.3244	10.90	3793.793	92.87
5	225.5442	5.52	4019.338	98.39
6	50.39265	1.23	4069.73	99.63
7	8.597685	0.21	4078.328	99.84
8	5.80304	0.14	4084.131	99.98
10	0.869037	0.02	4085	100.00

8/9 - M - CASI H7.2+P2B 14 - No. serves of vegetables/day (6+)				
ehb13m1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.7036	0.29	11.7036	0.29
-9	167.5409	4.10	179.2445	4.39
-3	5.567783	0.14	184.8123	4.52
Less than 1	29.5354	0.72	214.3477	5.25
1	965.0797	23.62	1179.427	28.87
2	1245.23	30.48	2424.657	59.36
3	923.8121	22.61	3348.469	81.97
4	445.3244	10.90	3793.793	92.87
5	225.5442	5.52	4019.338	98.39
6 or more	65.66241	1.61	4085	100.00

8/9 - M - CASI H7.3+P2B 15 - Days per week exercise				
ehb14m2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12.62872	0.31	12.62872	0.31
-9	167.5409	4.10	180.1696	4.41
-3	5.984675	0.15	186.1543	4.56
0	467.9823	11.46	654.1366	16.01
1	560.2052	13.71	1214.342	29.73
2	766.0018	18.75	1980.344	48.48
3	808.5298	19.79	2788.873	68.27
4	462.8581	11.33	3251.732	79.60
5	483.3938	11.83	3735.125	91.44

8/9 - M - CASI H7.3+P2B 15 - Days per week exercise				
ehb14m2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6	154.7196	3.79	3889.845	95.22
7	195.1552	4.78	4085	100.00

8/9 - M - CASI H8.1/H8.2+P2B 17/18 - Current cigarette smoking -Frequency				
ehb15m1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.7036	0.29	11.7036	0.29
-9	165.3534	4.05	177.057	4.33
-3	9.105511	0.22	186.1626	4.56
Do not smoke at all	3169.503	77.59	3355.666	82.15
Less than once a day	76.73865	1.88	3432.404	84.02
At least once a day	652.5956	15.98	4085	100.00

8/9 - M - CASI H8.1+P2B 17 - Current cigarette smoking				
ehb15m5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.7036	0.29	11.7036	0.29
-9	165.3534	4.05	177.057	4.33
-3	9.105511	0.22	186.1626	4.56
Yes	729.3342	17.85	915.4968	22.41
No	3169.503	77.59	4085	100.00

8/9 - M - CASI H8.2+P2B 18 - Smoke once a day				
ehb15m7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.7036	0.29	11.7036	0.29
-9	174.4589	4.27	186.1626	4.56
Yes	652.5956	15.98	838.7581	20.53
No	3246.242	79.47	4085	100.00

8/9 - M - CASI H8.3+P2B 18/19 - No. cigarettes smoked per day				
ehb15m8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12.25326	0.30	12.25326	0.30
-9	3420.151	83.72	3432.404	84.02
1 to 5 per day	120.935	2.96	3553.339	86.99
6 to 10 per day	254.1758	6.22	3807.515	93.21
11 to 20 per day	227.865	5.58	4035.38	98.79
More than 20 per day	49.61977	1.21	4085	100.00

8/9 - M - CASI H9.1+P2B 20 - Frequency of drinking alcohol				
ehb16m2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.7036	0.29	11.7036	0.29
-9	165.3534	4.05	177.057	4.33
-3	9.105511	0.22	186.1626	4.56
Never	615.6395	15.07	801.802	19.63
Not in the last year	188.4214	4.61	990.2234	24.24
Monthly or less	1027.428	25.15	2017.651	49.39
2 to 3 times a month	488.8272	11.97	2506.478	61.36
Once a week	529.9667	12.97	3036.445	74.33
2 to 3 times a week	673.7204	16.49	3710.165	90.82
4 to 6 times a week	289.8016	7.09	3999.967	97.92
Everyday	85.03313	2.08	4085	100.00

8/9 - M - CASI H9.2+P2B 21 - Av. daily alcohol when drinking				
ehb16m3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12.32633	0.30	12.32633	0.30
-9	780.9929	19.12	793.3192	19.42
-3	10.69554	0.26	804.0148	19.68
1 or 2	2203.866	53.95	3007.881	73.63
3 or 4	801.7159	19.63	3809.597	93.26
5 or 6	201.1755	4.92	4010.773	98.18
7 to 10	63.25046	1.55	4074.023	99.73
11 or more	10.97689	0.27	4085	100.00

8/9 - M - CASI H9.3+P2B 22 - Freq binge drinking (v4)-5 or more std drinks				
ehb16m7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12.32633	0.30	12.32633	0.30
-9	791.6884	19.38	804.0148	19.68
Everyday	9.648403	0.24	813.6632	19.92
4-6 times a week	13.38504	0.33	827.0482	20.25
2-3 times a week	49.18763	1.20	876.2358	21.45
Once a week	174.8253	4.28	1051.061	25.73
2-3 times a month	203.3827	4.98	1254.444	30.71
Monthly or less	1185.735	29.03	2440.178	59.74
Never	1644.822	40.26	4085	100.00

8/9 - M - CASI H9.4+P2B 23 - Freq binge drinking (v4) -7 or more standard drinks				
ehb16m8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.01932	0.32	13.01932	0.32
-9	800.1726	19.59	813.1919	19.91
-3	0.923144	0.02	814.115	19.93
Everyday	2.835122	0.07	816.9501	20.00
4-6 times a week	8.329652	0.20	825.2798	20.20
2-3 times a week	18.09707	0.44	843.3769	20.65
Once a week	77.38653	1.89	920.7634	22.54
2-3 times a month	102.1125	2.50	1022.876	25.04
Monthly or less	731.2599	17.90	1754.136	42.94
Never	2330.864	57.06	4085	100.00

8/9 - M - Freq binge drinking (v3)				
ehb16m5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	132.8342	3.25	132.8342	3.25
-9	671.1806	16.43	804.0148	19.68
-3	0.923144	0.02	804.9379	19.70
Everyday	9.648403	0.24	814.5863	19.94
4-6 times a week	13.38504	0.33	827.9713	20.27
2-3 times a week	49.18763	1.20	877.159	21.47
Once a week	174.8253	4.28	1051.984	25.75
2-3 times a month	203.3827	4.98	1255.367	30.73
Monthly or less	1184.811	29.00	2440.178	59.74
Never	1644.822	40.26	4085	100.00

8/9 - M - Freq binge drinking (v2)				
ehb16m5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	30.49008	0.75	30.49008	0.75
-9	2418.346	59.20	2448.836	59.95
Everyday	9.648403	0.24	2458.485	60.18
4-6 times a week	13.38504	0.33	2471.87	60.51
2-3 times a week	49.18763	1.20	2521.057	61.71
Once a week	174.8253	4.28	2695.883	65.99
2-3 times a month	203.3827	4.98	2899.265	70.97
Monthly or less	1185.735	29.03	4085	100.00

8/9 - M - Average daily alcohol consumption				
emavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	113.0804	2.77	113.0804	2.77
-9	73.70486	1.80	186.7853	4.57
0	804.0608	19.68	990.8461	24.26
0.0534	741.8991	18.16	1732.745	42.42
0.125	209.4902	5.13	1942.235	47.55
0.143	288.5997	7.06	2230.835	54.61
0.196	59.03046	1.45	2289.866	56.06
0.214	314.9771	7.71	2604.843	63.77
0.304	15.45754	0.38	2620.3	64.14
0.321	133.2153	3.26	2753.516	67.41
0.429	0.927492	0.02	2754.443	67.43
0.5	197.9703	4.85	2952.413	72.27
0.571	437.535	10.71	3389.948	82.99
0.786	61.50861	1.51	3451.457	84.49
1.089	4.073029	0.10	3455.53	84.59
1.143	212.9948	5.21	3668.525	89.80
1.214	12.98253	0.32	3681.507	90.12
1.286	193.7301	4.74	3875.237	94.87
1.5	46.43937	1.14	3921.677	96.00
1.714	5.467373	0.13	3927.144	96.14
2	32.99198	0.81	3960.136	96.94
2.571	65.56723	1.61	4025.703	98.55
3.143	8.954337	0.22	4034.658	98.77
3.5	27.49535	0.67	4062.153	99.44
4	10.05506	0.25	4072.208	99.69
4.357	0.508993	0.01	4072.717	99.70
5.5	8.26329	0.20	4080.98	99.90
6.286	1.184506	0.03	4082.165	99.93
8.5	2.835122	0.07	4085	100.00

8/9 - M - Alcohol consumption groups				
emalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	112.4577	2.75	112.4577	2.75
-9	73.70486	1.80	186.1626	4.56
Abstain not in the last year	804.0608	19.68	990.2234	24.24
Occasional less than monthly	1027.428	25.15	2017.651	49.39
Light <2 drinks/day men, <1 women	1433.806	35.10	3451.457	84.49
Moderate >=2 to <4 men, >=1 to <2 women	475.6873	11.64	3927.144	96.14

8/9 - M - Alcohol consumption groups				
emalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hazardous >=4 to <6 men, >=2 and <4 women	135.0089	3.30	4062.153	99.44
Harmful >=6 men, >=4 women	22.84697	0.56	4085	100.00

8/9 - M - Heavy daily alcohol consumption				
emhvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12.32633	0.30	12.32633	0.30
-9	174.4589	4.27	186.7853	4.57
Yes	157.8559	3.86	344.6411	8.44
No	3740.359	91.56	4085	100.00

8/9 - M - Frequent binge drinking				
embinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12.32633	0.30	12.32633	0.30
-9	174.4589	4.27	186.7853	4.57
Yes	449.6407	11.01	636.426	15.58
No	3448.574	84.42	4085	100.00

8/9 - M - Problematic alcohol use				
emalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12.32633	0.30	12.32633	0.30
-9	174.4589	4.27	186.7853	4.57
Yes	485.9958	11.90	672.7811	16.47
No	3412.219	83.53	4085	100.00

8/9 - F - CASI H7.1+P2B 13 - No. serves of fruit/day				
ehb13f2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	76.4433	1.87	76.4433	1.87
-9	1744.336	42.70	1820.779	44.57
0	240.3928	5.88	2061.172	50.46
1	1099.542	26.92	3160.714	77.37
2	617.2294	15.11	3777.944	92.48
3	206.8351	5.06	3984.779	97.55
4	60.33294	1.48	4045.112	99.02
5	24.79959	0.61	4069.911	99.63
6	9.555171	0.23	4079.467	99.86
7	2.335189	0.06	4081.802	99.92

8/9 - F - CASI H7.1+P2B 13 - No. serves of fruit/day				
ehb13f2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8	2.144479	0.05	4083.946	99.97
9	1.053752	0.03	4085	100.00

8/9 - F - CASI H7.1+P2B 13 - No. serves of fruit/day (6+)				
ehb13f2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	76.4433	1.87	76.4433	1.87
-9	1744.336	42.70	1820.779	44.57
Less than 1	240.3928	5.88	2061.172	50.46
1	1099.542	26.92	3160.714	77.37
2	617.2294	15.11	3777.944	92.48
3	206.8351	5.06	3984.779	97.55
4	60.33294	1.48	4045.112	99.02
5	24.79959	0.61	4069.911	99.63
6 or more	15.08859	0.37	4085	100.00

8/9 - F - CASI H7.2+P2B 14 - No. serves of vegetables/day				
ehb13f1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	72.51129	1.78	72.51129	1.78
-9	1744.336	42.70	1816.847	44.48
0	22.90211	0.56	1839.749	45.04
1	896.6621	21.95	2736.412	66.99
2	767.7238	18.79	3504.135	85.78
3	378.5319	9.27	3882.667	95.05
4	133.716	3.27	4016.383	98.32
5	51.90379	1.27	4068.287	99.59
6	14.73442	0.36	4083.022	99.95
7	0.675492	0.02	4083.697	99.97
8	1.302999	0.03	4085	100.00

8/9 - F - CASI H7.2+P2B 14 - No. serves of vegetables/day (6+)				
ehb13f1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	72.51129	1.78	72.51129	1.78
-9	1744.336	42.70	1816.847	44.48
Less than 1	22.90211	0.56	1839.749	45.04
1	896.6621	21.95	2736.412	66.99
2	767.7238	18.79	3504.135	85.78
3	378.5319	9.27	3882.667	95.05
4	133.716	3.27	4016.383	98.32

8/9 - F - CASI H7.2+P2B 14 - No. serves of vegetables/day (6+)				
ehb13f1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5	51.90379	1.27	4068.287	99.59
6 or more	16.71291	0.41	4085	100.00

8/9 - F - CASI H7.3+P2B 15 - Days per week exercise				
ehb14f2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	70.5818	1.73	70.5818	1.73
-9	1744.336	42.70	1814.918	44.43
0	206.4643	5.05	2021.382	49.48
1	308.7864	7.56	2330.168	57.04
2	404.1166	9.89	2734.285	66.93
3	383.396	9.39	3117.681	76.32
4	242.2675	5.93	3359.948	82.25
5	359.8337	8.81	3719.782	91.06
6	157.7196	3.86	3877.502	94.92
7	207.4982	5.08	4085	100.00

8/9 - F - CASI H8.1/H8.2+P2B 17/18 - Current cigarette smoking -Frequency				
ehb15f1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	66.23692	1.62	66.23692	1.62
-9	1744.336	42.70	1810.573	44.32
Do not smoke at all	1930.387	47.26	3740.96	91.58
Less than once a day	22.36366	0.55	3763.323	92.13
At least once a day	321.6767	7.87	4085	100.00

8/9 - F - CASI H8.1+P2B 17 - Current cigarette smoking				
ehb15f5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	47.36345	1.16	47.36345	1.16
-9	1744.336	42.70	1791.699	43.86
Yes	362.9138	8.88	2154.613	52.74
No	1930.387	47.26	4085	100.00

8/9 - F - CASI H8.2+P2B 18 - Smoke once a day				
ehb15f7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	62.89272	1.54	62.89272	1.54
-9	1744.336	42.70	1807.229	44.24
Yes	324.2298	7.94	2131.458	52.18
No	1953.542	47.82	4085	100.00

8/9 - F - CASI H8.3+P2B 18/19 - No. cigarettes smoked per day				
ehb15f8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	85.96501	2.10	85.96501	2.10
-9	3675.773	89.98	3761.738	92.09
1 to 5 per day	67.27335	1.65	3829.012	93.73
6 to 10 per day	94.80757	2.32	3923.819	96.05
11 to 20 per day	120.2704	2.94	4044.09	99.00
More than 20 per day	40.91039	1.00	4085	100.00

8/9 - F - CASI H9.1+P2B 20 - Frequency of drinking alcohol				
ehb16f2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	47.26166	1.16	47.26166	1.16
-9	1744.336	42.70	1791.598	43.86
Never	205.0874	5.02	1996.685	48.88
Not in the last year	45.66558	1.12	2042.351	50.00
Monthly or less	326.6075	8.00	2368.958	57.99
2 to 3 times a month	283.0398	6.93	2651.998	64.92
Once a week	289.0345	7.08	2941.032	72.00
2 to 3 times a week	596.174	14.59	3537.206	86.59
4 to 6 times a week	399.0039	9.77	3936.21	96.36
Everyday	148.7897	3.64	4085	100.00

8/9 - F - CASI H9.2+P2B 21 - Av. daily alcohol when drinking				
ehb16f3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	55.63661	1.36	55.63661	1.36
-9	1949.423	47.72	2005.06	49.08
1 or 2	1070.981	26.22	3076.041	75.30
3 or 4	697.6222	17.08	3773.663	92.38
5 or 6	236.1676	5.78	4009.831	98.16
7 to 10	60.59019	1.48	4070.421	99.64
11 or more	14.57891	0.36	4085	100.00

8/9 - F - CASI H9.3+P2B 22 - Freq binge drinking (v4)-5 or more std drinks				
ehb16f7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	55.78221	1.37	55.78221	1.37
-9	1949.423	47.72	2005.206	49.09
Everyday	23.36498	0.57	2028.571	49.66
4-6 times a week	42.5843	1.04	2071.155	50.70
2-3 times a week	140.5494	3.44	2211.704	54.14
Once a week	254.1932	6.22	2465.897	60.36

8/9 - F - CASI H9.3+P2B 22 - Freq binge drinking (v4)-5 or more std drinks				
ehb16f7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2-3 times a month	223.6759	5.48	2689.573	65.84
Monthly or less	864.9685	21.17	3554.542	87.01
Never	530.4582	12.99	4085	100.00

8/9 - F - CASI H9.4+P2B 23 - Freq binge drinking (v4)-7 or more std drinks				
ehb16f8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	87.64233	2.15	87.64233	2.15
-9	1951.447	47.77	2039.089	49.92
Everyday	7.148901	0.18	2046.238	50.09
4-6 times a week	8.087667	0.20	2054.326	50.29
2-3 times a week	55.65719	1.36	2109.983	51.65
Once a week	141.7926	3.47	2251.776	55.12
2-3 times a month	132.868	3.25	2384.644	58.38
Monthly or less	787.2514	19.27	3171.895	77.65
Never	913.1051	22.35	4085	100.00

8/9 - F - Freq binge drinking (v3)				
ehb16f5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	286.8564	7.02	286.8564	7.02
-9	1752.233	42.89	2039.089	49.92
Everyday	7.148901	0.18	2046.238	50.09
4-6 times a week	8.087667	0.20	2054.326	50.29
2-3 times a week	55.65719	1.36	2109.983	51.65
Once a week	141.7926	3.47	2251.776	55.12
2-3 times a month	132.868	3.25	2384.644	58.38
Monthly or less	787.2514	19.27	3171.895	77.65
Never	913.1051	22.35	4085	100.00

8/9 - F - Freq binge drinking (v2)				
ehb16f5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	275.3792	6.74	275.3792	6.74
-9	2676.815	65.53	2952.194	72.27
Everyday	7.148901	0.18	2959.343	72.44
4-6 times a week	8.087667	0.20	2967.431	72.64
2-3 times a week	55.65719	1.36	3023.088	74.00
Once a week	141.7926	3.47	3164.881	77.48

8/9 - F - Freq binge drinking (v2)				
ehb16f5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2-3 times a month	132.868	3.25	3297.749	80.73
Monthly or less	787.2514	19.27	4085	100.00

8/9 - F - Average daily alcohol consumption				
efavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	60.16161	1.47	60.16161	1.47
-9	1734.882	42.47	1795.044	43.94
0	250.753	6.14	2045.797	50.08
0.0534	208.8589	5.11	2254.656	55.19
0.125	77.28065	1.89	2331.936	57.09
0.143	143.4135	3.51	2475.35	60.60
0.196	24.02476	0.59	2499.375	61.18
0.214	158.4288	3.88	2657.803	65.06
0.304	12.85933	0.31	2670.663	65.38
0.321	97.48357	2.39	2768.146	67.76
0.429	2.413852	0.06	2770.56	67.82
0.5	116.0047	2.84	2886.565	70.66
0.571	297.4353	7.28	3184	77.94
0.786	45.75585	1.12	3229.756	79.06
1.143	177.8868	4.35	3407.643	83.42
1.214	7.396595	0.18	3415.039	83.60
1.286	208.4306	5.10	3623.47	88.70
1.5	50.33564	1.23	3673.806	89.93
1.714	3.591371	0.09	3677.397	90.02
2	70.59556	1.73	3747.992	91.75
2.571	159.2604	3.90	3907.253	95.65
3.143	13.10347	0.32	3920.356	95.97
3.5	65.06931	1.59	3985.426	97.56
4	48.98403	1.20	4034.41	98.76
4.357	5.027872	0.12	4039.438	98.88
5.5	26.36601	0.65	4065.804	99.53
6.286	11.00632	0.27	4076.81	99.80
8.5	4.644317	0.11	4081.454	99.91
8.714	1.171367	0.03	4082.626	99.94
12	2.374451	0.06	4085	100.00

8/9 - F - Alcohol consumption groups				
efalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	58.99166	1.44	58.99166	1.44
-9	1734.882	42.47	1793.874	43.91
Abstain not in the last year	250.753	6.14	2044.627	50.05
Occasional less than monthly	326.6075	8.00	2371.234	58.05
Light <2 drinks/day men, <1 women	1306.163	31.97	3677.397	90.02
Moderate >=2 to <4 men, >=1 to <2 women	308.0287	7.54	3985.426	97.56
Hazardous >=4 to <6 men, >=2 and <4 women	80.37791	1.97	4065.804	99.53
Harmful >=6 men, >=4 women	19.19646	0.47	4085	100.00

8/9 - F - Heavy daily alcohol consumption				
efhvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	50.70785	1.24	50.70785	1.24
-9	1744.336	42.70	1795.044	43.94
Yes	99.57437	2.44	1894.618	46.38
No	2190.382	53.62	4085	100.00

8/9 - F - Frequent binge drinking				
efbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	47.92131	1.17	47.92131	1.17
-9	1744.336	42.70	1792.257	43.87
Yes	375.653	9.20	2167.91	53.07
No	1917.09	46.93	4085	100.00

8/9 - F - Problematic alcohol use				
efalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	52.92372	1.30	52.92372	1.30
-9	1744.336	42.70	1797.26	44.00
Yes	389.4166	9.53	2186.676	53.53
No	1898.324	46.47	4085	100.00