

10/11 - P1 - CASI H5.2 - No. serves of fruit/day				
fhb13a2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	127.4757	3.39	127.4757	3.39
0	205.4752	5.46	332.9509	8.85
1	1590.635	42.26	1923.586	51.10
2	1235.356	32.82	3158.942	83.93
3	443.6933	11.79	3602.635	95.71
4	106.7149	2.84	3709.35	98.55
5	42.05325	1.12	3751.403	99.67
6	9.99172	0.27	3761.395	99.93
8	2.224227	0.06	3763.619	99.99
10	0.380576	0.01	3764	100.00

10/11 - P1 - CASI H5.2 - No. serves of fruit/day (6+)				
fhb13a2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	127.4757	3.39	127.4757	3.39
Less than 1	205.4752	5.46	332.9509	8.85
1	1590.635	42.26	1923.586	51.10
2	1235.356	32.82	3158.942	83.93
3	443.6933	11.79	3602.635	95.71
4	106.7149	2.84	3709.35	98.55
5	42.05325	1.12	3751.403	99.67
6 or more	12.59652	0.33	3764	100.00

10/11 - P1 - CASI H5.3 - No. serves of vegetables/day				
fhb13a1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	127.4757	3.39	127.4757	3.39
-3	2.104563	0.06	129.5803	3.44
0	30.73876	0.82	160.319	4.26
1	897.9374	23.86	1058.256	28.12
2	1104.758	29.35	2163.014	57.47
3	872.152	23.17	3035.166	80.64
4	437.7191	11.63	3472.885	92.27
5	209.9682	5.58	3682.854	97.84
6	57.60498	1.53	3740.459	99.37
7	8.973719	0.24	3749.432	99.61
8	10.09933	0.27	3759.532	99.88
9	0.874936	0.02	3760.407	99.90
10	1.437688	0.04	3761.844	99.94
11	0.869231	0.02	3762.713	99.97

10/11 - P1 - CASI H5.3 - No. serves of vegetables/day				
fhb13a1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
12	0.633141	0.02	3763.347	99.98
15	0.653437	0.02	3764	100.00

10/11 - P1 - CASI H5.3 - No. serves of vegetables/day (6+)				
fhb13a1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	127.4757	3.39	127.4757	3.39
-3	2.104563	0.06	129.5803	3.44
Less than 1	30.73876	0.82	160.319	4.26
1	897.9374	23.86	1058.256	28.12
2	1104.758	29.35	2163.014	57.47
3	872.152	23.17	3035.166	80.64
4	437.7191	11.63	3472.885	92.27
5	209.9682	5.58	3682.854	97.84
6 or more	81.14646	2.16	3764	100.00

10/11 - P1 - CASI H5.4 - Days per week exercise				
fhb14a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	127.4757	3.39	127.4757	3.39
-3	4.282842	0.11	131.7585	3.50
0	353.72	9.40	485.4786	12.90
1	528.5291	14.04	1014.008	26.94
2	666.6582	17.71	1680.666	44.65
3	705.994	18.76	2386.66	63.41
4	482.269	12.81	2868.929	76.22
5	496.6276	13.19	3365.556	89.41
6	179.3389	4.76	3544.895	94.18
7	219.1046	5.82	3764	100.00

10/11 - P1 - CASI H6.1/H6.2 - Current cigarette smoking-Frequency				
fhb15a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	128.3443	3.41	128.3443	3.41
Do not smoke at all	3024.327	80.35	3152.672	83.76
Less than once a day	70.30111	1.87	3222.973	85.63
At least once a day	541.0271	14.37	3764	100.00

10/11 - P1 - CASI H6.1 - Current cigarette smoking				
fhb15a5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	128.3443	3.41	128.3443	3.41
Yes	611.3282	16.24	739.6725	19.65
No	3024.327	80.35	3764	100.00

10/11 - P1 - CASI H6.2 - Smoke once a day				
fhb15a7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	128.3443	3.41	128.3443	3.41
Yes	541.0271	14.37	669.3714	17.78
No	3094.629	82.22	3764	100.00

10/11 - P1 - CASI H6.3 - No. cigarettes smoked per day				
fhb15a8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3222.973	85.63	3222.973	85.63
1 to 5 per day	100.5424	2.67	3323.515	88.30
6 to 10 per day	210.1098	5.58	3533.625	93.88
11 to 20 per day	189.1054	5.02	3722.731	98.90
More than 20 per day	41.26948	1.10	3764	100.00

10/11 - P1 - CASI H6.4 - No. residents smoke inside				
fhb15a4b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	276.2863	7.34	276.2863	7.34
-3	4.859156	0.13	281.1454	7.47
0	3158.254	83.91	3439.4	91.38
1	204.1493	5.42	3643.549	96.80
2	109.0728	2.90	3752.622	99.70
3	6.738772	0.18	3759.361	99.88
4	1.488647	0.04	3760.849	99.92
6	3.150601	0.08	3764	100.00

10/11 - P1 - CASI H6.4 - No. residents smoke inside (5+)				
fhb15a4a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	276.2863	7.34	276.2863	7.34
-3	4.859156	0.13	281.1454	7.47
None	3158.254	83.91	3439.4	91.38
1	204.1493	5.42	3643.549	96.80
2	109.0728	2.90	3752.622	99.70
3	6.738772	0.18	3759.361	99.88

10/11 - P1 - CASI H6.4 - No. residents smoke inside (5+)				
fhb15a4a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4	1.488647	0.04	3760.849	99.92
5 or more	3.150601	0.08	3764	100.00

10/11 - P1 - CASI H6.5 - Frequency of drinking alcohol				
fhb16a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	128.3443	3.41	128.3443	3.41
-3	2.359156	0.06	130.7035	3.47
Never	560.3805	14.89	691.084	18.36
Not in the last year	205.8663	5.47	896.9503	23.83
Monthly or less	906.8502	24.09	1803.8	47.92
2 to 3 times a month	434.3105	11.54	2238.111	59.46
Once a week	455.9353	12.11	2694.046	71.57
2 to 3 times a week	678.8699	18.04	3372.916	89.61
4 to 6 times a week	315.5619	8.38	3688.478	97.99
Everyday	75.52202	2.01	3764	100.00

10/11 - P1 - CASI H6.6 - Av. daily alcohol when drinking				
fhb16a3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	688.7248	18.30	688.7248	18.30
-3	10.14861	0.27	698.8734	18.57
1 or 2	2080.976	55.29	2779.85	73.85
3 or 4	746.3484	19.83	3526.198	93.68
5 or 6	193.6689	5.15	3719.867	98.83
7 to 10	34.38863	0.91	3754.256	99.74
11 or more	9.744229	0.26	3764	100.00

10/11 - P1 - CASI H6.7 - Freq binge drinking (v4)-5 or more std drinks				
fhb16a7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	698.8734	18.57	698.8734	18.57
Everyday	10.8029	0.29	709.6763	18.85
4-6 times a week	16.01789	0.43	725.6942	19.28
2-3 times a week	54.52725	1.45	780.2214	20.73
Once a week	180.0093	4.78	960.2308	25.51
2-3 times a month	200.5954	5.33	1160.826	30.84
Monthly or less	1098.07	29.17	2258.896	60.01
Never	1505.104	39.99	3764	100.00

10/11 - P1 - CASI H6.8 - Freq binge drinking (v4)-7 or more std drinks				
fhb16a8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	719.2084	19.11	719.2084	19.11
Everyday	3.914653	0.10	723.1231	19.21
4-6 times a week	3.318955	0.09	726.442	19.30
2-3 times a week	21.85566	0.58	748.2977	19.88
Once a week	79.22384	2.10	827.5215	21.99
2-3 times a month	72.86047	1.94	900.382	23.92
Monthly or less	660.8063	17.56	1561.188	41.48
Never	2202.812	58.52	3764	100.00

10/11 - P1 - Freq binge drinking (v3)				
fhb16a5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	699.0143	18.57	699.0143	18.57
-3	2.359156	0.06	701.3734	18.63
Everyday	9.901029	0.26	711.2744	18.90
4-6 times a week	16.01789	0.43	727.2923	19.32
2-3 times a week	53.8778	1.43	781.1701	20.75
Once a week	171.9862	4.57	953.1563	25.32
2-3 times a month	194.5625	5.17	1147.719	30.49
Monthly or less	1080.246	28.70	2227.965	59.19
Never	1536.035	40.81	3764	100.00

10/11 - P1 - Freq binge drinking (v2)				
fhb16a5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2235.049	59.38	2235.049	59.38
-3	2.359156	0.06	2237.408	59.44
Everyday	9.901029	0.26	2247.309	59.71
4-6 times a week	16.01789	0.43	2263.327	60.13
2-3 times a week	53.8778	1.43	2317.205	61.56
Once a week	171.9862	4.57	2489.191	66.13
2-3 times a month	194.5625	5.17	2683.754	71.30
Monthly or less	1080.246	28.70	3764	100.00

10/11 - P1 - Average daily alcohol consumption				
faavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	133.2035	3.54	133.2035	3.54
0	766.2468	20.36	899.4503	23.90
0.0534	649.4839	17.26	1548.934	41.15
0.125	193.6813	5.15	1742.615	46.30
0.143	272.8516	7.25	2015.467	53.55
0.196	47.84487	1.27	2063.312	54.82
0.214	279.686	7.43	2342.998	62.25
0.304	9.102831	0.24	2352.101	62.49
0.321	122.2098	3.25	2474.311	65.74
0.429	4.237268	0.11	2478.548	65.85
0.5	153.4613	4.08	2632.009	69.93
0.571	441.3809	11.73	3073.39	81.65
0.786	52.44532	1.39	3125.835	83.05
1.089	0.712721	0.02	3126.548	83.06
1.143	214.4086	5.70	3340.957	88.76
1.214	8.109437	0.22	3349.066	88.98
1.286	192.7918	5.12	3541.858	94.10
1.5	45.42761	1.21	3587.286	95.31
1.714	0.769524	0.02	3588.055	95.33
2	37.10211	0.99	3625.157	96.31
2.571	81.36664	2.16	3706.524	98.47
3.143	4.494451	0.12	3711.018	98.59
3.5	18.36351	0.49	3729.382	99.08
4	16.90107	0.45	3746.283	99.53
4.357	3.100611	0.08	3749.384	99.61
5.5	6.183629	0.16	3755.567	99.78
6.286	1.961483	0.05	3757.529	99.83
8.5	5.547272	0.15	3763.076	99.98
8.714	0.924105	0.02	3764	100.00

10/11 - P1 - Alcohol consumption groups					
faalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
-9	128.3443	3.41	128.3443	3.41	
-3	2.359156	0.06	130.7035	3.47	
Abstain not in the last year	766.2468	20.36	896.9503	23.83	
Occasional less than monthly	906.8502	24.09	1803.8	47.92	
Light <2 drinks/day men, <1 women	1348.367	35.82	3152.167	83.75	
Moderate >=2 to <4 men, >=1 to <2 women	447.2106	11.88	3599.378	95.63	

10/11 - P1 - Alcohol consumption groups				
faalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hazardous >=4 to <6 men, >=2 and <4 women	132.949	3.53	3732.327	99.16
Harmful >=6 men, >=4 women	31.67338	0.84	3764	100.00

10/11 - P1 - Heavy daily alcohol consumption				
fahvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	133.2035	3.54	133.2035	3.54
Yes	164.6224	4.37	297.8259	7.91
No	3466.174	92.09	3764	100.00

10/11 - P1 - Frequent binge drinking				
fabinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	133.3443	3.54	133.3443	3.54
-3	2.359156	0.06	135.7035	3.61
Yes	445.4797	11.84	581.1832	15.44
No	3182.817	84.56	3764	100.00

10/11 - P1 - Problematic alcohol use				
faalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	135.7035	3.61	135.7035	3.61
Yes	472.0192	12.54	607.7227	16.15
No	3156.277	83.85	3764	100.00

10/11 - F2F J13.1+W2-5 - Had dental problems				
fhb23c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4.682895	0.12	4.682895	0.12
Yes	2372.822	63.04	2377.505	63.16
No	1386.495	36.84	3764	100.00

10/11 - F2F J13.1.1+W2-5 - Had cavities or dental decay				
fhb23c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4.682895	0.12	4.682895	0.12
No	1907.327	50.67	1912.01	50.80
Yes	1851.99	49.20	3764	100.00

10/11 - F2F J13.1.2+W2-5 - Had accident causing tooth damage				
fhb23c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4.682895	0.12	4.682895	0.12
No	3115.29	82.77	3119.973	82.89
Yes	644.027	17.11	3764	100.00

10/11 - F2F J13.1.3/4+W5 - Had braces or other dental problems				
fhb23c5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	14.82491	0.39	14.82491	0.39
No	3243.101	86.16	3257.926	86.55
Yes	506.074	13.45	3764	100.00

10/11 - F2F J13.2.1+W2-5 - Had teeth filled due to decay				
fhb23c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4.682895	0.12	4.682895	0.12
No	2137.491	56.79	2142.174	56.91
Yes	1621.826	43.09	3764	100.00

10/11 - F2F J13.2.2+W2-5 - Had teeth pulled due to decay				
fhb23c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4.682895	0.12	4.682895	0.12
No	3292.616	87.48	3297.299	87.60
Yes	466.701	12.40	3764	100.00

10/11 - F2F J13.2.3+W5 - No treatment as a result of cavities or dental decay				
fhb23c7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	42.35507	1.13	42.35507	1.13
No	3547.737	94.25	3590.092	95.38
Yes	173.9082	4.62	3764	100.00

10/11 - F2F J13.1.1 - Last 2 yrs - cavities or dental decay				
fhb23d1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	84.74628	2.25	84.74628	2.25
No	2697.949	71.68	2782.695	73.93
Yes	981.3047	26.07	3764	100.00

10/11 - F2F J13.1.2 - Last 2 yrs - accidental tooth damage				
fhb23d4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	84.74628	2.25	84.74628	2.25
No	3565.775	94.73	3650.522	96.99
Yes	113.4782	3.01	3764	100.00

10/11 - F2F J13.1.3 - Last 2 yrs - Braces				
fhb23d5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	84.74628	2.25	84.74628	2.25
No	3520.148	93.52	3604.894	95.77
Yes	159.1057	4.23	3764	100.00

10/11 - F2F J13.1.4 - Last 2 yrs - Other dental problems (e.g. oral surgery)				
fhb23d5b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	84.74628	2.25	84.74628	2.25
No	3439.04	91.37	3523.786	93.62
Yes	240.2137	6.38	3764	100.00

10/11 - F2F J13.1.5 - Last 2 yrs - No problems with teeth				
fhb23d6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	84.74628	2.25	84.74628	2.25
No	1387.553	36.86	1472.3	39.12
Yes	2291.7	60.88	3764	100.00

10/11 - F2F J13.1.6 - Last 2 yrs - Don't know had any problems with teeth				
fhb23d8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	84.74628	2.25	84.74628	2.25
No	3663.523	97.33	3748.269	99.58
Yes	15.73122	0.42	3764	100.00

10/11 - F2F J13.2.1 - Last 2 yrs - teeth filled due to decay				
fhb23d2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	84.74628	2.25	84.74628	2.25
-2	15.73122	0.42	100.4775	2.67
No	2867.502	76.18	2967.979	78.85
Yes	796.021	21.15	3764	100.00

10/11 - F2F J13.2.2 - Last 2 yrs - teeth pulled due to decay				
fhb23d3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	84.74628	2.25	84.74628	2.25
-2	15.73122	0.42	100.4775	2.67
No	3448.839	91.63	3549.317	94.30
Yes	214.6831	5.70	3764	100.00

10/11 - F2F J13.2.3 - Last 2 yrs - No treatment - result of cavity/dental decay				
fhb23d7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	84.74628	2.25	84.74628	2.25
-2	15.73122	0.42	100.4775	2.67
No	3569.799	94.84	3670.276	97.51
Yes	93.72398	2.49	3764	100.00

10/11 - F2F J15.1 - Frequency of sun protection				
fhb20a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	84.74628	2.25	84.74628	2.25
-2	1.747595	0.05	86.49387	2.30
Every day	1938.161	51.49	2024.655	53.79
Most days	1384.015	36.77	3408.669	90.56
Some days	282.098	7.49	3690.767	98.05
Never or hardly ever	73.23285	1.95	3764	100.00

10/11 - SC- F2F M8.9 - SC's choice to spend free time					
fhb14c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
-9	89.03795	2.37	89.03795	2.37	
-2	3.921607	0.10	92.95956	2.47	
Usually chooses inactive pastimes	1314.611	34.93	1407.571	37.40	
Usually chooses active pastimes	1465.98	38.95	2873.551	76.34	
Just as likely to choose active as inactive pastimes	890.449	23.66	3764	100.00	

10/11 - SC - ACASB 2.1.1 - SC had fresh fruit				
fhb21c1a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	174.5599	4.64	174.5599	4.64
Not at all	475.2757	12.63	649.8357	17.26
Once	1080.405	28.70	1730.241	45.97
Twice	1128.141	29.97	2858.382	75.94
More than twice	905.6184	24.06	3764	100.00

10/11 - SC - ACASB 2.1.1 - SC had fresh fruit				
fhb21c1a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	174.5599	4.64	174.5599	4.64
Not at all	475.2757	12.63	649.8357	17.26
Once	1080.405	28.70	1730.241	45.97
Twice or more	2033.759	54.03	3764	100.00

10/11 - SC - ACASB 2.1.2 - SC had fresh juice				
fhb21c2a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	174.5599	4.64	174.5599	4.64
-3	2.831822	0.08	177.3918	4.71
Not at all	1748.291	46.45	1925.683	51.16
Once	1191.403	31.65	3117.086	82.81
Twice	446.3661	11.86	3563.452	94.67
More than twice	200.5479	5.33	3764	100.00

10/11 - SC - ACASB 2.1.2 - SC had fresh juice				
fhb21c2a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	174.5599	4.64	174.5599	4.64
-3	2.831822	0.08	177.3918	4.71
Not at all	1748.291	46.45	1925.683	51.16
Once	1191.403	31.65	3117.086	82.81
Twice or more	646.9139	17.19	3764	100.00

10/11 - SC - ACASB 2.1.3 - SC had cooked vegetables				
fhb21c1b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	174.5599	4.64	174.5599	4.64
-3	2.702071	0.07	177.262	4.71
Not at all	1172.959	31.16	1350.221	35.87
Once	1432.099	38.05	2782.32	73.92
Twice	468.9303	12.46	3251.251	86.38
More than twice	512.7495	13.62	3764	100.00

10/11 - SC - ACASB 2.1.3 - SC had cooked vegetables				
fhb21c1b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	174.5599	4.64	174.5599	4.64
-3	2.702071	0.07	177.262	4.71
Not at all	1172.959	31.16	1350.221	35.87

10/11 - SC - ACASB 2.1.3 - SC had cooked vegetables				
fhb21c1b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once	1432.099	38.05	2782.32	73.92
Twice or more	981.6797	26.08	3764	100.00

10/11 - SC - ACASB 2.1.4 - SC had raw vegetables				
fhb21c1c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.0634	4.73	178.0634	4.73
-3	2.702071	0.07	180.7655	4.80
Not at all	1755.544	46.64	1936.309	51.44
Once	1193.723	31.71	3130.032	83.16
Twice	403.2998	10.71	3533.332	93.87
More than twice	230.6683	6.13	3764	100.00

10/11 - SC - ACASB 2.1.4 - SC had raw vegetables				
fhb21c1c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.0634	4.73	178.0634	4.73
-3	2.702071	0.07	180.7655	4.80
Not at all	1755.544	46.64	1936.309	51.44
Once	1193.723	31.71	3130.032	83.16
Twice or more	633.9681	16.84	3764	100.00

10/11 - SC - ACASB 2.1.5 - SC had pie, hamburger, sausage roll				
fhb21c3a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	174.5599	4.64	174.5599	4.64
Not at all	2235.99	59.40	2410.55	64.04
Once	982.1289	26.09	3392.679	90.13
Twice	225.0779	5.98	3617.757	96.11
More than twice	146.2431	3.89	3764	100.00

10/11 - SC - ACASB 2.1.5 - SC had pie, hamburger, sausage roll				
fhb21c3a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	174.5599	4.64	174.5599	4.64
Not at all	2235.99	59.40	2410.55	64.04
Once	982.1289	26.09	3392.679	90.13
Twice or more	371.3211	9.87	3764	100.00

10/11 - SC - ACASB 2.1.6 - SC had hot chips or french fries				
fhb21c3b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	179.4102	4.77	179.4102	4.77
Not at all	2478.645	65.85	2658.055	70.62
Once	838.2523	22.27	3496.307	92.89
Twice	141.3972	3.76	3637.704	96.64
More than twice	126.2958	3.36	3764	100.00

10/11 - SC - ACASB 2.1.6 - SC had hot chips or french fries				
fhb21c3b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	179.4102	4.77	179.4102	4.77
Not at all	2478.645	65.85	2658.055	70.62
Once	838.2523	22.27	3496.307	92.89
Twice or more	267.6929	7.11	3764	100.00

10/11 - SC - ACASB 2.1.7 - SC had potato chips or savoury snacks				
fhb21c3c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.0651	4.73	178.0651	4.73
-3	2.501019	0.07	180.5661	4.80
Not at all	1658.482	44.06	1839.048	48.86
Once	1352.135	35.92	3191.183	84.78
Twice	392.1554	10.42	3583.339	95.20
More than twice	180.6614	4.80	3764	100.00

10/11 - SC - ACASB 2.1.7 - SC had potato chips or savoury snacks				
fhb21c3c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.0651	4.73	178.0651	4.73
-3	2.501019	0.07	180.5661	4.80
Not at all	1658.482	44.06	1839.048	48.86
Once	1352.135	35.92	3191.183	84.78
Twice or more	572.8167	15.22	3764	100.00

10/11 - SC - ACASB 2.1.8 - SC had biscuits, donuts, cake or chocolate				
fhb21c3d1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.0651	4.73	178.0651	4.73
Not at all	1042.763	27.70	1220.828	32.43
Once	1701.532	45.21	2922.36	77.64

10/11 - SC - ACASB 2.1.8 - SC had biscuits, donuts, cake or chocolate				
fhb21c3d1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Twice	556.2328	14.78	3478.593	92.42
More than twice	285.4072	7.58	3764	100.00

10/11 - SC - ACASB 2.1.8 - SC had biscuits, donuts, cake or chocolate				
fhb21c3d2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.0651	4.73	178.0651	4.73
Not at all	1042.763	27.70	1220.828	32.43
Once	1701.532	45.21	2922.36	77.64
Twice or more	841.64	22.36	3764	100.00

10/11 - SC - ACASB 2.1.9 - SC bread or Toast				
fhb21c8a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	177.2519	4.71	177.2519	4.71
Not at all	712.6262	18.93	889.8781	23.64
Once	1641.02	43.60	2530.898	67.24
Twice	885.3119	23.52	3416.21	90.76
More than twice	347.7898	9.24	3764	100.00

10/11 - SC - ACASB 2.1.9 - SC bread or Toast				
fhb21c8a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	177.2519	4.71	177.2519	4.71
Not at all	712.6262	18.93	889.8781	23.64
Once	1641.02	43.60	2530.898	67.24
Twice or more	1233.102	32.76	3764	100.00

10/11 - SC - ACASB 2.1.10 - SC had full cream milk products				
fhb21c3e1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	175.9067	4.67	175.9067	4.67
Not at all	927.1773	24.63	1103.084	29.31
Once	1533.782	40.75	2636.866	70.05
Twice	758.4037	20.15	3395.27	90.20
More than twice	368.7301	9.80	3764	100.00

10/11 - SC - ACASB 2.1.10 - SC had full cream milk products				
fhb21c3e2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	175.9067	4.67	175.9067	4.67
Not at all	927.1773	24.63	1103.084	29.31
Once	1533.782	40.75	2636.866	70.05
Twice or more	1127.134	29.95	3764	100.00

10/11 - SC - ACASB 2.1.11 - SC had skim/low/no fat milk or milk products				
fhb21c4a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	175.9067	4.67	175.9067	4.67
-3	5.329607	0.14	181.2364	4.81
Not at all	1372.779	36.47	1554.015	41.29
Once	1493.605	39.68	3047.62	80.97
Twice	510.7174	13.57	3558.338	94.54
More than twice	205.6621	5.46	3764	100.00

10/11 - SC - ACASB 2.1.11 - SC had skim/low/no fat milk or milk products				
fhb21c4a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	175.9067	4.67	175.9067	4.67
-3	5.329607	0.14	181.2364	4.81
Not at all	1372.779	36.47	1554.015	41.29
Once	1493.605	39.68	3047.62	80.97
Twice or more	716.3795	19.03	3764	100.00

10/11 - SC - ACASB 2.1.12 - SC had water				
fhb21c5a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	175.9067	4.67	175.9067	4.67
Not at all	59.89758	1.59	235.8043	6.26
Once	244.2453	6.49	480.0496	12.75
Twice	415.6862	11.04	895.7358	23.80
More than twice	2868.264	76.20	3764	100.00

10/11 - SC - ACASB 2.1.12 - SC had water				
fhb21c5a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	175.9067	4.67	175.9067	4.67
Not at all	59.89758	1.59	235.8043	6.26
Once	244.2453	6.49	480.0496	12.75
Twice or more	3283.95	87.25	3764	100.00

10/11 - SC - ACASB 2.1.13 - SC had soft drink/cordial				
fhb21c2b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	175.9067	4.67	175.9067	4.67
-3	1.451815	0.04	177.3586	4.71
Not at all	1910.685	50.76	2088.044	55.47
Once	1135.597	30.17	3223.64	85.64
Twice	354.6674	9.42	3578.308	95.07
More than twice	185.6923	4.93	3764	100.00

10/11 - SC - ACASB 2.1.13 - SC had soft drink/cordial				
fhb21c2b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	175.9067	4.67	175.9067	4.67
-3	1.451815	0.04	177.3586	4.71
Not at all	1910.685	50.76	2088.044	55.47
Once	1135.597	30.17	3223.64	85.64
Twice or more	540.3597	14.36	3764	100.00

10/11 - SC - ACASB 2.1.14 -SC had diet or sugar free soft drink/cordial				
fhb21c6a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	175.9067	4.67	175.9067	4.67
-3	4.784334	0.13	180.6911	4.80
Not at all	2663.888	70.77	2844.579	75.57
Once	641.9859	17.06	3486.565	92.63
Twice	184.4845	4.90	3671.049	97.53
More than twice	92.95093	2.47	3764	100.00

10/11 - SC - ACASB 2.1.14 - SC had diet or sugar free soft drink/cordial				
fhb21c6a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	175.9067	4.67	175.9067	4.67
-3	4.784334	0.13	180.6911	4.80
Not at all	2663.888	70.77	2844.579	75.57
Once	641.9859	17.06	3486.565	92.63
Twice or more	277.4354	7.37	3764	100.00

10/11 - SC - ACASB 2.1.15 - SC had energy drinks e.g. Redbull, Mother or V				
fhb21c7a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	177.2519	4.71	177.2519	4.71
-3	6.33722	0.17	183.5891	4.88
Not at all	3434.725	91.25	3618.314	96.13
Once	107.8013	2.86	3726.116	98.99
Twice	24.36367	0.65	3750.479	99.64
More than twice	13.52079	0.36	3764	100.00

10/11 - SC - ACASB 2.1.15 - SC had energy drinks e.g. Redbull, Mother or V				
fhb21c7a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	177.2519	4.71	177.2519	4.71
-3	6.33722	0.17	183.5891	4.88
Not at all	3434.725	91.25	3618.314	96.13
Once	107.8013	2.86	3726.116	98.99
Twice or more	37.88446	1.01	3764	100.00

10/11 - SC - ACASB 2.1.16 - SC had coffee				
fhb21c7b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	177.2519	4.71	177.2519	4.71
-3	4.58985	0.12	181.8417	4.83
Not at all	3441.412	91.43	3623.254	96.26
Once	105.8974	2.81	3729.151	99.07
Twice	17.75532	0.47	3746.907	99.55
More than twice	17.09336	0.45	3764	100.00

10/11 - SC - ACASB 2.1.16 - SC had coffee				
fhb21c7b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	177.2519	4.71	177.2519	4.71
-3	4.58985	0.12	181.8417	4.83
Not at all	3441.412	91.43	3623.254	96.26
Once	105.8974	2.81	3729.151	99.07
Twice or more	34.84868	0.93	3764	100.00

10/11 - SC - Frequency ate fruit and vegetables (v2)				
fcfandvb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	174.5599	4.64	174.5599	4.64
0	196.7204	5.23	371.2804	9.86
1	451.9648	12.01	823.2451	21.87
2	590.8579	15.70	1414.103	37.57
3	663.4094	17.63	2077.512	55.19
4	592.9444	15.75	2670.457	70.95
5	465.5476	12.37	3136.004	83.32
6	303.351	8.06	3439.355	91.38
7	151.4084	4.02	3590.764	95.40
8	108.4375	2.88	3699.201	98.28
9	64.79875	1.72	3764	100.00

10/11 - SC - Frequency ate high fat food (v2)				
fchfatb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	174.5599	4.64	174.5599	4.64
0	337.5047	8.97	512.0646	13.60
1	839.4167	22.30	1351.481	35.91
2	874.7675	23.24	2226.249	59.15
3	609.7489	16.20	2835.998	75.35
4	356.0778	9.46	3192.075	84.81
5	220.9959	5.87	3413.071	90.68
6	133.2389	3.54	3546.31	94.22
7	65.46528	1.74	3611.776	95.96
8	32.32067	0.86	3644.096	96.81
9	38.47837	1.02	3682.575	97.84
10	26.63048	0.71	3709.205	98.54
11	14.29655	0.38	3723.502	98.92
12	40.49834	1.08	3764	100.00

10/11 - SC - Frequency ate high fat food (inc. whole milk) (v2)				
fchfwmb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	174.5599	4.64	174.5599	4.64
0	122.3819	3.25	296.9419	7.89
1	354.3429	9.41	651.2848	17.30
2	688.7884	18.30	1340.073	35.60
3	774.1434	20.57	2114.217	56.17
4	559.3132	14.86	2673.53	71.03
5	380.2796	10.10	3053.809	81.13
6	238.1256	6.33	3291.935	87.46
7	165.8352	4.41	3457.77	91.86
8	107.8928	2.87	3565.663	94.73
9	42.40861	1.13	3608.072	95.86
10	40.43253	1.07	3648.504	96.93
11	37.53298	1.00	3686.037	97.93
12	29.94079	0.80	3715.978	98.72
13	16.9871	0.45	3732.965	99.18
14	13.87789	0.37	3746.843	99.54
15	17.15707	0.46	3764	100.00

10/11 - SC - Frequency drank high sugar drinks (v2)				
fchsdnkb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	174.5599	4.64	174.5599	4.64
0	1102.352	29.29	1276.912	33.92
1	1069.886	28.42	2346.797	62.35
2	715.0516	19.00	3061.849	81.35
3	396.0785	10.52	3457.928	91.87
4	180.9739	4.81	3638.902	96.68
5	74.92333	1.99	3713.825	98.67
6	50.17515	1.33	3764	100.00

10/11 - SC - Frequency ate fruit and vegetables				
fcfandv	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	174.5599	4.64	174.5599	4.64
0	196.7204	5.23	371.2804	9.86
1	451.9648	12.01	823.2451	21.87
2	674.1306	17.91	1497.376	39.78
3	842.0851	22.37	2339.461	62.15
4	722.9085	19.21	3062.369	81.36

10/11 - SC - Frequency ate fruit and vegetables				
fcfandv	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5	422.8581	11.23	3485.227	92.59
6	278.7725	7.41	3764	100.00

10/11 - SC - Frequency ate high fat food (v1)				
fchfat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	174.5599	4.64	174.5599	4.64
0	337.5047	8.97	512.0646	13.60
1	839.4167	22.30	1351.481	35.91
2	935.7045	24.86	2287.186	60.76
3	613.9202	16.31	2901.106	77.08
4	384.5534	10.22	3285.659	87.29
5	220.9036	5.87	3506.563	93.16
6	105.474	2.80	3612.037	95.96
7	62.87654	1.67	3674.913	97.63
8	89.08655	2.37	3764	100.00

10/11 - SC - Frequency ate high fat food (inc. whole milk) (v1)				
fchfwm	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	174.5599	4.64	174.5599	4.64
0	122.3819	3.25	296.9419	7.89
1	354.3429	9.41	651.2848	17.30
2	720.4675	19.14	1371.752	36.44
3	837.1428	22.24	2208.895	58.68
4	610.7832	16.23	2819.678	74.91
5	362.0729	9.62	3181.751	84.53
6	238.2521	6.33	3420.003	90.86
7	144.215	3.83	3564.218	94.69
8	79.85772	2.12	3644.076	96.81
9	68.28289	1.81	3712.359	98.63
10	51.64103	1.37	3764	100.00

10/11 - SC - Frequency drank high sugar drinks (v1)				
fchsdrnk	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	174.5599	4.64	174.5599	4.64
0	1102.352	29.29	1276.912	33.92
1	1069.886	28.42	2346.797	62.35
2	838.0633	22.27	3184.861	84.61

10/11 - SC - Frequency drank high sugar drinks (v1)				
fchsdrrnk	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3	361.0216	9.59	3545.882	94.21
4	218.1176	5.79	3764	100.00

10/11 - SC - ACASB 2.2 - Eat breakfast				
fhb22c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	199.6878	5.31	199.6878	5.31
Yes	3313.196	88.02	3512.883	93.33
No	251.1167	6.67	3764	100.00

10/11 - SC - ACASB 3.1 - Body Shape				
fhb25c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	177.8555	4.73	177.8555	4.73
-3	11.93279	0.32	189.7883	5.04
Picture 1	23.07697	0.61	212.8653	5.66
Picture 2	144.2367	3.83	357.1019	9.49
Picture 3	774.581	20.58	1131.683	30.07
Picture 4	1780.229	47.30	2911.912	77.36
Picture 5	723.9602	19.23	3635.873	96.60
Picture 6	108.1512	2.87	3744.024	99.47
Picture 7	19.97622	0.53	3764	100.00

10/11 - SC - ACASB 3.2 - Body Shape SC wants				
fhb25c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.5483	4.74	178.5483	4.74
-3	11.64536	0.31	190.1936	5.05
Picture 1	48.00382	1.28	238.1975	6.33
Picture 2	238.7044	6.34	476.9019	12.67
Picture 3	1188.721	31.58	1665.623	44.25
Picture 4	1896.984	50.40	3562.608	94.65
Picture 5	184.6956	4.91	3747.303	99.56
Picture 6	11.3634	0.30	3758.667	99.86
Picture 7	5.333371	0.14	3764	100.00

10/11 - SC - ACASB 9 - Enjoy being physically active				
fhb14c5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	189.695	5.04	189.695	5.04
-3	0.999595	0.03	190.6946	5.07
A lot	2368.496	62.92	2559.191	67.99
Quite a lot	932.7671	24.78	3491.958	92.77
Not very much	260.6926	6.93	3752.651	99.70
Not at all	11.34927	0.30	3764	100.00

10/11 - ACASB 12 - How often teeth cleaned per day				
fhb23b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	188.4979	5.01	188.4979	5.01
-3	5.455986	0.14	193.9539	5.15
Not at all	297.5275	7.90	491.4814	13.06
Once	1011.114	26.86	1502.596	39.92
Twice	2027.853	53.87	3530.449	93.80
More than twice	233.5511	6.20	3764	100.00

10/11 - PLE - PLE 21.4 - Current cigarette smoking				
fhb15p5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3351.908	89.05	3351.908	89.05
Yes	123.3847	3.28	3475.293	92.33
No	288.7068	7.67	3764	100.00

10/11 - PLE - PLE 21.5/6 - Current cigarette smoking -Frequency				
fhb15p1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3351.04	89.03	3351.04	89.03
-3	0.868948	0.02	3351.908	89.05
Do not smoke at all	276.3788	7.34	3628.287	96.39
Less than once a day	12.32798	0.33	3640.615	96.72
At least once a day	123.3847	3.28	3764	100.00

10/11 - PLE - PLE 21.5 - Smoke once a day				
fhb15p7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3628.287	96.39	3628.287	96.39
Yes	123.3847	3.28	3751.672	99.67
No	12.32798	0.33	3764	100.00

10/11 - PLE - PLE 21.6 - No. cigarettes smoked per day				
fhb15p8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3640.615	96.72	3640.615	96.72
1 to 5 per day	10.12928	0.27	3650.745	96.99
6 to 10 per day	48.10814	1.28	3698.853	98.27
11 to 20 per day	47.74939	1.27	3746.602	99.54
More than 20 per day	17.3979	0.46	3764	100.00

10/11 - PLE - PLE 22.1 - Frequency of drinking alcohol				
fhb16p2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3351.04	89.03	3351.04	89.03
-3	1.10746	0.03	3352.147	89.06
Never	31.73554	0.84	3383.883	89.90
Not in the last year	8.409947	0.22	3392.292	90.12
Monthly or less	72.98216	1.94	3465.275	92.06
2 to 3 times a month	41.74783	1.11	3507.022	93.17
Once a week	83.70545	2.22	3590.728	95.40
2 to 3 times a week	91.94014	2.44	3682.668	97.84
4 to 6 times a week	49.50827	1.32	3732.176	99.15
Everyday	31.82366	0.85	3764	100.00

10/11 - PLE - PLE 22.2 - Av. daily alcohol when drinking				
fhb16p3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3392.292	90.12	3392.292	90.12
-2	1.414978	0.04	3393.707	90.16
1 or 2	142.414	3.78	3536.121	93.95
3 or 4	138.1715	3.67	3674.293	97.62
5 or 6	61.01518	1.62	3735.308	99.24
7 to 10	21.78245	0.58	3757.091	99.82
11 or more	6.909454	0.18	3764	100.00

10/11 - PLE - PLE 22.3 - Freq binge drinking (v4)-5 or more std drinks				
fhb16p7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3382.775	89.87	3382.775	89.87
-3	1.10746	0.03	3383.883	89.90
-2	0.75401	0.02	3384.637	89.92
Everyday	5.265052	0.14	3389.902	90.06
4-6 times a week	6.911579	0.18	3396.813	90.24
2-3 times a week	32.7888	0.87	3429.602	91.12
Once a week	51.54485	1.37	3481.147	92.49

10/11 - PLE - PLE 22.3 - Freq binge drinking (v4)-5 or more std drinks				
fhb16p7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2-3 times a month	44.68309	1.19	3525.83	93.67
Monthly or less	145.0568	3.85	3670.887	97.53
Never	93.1133	2.47	3764	100.00

10/11 - PLE - PLE 22.4 - Freq binge drinking (v4) -7 or more std drinks				
fhb16p8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3382.775	89.87	3382.775	89.87
-3	1.10746	0.03	3383.883	89.90
-2	1.622958	0.04	3385.505	89.94
4-6 times a week	1.083496	0.03	3386.589	89.97
2-3 times a week	16.1942	0.43	3402.783	90.40
Once a week	27.63907	0.73	3430.422	91.14
2-3 times a month	24.93685	0.66	3455.359	91.80
Monthly or less	148.2437	3.94	3603.603	95.74
Never	160.3972	4.26	3764	100.00

10/11 - PLE - Freq binge drinking (v3)				
fhb16p5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3391.185	90.10	3391.185	90.10
-3	1.10746	0.03	3392.292	90.12
-2	1.622958	0.04	3393.915	90.17
4-6 times a week	1.083496	0.03	3394.999	90.20
2-3 times a week	16.1942	0.43	3411.193	90.63
Once a week	32.13125	0.85	3443.324	91.48
2-3 times a month	24.93685	0.66	3468.261	92.14
Monthly or less	150.1271	3.99	3618.388	96.13
Never	145.6117	3.87	3764	100.00

10/11 - PLE - Freq binge drinking (v2)				
fhb16p5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3536.797	93.96	3536.797	93.96
-3	1.10746	0.03	3537.904	93.99
-2	1.622958	0.04	3539.527	94.04
4-6 times a week	1.083496	0.03	3540.611	94.07
2-3 times a week	16.1942	0.43	3556.805	94.50
Once a week	32.13125	0.85	3588.936	95.35
2-3 times a month	24.93685	0.66	3613.873	96.01
Monthly or less	150.1271	3.99	3764	100.00

10/11 - PLE - Average daily alcohol consumption				
fpavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3353.562	89.10	3353.562	89.10
0	40.14548	1.07	3393.707	90.16
0.0534	41.30382	1.10	3435.011	91.26
0.125	14.98015	0.40	3449.991	91.66
0.143	16.59247	0.44	3466.584	92.10
0.196	8.711584	0.23	3475.295	92.33
0.214	29.87823	0.79	3505.174	93.12
0.304	6.664782	0.18	3511.838	93.30
0.321	14.74675	0.39	3526.585	93.69
0.429	0.660863	0.02	3527.246	93.71
0.5	38.86942	1.03	3566.116	94.74
0.571	31.0871	0.83	3597.203	95.57
0.786	18.4863	0.49	3615.689	96.06
1.089	1.482016	0.04	3617.171	96.10
1.143	14.01609	0.37	3631.187	96.47
1.214	4.731438	0.13	3635.918	96.60
1.286	39.72032	1.06	3675.639	97.65
1.5	9.536254	0.25	3685.175	97.91
1.714	0.666647	0.02	3685.842	97.92
2	13.10298	0.35	3698.945	98.27
2.571	21.9262	0.58	3720.871	98.85
3.143	3.175793	0.08	3724.047	98.94
3.5	13.41358	0.36	3737.46	99.29
4	12.80228	0.34	3750.263	99.64
4.357	4.099928	0.11	3754.362	99.74
5.5	5.868723	0.16	3760.231	99.90
6.286	0.763699	0.02	3760.995	99.92
8.5	3.005103	0.08	3764	100.00

10/11 - PLE - Alcohol consumption groups				
fpalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3351.04	89.03	3351.04	89.03
-3	1.10746	0.03	3352.147	89.06
-2	0.75401	0.02	3352.901	89.08
Abstain not in the last year	40.14548	1.07	3393.046	90.14
Occasional less than monthly	72.98216	1.94	3466.029	92.08
Light <2 drinks/day men, <1 women	213.2858	5.67	3679.314	97.75
Moderate >=2 to <4 men, >=1 to <2 women	57.27009	1.52	3736.585	99.27

10/11 - PLE - Alcohol consumption groups				
fpalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hazardous >=4 to <6 men, >=2 and <4 women	23.64666	0.63	3760.231	99.90
Harmful >=6 men, >=4 women	3.768802	0.10	3764	100.00

10/11 - PLE - Heavy daily alcohol consumption				
fphvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3353.562	89.10	3353.562	89.10
Yes	27.41546	0.73	3380.977	89.82
No	383.0226	10.18	3764	100.00

10/11 - PLE - Frequent binge drinking				
fpbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3351.04	89.03	3351.04	89.03
-3	1.10746	0.03	3352.147	89.06
-2	1.622958	0.04	3353.77	89.10
Yes	74.34579	1.98	3428.116	91.08
No	335.8842	8.92	3764	100.00

10/11 - PLE - Problematic alcohol use				
fpalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3354.431	89.12	3354.431	89.12
Yes	79.73067	2.12	3434.162	91.24
No	329.8384	8.76	3764	100.00

10/11 - P2 - P2B 13 - No. serves of fruit/day				
fhb13b2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	56.46024	1.50	56.46024	1.50
-9	1633.495	43.40	1689.955	44.90
0	183.9181	4.89	1873.873	49.78
1	1052.819	27.97	2926.692	77.75
2	541.5623	14.39	3468.255	92.14
3	209.893	5.58	3678.148	97.72
4	53.83886	1.43	3731.987	99.15
5	18.62762	0.49	3750.614	99.64
6	11.59844	0.31	3762.213	99.95
7	1.170418	0.03	3763.383	99.98
8	0.61682	0.02	3764	100.00

10/11 - P2 - P2B 13 - No. serves of fruit/day (6+)				
fhb13b2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	56.46024	1.50	56.46024	1.50
-9	1633.495	43.40	1689.955	44.90
Less than 1	183.9181	4.89	1873.873	49.78
1	1052.819	27.97	2926.692	77.75
2	541.5623	14.39	3468.255	92.14
3	209.893	5.58	3678.148	97.72
4	53.83886	1.43	3731.987	99.15
5	18.62762	0.49	3750.614	99.64
6 or more	13.38568	0.36	3764	100.00

10/11 - P2 - P2B 14 - No. serves of vegetables/day				
fhb13b1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	57.58945	1.53	57.58945	1.53
-9	1633.495	43.40	1691.084	44.93
0	18.73686	0.50	1709.821	45.43
1	803.9463	21.36	2513.767	66.78
2	718.7347	19.09	3232.502	85.88
3	341.6753	9.08	3574.177	94.96
4	105.4503	2.80	3679.628	97.76
5	47.7211	1.27	3727.349	99.03
6	25.33778	0.67	3752.686	99.70
7	7.808596	0.21	3760.495	99.91
8	3.504949	0.09	3764	100.00

10/11 - P2 - P2B 14 - No. serves of vegetables/day (6+)				
fhb13b1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	57.58945	1.53	57.58945	1.53
-9	1633.495	43.40	1691.084	44.93
Less than 1	18.73686	0.50	1709.821	45.43
1	803.9463	21.36	2513.767	66.78
2	718.7347	19.09	3232.502	85.88
3	341.6753	9.08	3574.177	94.96
4	105.4503	2.80	3679.628	97.76
5	47.7211	1.27	3727.349	99.03
6 or more	36.65133	0.97	3764	100.00

10/11 - P2 - P2B 15 - Days per week exercise				
fhb14b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	30.17475	0.80	30.17475	0.80
-9	1633.495	43.40	1663.669	44.20
0	160.7048	4.27	1824.374	48.47
1	270.6709	7.19	2095.045	55.66
2	370.8285	9.85	2465.874	65.51
3	364.3238	9.68	2830.197	75.19
4	259.2366	6.89	3089.434	82.08
5	318.4219	8.46	3407.856	90.54
6	157.7001	4.19	3565.556	94.73
7	198.4439	5.27	3764	100.00

10/11 - P2 - P2B 17 - Current cigarette smoking				
fhb15b5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.26272	0.25	9.26272	0.25
-9	1633.495	43.40	1642.757	43.64
Yes	313.4349	8.33	1956.192	51.97
No	1807.808	48.03	3764	100.00

10/11 - P2 - P2B 17/18 - Current cigarette smoking-Frequency				
fhb15b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.26272	0.25	9.26272	0.25
-9	1633.495	43.40	1642.757	43.64
Do not smoke at all	1823.583	48.45	3466.34	92.09
Less than once a day	18.55236	0.49	3484.893	92.58
At least once a day	279.1073	7.42	3764	100.00

10/11 - P2 - P2B 18 - Smoke once a day				
fhb15b7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	25.03795	0.67	25.03795	0.67
-9	1633.495	43.40	1658.533	44.06
Yes	279.1073	7.42	1937.64	51.48
No	1826.36	48.52	3764	100.00

10/11 - P2 - P2B 19 - No. cigarettes smoked per day				
fhb15b8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	16.15412	0.43	16.15412	0.43
-9	3460.775	91.94	3476.929	92.37
1 to 5 per day	59.88878	1.59	3536.818	93.96
6 to 10 per day	82.26659	2.19	3619.085	96.15
11 to 20 per day	116.1072	3.08	3735.192	99.23
More than 20 per day	28.80814	0.77	3764	100.00

10/11 - P2 - P2B 20 - Frequency of drinking alcohol				
fhb16b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	8.930925	0.24	8.930925	0.24
-9	1633.495	43.40	1642.426	43.64
Never	179.5914	4.77	1822.017	48.41
Not in the last year	45.89357	1.22	1867.911	49.63
Monthly or less	343.7095	9.13	2211.62	58.76
2 to 3 times a month	243.6516	6.47	2455.272	65.23
Once a week	277.3634	7.37	2732.635	72.60
2 to 3 times a week	578.3092	15.36	3310.944	87.96
4 to 6 times a week	331.3173	8.80	3642.262	96.77
Everyday	121.7385	3.23	3764	100.00

10/11 - P2 - P2B 21 - Av. daily alcohol when drinking				
fhb16b3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	24.21923	0.64	24.21923	0.64
-9	1813.086	48.17	1837.305	48.81
1 or 2	1025.432	27.24	2862.737	76.06
3 or 4	620.2811	16.48	3483.018	92.54
5 or 6	218.6982	5.81	3701.716	98.35
7 to 10	49.35372	1.31	3751.07	99.66
11 or more	12.92986	0.34	3764	100.00

10/11 - P2 - P2B 22 - Freq binge drinking (v4)-5 or more std drinks				
fhb16b7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	23.61044	0.63	23.61044	0.63
-9	1813.086	48.17	1836.697	48.80
Everyday	12.60289	0.33	1849.299	49.13
4-6 times a week	31.56806	0.84	1880.867	49.97
2-3 times a week	114.1614	3.03	1995.029	53.00
Once a week	264.3264	7.02	2259.355	60.03

10/11 - P2 - P2B 22 - Freq binge drinking (v4)-5 or more std drinks				
fhb16b7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2-3 times a month	189.6045	5.04	2448.96	65.06
Monthly or less	764.0252	20.30	3212.985	85.36
Never	551.015	14.64	3764	100.00

10/11 - P2 - P2B 23 - Freq binge drinking (v4)-7 or more std drinks				
fhb16b8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	71.39025	1.90	71.39025	1.90
-9	1813.086	48.17	1884.476	50.07
Everyday	1.466933	0.04	1885.943	50.10
4-6 times a week	8.455712	0.22	1894.399	50.33
2-3 times a week	49.06077	1.30	1943.46	51.63
Once a week	131.4486	3.49	2074.908	55.13
2-3 times a month	111.7254	2.97	2186.634	58.09
Monthly or less	652.0115	17.32	2838.645	75.42
Never	925.3547	24.58	3764	100.00

10/11 - P2 - Freq binge drinking (v3)				
fhb16b5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	249.6526	6.63	249.6526	6.63
-9	1633.495	43.40	1883.147	50.03
Everyday	1.466933	0.04	1884.614	50.07
4-6 times a week	9.44596	0.25	1894.06	50.32
2-3 times a week	50.99785	1.35	1945.058	51.68
Once a week	132.9288	3.53	2077.987	55.21
2-3 times a month	114.0334	3.03	2192.02	58.24
Monthly or less	664.1959	17.65	2856.216	75.88
Never	907.7838	24.12	3764	100.00

10/11 - P2 - Freq binge drinking (v2)				
fhb16b5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	781.7503	20.77	781.7503	20.77
-9	2009.181	53.38	2790.931	74.15
Everyday	1.466933	0.04	2792.398	74.19
4-6 times a week	9.44596	0.25	2801.844	74.44
2-3 times a week	50.99785	1.35	2852.842	75.79
Once a week	132.9288	3.53	2985.771	79.32
2-3 times a month	114.0334	3.03	3099.804	82.35
Monthly or less	664.1959	17.65	3764	100.00

10/11 - P2 - Average daily alcohol consumption				
fbavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21.45057	0.57	21.45057	0.57
-9	1633.495	43.40	1654.945	43.97
0	225.485	5.99	1880.43	49.96
0.0534	239.3226	6.36	2119.753	56.32
0.125	59.29401	1.58	2179.047	57.89
0.143	141.6443	3.76	2320.691	61.65
0.196	25.30632	0.67	2345.997	62.33
0.214	145.6677	3.87	2491.665	66.20
0.304	6.647887	0.18	2498.313	66.37
0.321	77.07945	2.05	2575.392	68.42
0.429	4.919867	0.13	2580.312	68.55
0.5	109.2884	2.90	2689.601	71.46
0.571	268.3406	7.13	2957.941	78.59
0.786	31.76136	0.84	2989.703	79.43
1.089	2.544053	0.07	2992.247	79.50
1.143	148.5795	3.95	3140.826	83.44
1.214	10.37614	0.28	3151.202	83.72
1.286	206.1607	5.48	3357.363	89.20
1.5	45.67288	1.21	3403.036	90.41
1.714	1.170815	0.03	3404.207	90.44
2	87.09277	2.31	3491.3	92.76
2.571	136.6446	3.63	3627.944	96.39
3.143	14.40826	0.38	3642.352	96.77
3.5	42.91107	1.14	3685.264	97.91
4	34.5599	0.92	3719.823	98.83
4.357	2.306817	0.06	3722.13	98.89
5.5	26.80319	0.71	3748.933	99.60
6.286	7.301592	0.19	3756.235	99.79
8.5	5.776649	0.15	3762.012	99.95
8.714	1.413603	0.04	3763.425	99.98
12	0.574702	0.02	3764	100.00

10/11 - P2 - Alcohol consumption groups				
fbalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.23174	0.35	13.23174	0.35
-9	1633.495	43.40	1646.726	43.75
Abstain not in the last year	225.485	5.99	1872.211	49.74
Occasional less than monthly	343.7095	9.13	2215.921	58.87
Light <2 drinks/day men, <1 women	1180.106	31.35	3396.027	90.22

10/11 - P2 - Alcohol consumption groups				
fbalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Moderate >=2 to <4 men, >=1 to <2 women	283.7655	7.54	3679.793	97.76
Hazardous >=4 to <6 men, >=2 and <4 women	68.15038	1.81	3747.943	99.57
Harmful >=6 men, >=4 women	16.05679	0.43	3764	100.00

10/11 - P2 - Heavy daily alcohol consumption				
fbhvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21.45057	0.57	21.45057	0.57
-9	1633.495	43.40	1654.945	43.97
Yes	84.20717	2.24	1739.152	46.20
No	2024.848	53.80	3764	100.00

10/11 - P2 - Frequent binge drinking				
fbbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	18.55137	0.49	18.55137	0.49
-9	1633.495	43.40	1652.046	43.89
Yes	308.2276	8.19	1960.274	52.08
No	1803.726	47.92	3764	100.00

10/11 - P2 - Problematic alcohol use				
fbalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	22.46701	0.60	22.46701	0.60
-9	1633.495	43.40	1655.962	43.99
Yes	320.0117	8.50	1975.973	52.50
No	1788.027	47.50	3764	100.00

10/11 - Teach 16 - Activity during organised activities				
fhh24a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	10.74375	0.29	10.74375	0.29
-9	702.1707	18.65	712.9144	18.94
I have not observed this child in such activities	41.63138	1.11	754.5458	20.05
A lot less active than most	126.0219	3.35	880.5677	23.39
A little less active than most	372.2606	9.89	1252.828	33.28
About the same as most	1424.368	37.84	2677.196	71.13
A little more active than most	587.0605	15.60	3264.257	86.72
A lot more active than most	499.7433	13.28	3764	100.00

10/11 - Teach 17 - Activity during play				
fhb24b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.06962	0.35	13.06962	0.35
-9	702.1707	18.65	715.2403	19.00
I have not observed this child in such activities	47.86601	1.27	763.1063	20.27
A lot less active than most	119.3716	3.17	882.4778	23.45
A little less active than most	360.6882	9.58	1243.166	33.03
About the same as most	1661.272	44.14	2904.438	77.16
A little more active than most	512.6381	13.62	3417.076	90.78
A lot more active than most	346.9239	9.22	3764	100.00

10/11 - M - CASI H5.2+P2B 13 - No. serves of fruit/day				
fhb13m2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.905859	0.02	0.905859	0.02
-9	184.6746	4.91	185.5804	4.93
0	194.4253	5.17	380.0058	10.10
1	1559.17	41.42	1939.175	51.52
2	1227.906	32.62	3167.082	84.14
3	442.5127	11.76	3609.594	95.90
4	97.84299	2.60	3707.437	98.50
5	42.19043	1.12	3749.628	99.62
6	11.76742	0.31	3761.395	99.93
8	2.224227	0.06	3763.619	99.99
10	0.380576	0.01	3764	100.00

10/11 - M - CASI H5.2+P2B 13 - No. serves of fruit/day (6+)				
fhb13m2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.905859	0.02	0.905859	0.02
-9	184.6746	4.91	185.5804	4.93
Less than 1	194.4253	5.17	380.0058	10.10
1	1559.17	41.42	1939.175	51.52
2	1227.906	32.62	3167.082	84.14
3	442.5127	11.76	3609.594	95.90
4	97.84299	2.60	3707.437	98.50
5	42.19043	1.12	3749.628	99.62
6 or more	14.37222	0.38	3764	100.00

10/11 - M - CASI H5.3+P2B 14 - No. serves of vegetables/day				
fhb13m1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.513928	0.04	1.513928	0.04
-9	184.6746	4.91	186.1885	4.95
-3	2.104563	0.06	188.2931	5.00
0	31.80594	0.85	220.099	5.85
1	855.5233	22.73	1075.622	28.58
2	1091.45	29.00	2167.073	57.57
3	866.0209	23.01	3033.093	80.58
4	436.8176	11.61	3469.911	92.19
5	212.3006	5.64	3682.212	97.83
6	57.99851	1.54	3740.21	99.37
7	9.855169	0.26	3750.065	99.63
8	10.09933	0.27	3760.165	99.90
9	0.874936	0.02	3761.04	99.92
10	1.437688	0.04	3762.477	99.96
11	0.869231	0.02	3763.347	99.98
15	0.653437	0.02	3764	100.00

10/11 - M - CASI H5.3+P2B 14 - No. serves of vegetables/day (6+)				
fhb13m1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.513928	0.04	1.513928	0.04
-9	184.6746	4.91	186.1885	4.95
-3	2.104563	0.06	188.2931	5.00
Less than 1	31.80594	0.85	220.099	5.85
1	855.5233	22.73	1075.622	28.58
2	1091.45	29.00	2167.073	57.57
3	866.0209	23.01	3033.093	80.58
4	436.8176	11.61	3469.911	92.19
5	212.3006	5.64	3682.212	97.83
6 or more	81.78829	2.17	3764	100.00

10/11 - M - CASI H5.4+P2B 15 - Days per week exercise				
fhb14m2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.905859	0.02	0.905859	0.02
-9	184.6746	4.91	185.5804	4.93
-3	4.282842	0.11	189.8633	5.04
0	354.1546	9.41	544.0179	14.45
1	518.1022	13.76	1062.12	28.22
2	656.1515	17.43	1718.272	45.65

10/11 - M - CASI H5.4+P2B 15 - Days per week exercise				
fhb14m2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3	703.6164	18.69	2421.888	64.34
4	473.9054	12.59	2895.793	76.93
5	481.2671	12.79	3377.06	89.72
6	174.3017	4.63	3551.362	94.35
7	212.6378	5.65	3764	100.00

10/11 - M - CASI H6.1+P2B 17 - Current cigarette smoking				
fhb15m5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	185.5432	4.93	185.5432	4.93
Yes	592.4917	15.74	778.0349	20.67
No	2985.965	79.33	3764	100.00

10/11 - M - CASI H6.1/H6.2+P2B 17/18 - Current cigarette smoking -Frequency				
fhb15m1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	185.5432	4.93	185.5432	4.93
Do not smoke at all	2987.206	79.36	3172.749	84.29
Less than once a day	71.24273	1.89	3243.992	86.18
At least once a day	520.008	13.82	3764	100.00

10/11 - M - CASI H6.2+P2B 18 - Smoke once a day				
fhb15m7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.240953	0.03	1.240953	0.03
-9	185.5432	4.93	186.7842	4.96
Yes	520.008	13.82	706.7922	18.78
No	3057.208	81.22	3764	100.00

10/11 - M - CASI H6.3+P2B 19 - No. cigarettes smoked per day				
fhb15m8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.240953	0.03	1.240953	0.03
-9	3242.751	86.15	3243.992	86.18
1 to 5 per day	96.11889	2.55	3340.111	88.74
6 to 10 per day	200.7049	5.33	3540.816	94.07
11 to 20 per day	183.8267	4.88	3724.643	98.95
More than 20 per day	39.35748	1.05	3764	100.00

10/11 - M - CASI H6.5+P2B 20 - Frequency of drinking alcohol				
fhb16m2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.463258	0.04	1.463258	0.04
-9	185.5432	4.93	187.0065	4.97
-3	2.359156	0.06	189.3656	5.03
Never	555.5902	14.76	744.9558	19.79
Not in the last year	201.0039	5.34	945.9597	25.13
Monthly or less	888.2252	23.60	1834.185	48.73
2 to 3 times a month	432.627	11.49	2266.812	60.22
Once a week	450.4541	11.97	2717.266	72.19
2 to 3 times a week	674.7805	17.93	3392.046	90.12
4 to 6 times a week	301.8904	8.02	3693.937	98.14
Everyday	70.06314	1.86	3764	100.00

10/11 - M - CASI H6.6+P2B 21 - Av. daily alcohol when drinking				
fhb16m3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2.963863	0.08	2.963863	0.08
-9	741.1334	19.69	744.0973	19.77
-3	7.64861	0.20	751.7459	19.97
1 or 2	2067.894	54.94	2819.64	74.91
3 or 4	712.2884	18.92	3531.928	93.83
5 or 6	187.9392	4.99	3719.867	98.83
7 to 10	34.38863	0.91	3754.256	99.74
11 or more	9.744229	0.26	3764	100.00

10/11 - M - CASI H6.7+P2B 22 - Freq binge drinking (v4)-5 or more std drinks				
fhb16m7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2.963863	0.08	2.963863	0.08
-9	748.782	19.89	751.7459	19.97
Everyday	9.901029	0.26	761.6469	20.24
4-6 times a week	17.00814	0.45	778.655	20.69
2-3 times a week	53.94319	1.43	832.5982	22.12
Once a week	172.2179	4.58	1004.816	26.70
2-3 times a month	193.1448	5.13	1197.961	31.83
Monthly or less	1072.273	28.49	2270.234	60.31
Never	1493.766	39.69	3764	100.00

10/11 - M - CASI H6.8+P2B 23 - Freq binge drinking (v4)-7 or more std drinks				
fhb16m8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.292877	0.11	4.292877	0.11
-9	766.617	20.37	770.9099	20.48
Everyday	3.914653	0.10	774.8246	20.59
4-6 times a week	3.318955	0.09	778.1435	20.67
2-3 times a week	19.98396	0.53	798.1275	21.20
Once a week	78.7009	2.09	876.8284	23.30
2-3 times a month	70.05496	1.86	946.8833	25.16
Monthly or less	641.5029	17.04	1588.386	42.20
Never	2175.614	57.80	3764	100.00

10/11 - M - Freq binge drinking (v3)				
fhb16m5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	15.47887	0.41	15.47887	0.41
-9	733.9079	19.50	749.3867	19.91
-3	2.359156	0.06	751.7459	19.97
Everyday	9.901029	0.26	761.6469	20.24
4-6 times a week	17.00814	0.45	778.655	20.69
2-3 times a week	53.94319	1.43	832.5982	22.12
Once a week	172.2179	4.58	1004.816	26.70
2-3 times a month	193.1448	5.13	1197.961	31.83
Monthly or less	1072.273	28.49	2270.234	60.31
Never	1493.766	39.69	3764	100.00

10/11 - M - Freq binge drinking (v2)				
fhb16m5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	15.47887	0.41	15.47887	0.41
-9	2227.674	59.18	2243.153	59.59
-3	2.359156	0.06	2245.512	59.66
Everyday	9.901029	0.26	2255.413	59.92
4-6 times a week	17.00814	0.45	2272.421	60.37
2-3 times a week	53.94319	1.43	2326.364	61.81
Once a week	172.2179	4.58	2498.582	66.38
2-3 times a month	193.1448	5.13	2691.727	71.51
Monthly or less	1072.273	28.49	3764	100.00

10/11 - M - Average daily alcohol consumption				
fmavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.972578	0.05	1.972578	0.05
-9	187.9024	4.99	189.875	5.04
0	756.5941	20.10	946.4691	25.15
0.0534	643.5448	17.10	1590.014	42.24
0.125	183.8177	4.88	1773.832	47.13
0.143	276.5614	7.35	2050.393	54.47
0.196	47.01323	1.25	2097.406	55.72
0.214	280.1928	7.44	2377.599	63.17
0.304	9.102831	0.24	2386.702	63.41
0.321	116.8165	3.10	2503.518	66.51
0.429	4.237268	0.11	2507.756	66.62
0.5	150.4507	4.00	2658.206	70.62
0.571	446.439	11.86	3104.645	82.48
0.786	49.46799	1.31	3154.113	83.80
1.089	0.712721	0.02	3154.826	83.82
1.143	206.5502	5.49	3361.376	89.30
1.214	8.109437	0.22	3369.486	89.52
1.286	183.6105	4.88	3553.096	94.40
1.5	42.72137	1.13	3595.818	95.53
1.714	0.769524	0.02	3596.587	95.55
2	37.13594	0.99	3633.723	96.54
2.571	77.50808	2.06	3711.231	98.60
3.143	4.494451	0.12	3715.726	98.72
3.5	15.61087	0.41	3731.336	99.13
4	14.94652	0.40	3746.283	99.53
4.357	3.100611	0.08	3749.384	99.61
5.5	6.183629	0.16	3755.567	99.78
6.286	1.961483	0.05	3757.529	99.83
8.5	5.547272	0.15	3763.076	99.98
8.714	0.924105	0.02	3764	100.00

10/11 - M - Alcohol consumption groups				
fmalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.463258	0.04	1.463258	0.04
-9	185.5432	4.93	187.0065	4.97
-3	2.359156	0.06	189.3656	5.03
Abstain not in the last year	756.5941	20.10	945.9597	25.13
Occasional less than monthly	888.2252	23.60	1834.185	48.73
Light <2 drinks/day men, <1 women	1319.928	35.07	3154.113	83.80

10/11 - M - Alcohol consumption groups				
fmalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Moderate ≥ 2 to < 4 men, ≥ 1 to < 2 women	442.4737	11.76	3596.587	95.55
Hazardous ≥ 4 to < 6 men, ≥ 2 and < 4 women	134.7493	3.58	3731.336	99.13
Harmful ≥ 6 men, ≥ 4 women	32.66362	0.87	3764	100.00

10/11 - M - Heavy daily alcohol consumption				
fmhvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.972578	0.05	1.972578	0.05
-9	187.9024	4.99	189.875	5.04
Yes	167.413	4.45	357.2879	9.49
No	3406.712	90.51	3764	100.00

10/11 - M - Frequent binge drinking				
fmbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.972578	0.05	1.972578	0.05
-9	185.5432	4.93	187.5158	4.98
-3	2.359156	0.06	189.875	5.04
Yes	445.3493	11.83	635.2243	16.88
No	3128.776	83.12	3764	100.00

10/11 - M - Problematic alcohol use				
fmalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.972578	0.05	1.972578	0.05
-9	187.9024	4.99	189.875	5.04
Yes	473.5832	12.58	663.4582	17.63
No	3100.542	82.37	3764	100.00

10/11 - F - CASI H5.2+P2B 13 - No. serves of fruit/day				
fhb13f2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	55.55438	1.48	55.55438	1.48
-9	1576.296	41.88	1631.85	43.35
0	194.968	5.18	1826.818	48.53
1	1084.285	28.81	2911.103	77.34
2	549.0121	14.59	3460.115	91.93
3	211.0737	5.61	3671.189	97.53
4	62.71075	1.67	3733.9	99.20
5	18.49043	0.49	3752.39	99.69
6	9.822737	0.26	3762.213	99.95

10/11 - F - CASI H5.2+P2B 13 - No. serves of fruit/day				
fhb13f2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
7	1.170418	0.03	3763.383	99.98
8	0.61682	0.02	3764	100.00

10/11 - F - CASI H5.2+P2B 13 - No. serves of fruit/day (6+)				
fhb13f2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	55.55438	1.48	55.55438	1.48
-9	1576.296	41.88	1631.85	43.35
Less than 1	194.968	5.18	1826.818	48.53
1	1084.285	28.81	2911.103	77.34
2	549.0121	14.59	3460.115	91.93
3	211.0737	5.61	3671.189	97.53
4	62.71075	1.67	3733.9	99.20
5	18.49043	0.49	3752.39	99.69
6 or more	11.60997	0.31	3764	100.00

10/11 - F - CASI H5.3+P2B 14 - No. serves of vegetables/day				
fhb13f1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	56.07552	1.49	56.07552	1.49
-9	1576.296	41.88	1632.371	43.37
0	17.66967	0.47	1650.041	43.84
1	846.3604	22.49	2496.401	66.32
2	732.0423	19.45	3228.444	85.77
3	347.8064	9.24	3576.25	95.01
4	106.3517	2.83	3682.602	97.84
5	45.38868	1.21	3727.991	99.04
6	24.94426	0.66	3752.935	99.71
7	6.927145	0.18	3759.862	99.89
8	3.504949	0.09	3763.367	99.98
12	0.633141	0.02	3764	100.00

10/11 - F - CASI H5.3+P2B 14 - No. serves of vegetables/day (6+)				
fhb13f1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	56.07552	1.49	56.07552	1.49
-9	1576.296	41.88	1632.371	43.37
Less than 1	17.66967	0.47	1650.041	43.84
1	846.3604	22.49	2496.401	66.32
2	732.0423	19.45	3228.444	85.77
3	347.8064	9.24	3576.25	95.01

10/11 - F - CASI H5.3+P2B 14 - No. serves of vegetables/day (6+)				
fhb13f1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4	106.3517	2.83	3682.602	97.84
5	45.38868	1.21	3727.991	99.04
6 or more	36.00949	0.96	3764	100.00

10/11 - F - CASI H5.4+P2B 15 - Days per week exercise				
fhb14f2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	29.2689	0.78	29.2689	0.78
-9	1576.296	41.88	1605.565	42.66
0	160.2702	4.26	1765.835	46.91
1	281.0978	7.47	2046.933	54.38
2	381.3352	10.13	2428.268	64.51
3	366.7014	9.74	2794.969	74.26
4	267.6002	7.11	3062.57	81.36
5	333.7824	8.87	3396.352	90.23
6	162.7372	4.32	3559.089	94.56
7	204.9108	5.44	3764	100.00

10/11 - F - CASI H6.1+P2B 17 - Current cigarette smoking				
fhb15f5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.26272	0.25	9.26272	0.25
-9	1576.296	41.88	1585.559	42.12
Yes	332.2714	8.83	1917.83	50.95
No	1846.17	49.05	3764	100.00

10/11 - F - CASI H6.1/H6.2+P2B 17/18 - Current cigarette smoking -Frequency				
fhb15f1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.26272	0.25	9.26272	0.25
-9	1576.296	41.88	1585.559	42.12
Do not smoke at all	1860.704	49.43	3446.263	91.56
Less than once a day	17.61074	0.47	3463.874	92.03
At least once a day	300.1264	7.97	3764	100.00

10/11 - F - CASI H6.2+P2B 18 - Smoke once a day				
fhb15f7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	23.797	0.63	23.797	0.63
-9	1576.296	41.88	1600.093	42.51
Yes	300.1264	7.97	1900.219	50.48
No	1863.781	49.52	3764	100.00

10/11 - F - CASI H6.3+P2B 19 - No. cigarettes smoked per day				
fhb15f8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	14.91316	0.40	14.91316	0.40
-9	3440.997	91.42	3455.91	91.81
1 to 5 per day	64.31229	1.71	3520.222	93.52
6 to 10 per day	91.6715	2.44	3611.894	95.96
11 to 20 per day	121.3859	3.22	3733.28	99.18
More than 20 per day	30.72014	0.82	3764	100.00

10/11 - F - CASI H6.5+P2B 20 - Frequency of drinking alcohol				
fhb16f2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7.467667	0.20	7.467667	0.20
-9	1576.296	41.88	1583.763	42.08
Never	184.3817	4.90	1768.145	46.98
Not in the last year	50.75597	1.35	1818.901	48.32
Monthly or less	362.3345	9.63	2181.236	57.95
2 to 3 times a month	245.3351	6.52	2426.571	64.47
Once a week	282.8445	7.51	2709.415	71.98
2 to 3 times a week	582.3985	15.47	3291.814	87.46
4 to 6 times a week	344.9888	9.17	3636.803	96.62
Everyday	127.1974	3.38	3764	100.00

10/11 - F - CASI H6.6+P2B 21 - Av. daily alcohol when drinking				
fhb16f3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21.25537	0.56	21.25537	0.56
-9	1760.678	46.78	1781.933	47.34
-3	2.5	0.07	1784.433	47.41
1 or 2	1038.515	27.59	2822.947	75.00
3 or 4	654.3412	17.38	3477.289	92.38
5 or 6	224.4279	5.96	3701.716	98.35
7 to 10	49.35372	1.31	3751.07	99.66
11 or more	12.92986	0.34	3764	100.00

10/11 - F - CASI H6.7+P2B 22 - Freq binge drinking (v4)-5 or more std drinks				
fhb16f7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	20.64657	0.55	20.64657	0.55
-9	1763.178	46.84	1783.824	47.39
Everyday	13.50476	0.36	1797.329	47.75
4-6 times a week	30.57781	0.81	1827.907	48.56
2-3 times a week	114.7455	3.05	1942.652	51.61
Once a week	272.1179	7.23	2214.77	58.84
2-3 times a month	197.0551	5.24	2411.825	64.08
Monthly or less	789.8218	20.98	3201.647	85.06
Never	562.3531	14.94	3764	100.00

10/11 - F - CASI H6.8+P2B 23 - Freq binge drinking (v4)-7 or more std drinks				
fhb16f8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	67.09737	1.78	67.09737	1.78
-9	1765.678	46.91	1832.775	48.69
Everyday	1.466933	0.04	1834.242	48.73
4-6 times a week	8.455712	0.22	1842.698	48.96
2-3 times a week	50.93246	1.35	1893.63	50.31
Once a week	131.9716	3.51	2025.602	53.82
2-3 times a month	114.5309	3.04	2140.132	56.86
Monthly or less	671.315	17.84	2811.447	74.69
Never	952.5526	25.31	3764	100.00

10/11 - F - Freq binge drinking (v3)				
fhb16f5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	234.1738	6.22	234.1738	6.22
-9	1598.601	42.47	1832.775	48.69
Everyday	1.466933	0.04	1834.242	48.73
4-6 times a week	8.455712	0.22	1842.698	48.96
2-3 times a week	50.93246	1.35	1893.63	50.31
Once a week	132.6971	3.53	2026.327	53.83
2-3 times a month	115.4511	3.07	2141.778	56.90
Monthly or less	672.1692	17.86	2813.947	74.76
Never	950.0526	25.24	3764	100.00

10/11 - F - Freq binge drinking (v2)				
fhb16f5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	766.2714	20.36	766.2714	20.36
-9	2016.556	53.57	2782.827	73.93
Everyday	1.466933	0.04	2784.294	73.97
4-6 times a week	8.455712	0.22	2792.75	74.20
2-3 times a week	50.93246	1.35	2843.683	75.55
Once a week	132.6971	3.53	2976.38	79.07
2-3 times a month	115.4511	3.07	3091.831	82.14
Monthly or less	672.1692	17.86	3764	100.00

10/11 - F - Average daily alcohol consumption				
ffavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	19.47799	0.52	19.47799	0.52
-9	1578.796	41.94	1598.274	42.46
0	235.1377	6.25	1833.411	48.71
0.0534	245.2617	6.52	2078.673	55.23
0.125	69.15758	1.84	2147.831	57.06
0.143	137.9345	3.66	2285.765	60.73
0.196	26.13796	0.69	2311.903	61.42
0.214	145.1609	3.86	2457.064	65.28
0.304	6.647887	0.18	2463.712	65.45
0.321	82.47278	2.19	2546.185	67.65
0.429	4.919867	0.13	2551.105	67.78
0.5	112.2991	2.98	2663.404	70.76
0.571	263.2825	6.99	2926.686	77.75
0.786	34.73869	0.92	2961.425	78.68
1.089	2.544053	0.07	2963.969	78.75
1.143	156.4379	4.16	3120.407	82.90
1.214	10.37614	0.28	3130.783	83.18
1.286	215.342	5.72	3346.125	88.90
1.5	48.37912	1.29	3394.504	90.18
1.714	1.170815	0.03	3395.675	90.21
2	87.05894	2.31	3482.734	92.53
2.571	140.5032	3.73	3623.237	96.26
3.143	14.40826	0.38	3637.645	96.64
3.5	45.6637	1.21	3683.309	97.86
4	36.51444	0.97	3719.823	98.83
4.357	2.306817	0.06	3722.13	98.89
5.5	26.80319	0.71	3748.933	99.60
6.286	7.301592	0.19	3756.235	99.79

10/11 - F - Average daily alcohol consumption				
ffavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8.5	5.776649	0.15	3762.012	99.95
8.714	1.413603	0.04	3763.425	99.98
12	0.574702	0.02	3764	100.00

10/11 - F - Alcohol consumption groups					
	ffalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	11.76848	0.31	11.76848	0.31
-9	-9	1576.296	41.88	1588.064	42.19
Abstain not in the last year		235.1377	6.25	1823.202	48.44
Occasional less than monthly		362.3345	9.63	2185.536	58.06
Light <2 drinks/day men, <1 women		1208.545	32.11	3394.081	90.17
Moderate >=2 to <4 men, >=1 to <2 women		288.5023	7.66	3682.583	97.84
Hazardous >=4 to <6 men, >=2 and <4 women		66.35004	1.76	3748.933	99.60
Harmful >=6 men, >=4 women		15.06655	0.40	3764	100.00

10/11 - F - Heavy daily alcohol consumption				
ffhvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	19.47799	0.52	19.47799	0.52
-9	1578.796	41.94	1598.274	42.46
Yes	81.41659	2.16	1679.69	44.63
No	2084.31	55.37	3764	100.00

10/11 - F - Frequent binge drinking				
ffbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	16.57879	0.44	16.57879	0.44
-9	1581.296	42.01	1597.875	42.45
Yes	308.3579	8.19	1906.233	50.64
No	1857.767	49.36	3764	100.00

10/11 - F - Problematic alcohol use				
ffalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	20.49443	0.54	20.49443	0.54
-9	1581.296	42.01	1601.79	42.56
Yes	318.4476	8.46	1920.238	51.02
No	1843.762	48.98	3764	100.00