

14/15 - P1 - CASI H6.1/H6.2 - Current cigarette smoking-Frequency				
hhb15a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	216.8432	6.13	216.8432	6.13
Do not smoke at all	2738.908	77.44	2955.751	83.57
Less than once a day	45.16593	1.28	3000.917	84.84
At least once a day	536.0833	15.16	3537	100.00

14/15 - P1 - CASI H6.1- Current cigarette smoking				
hhb15a5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	216.8432	6.13	216.8432	6.13
Yes	581.2492	16.43	798.0924	22.56
No	2738.908	77.44	3537	100.00

14/15 - P1 - CASI H6.2 - Smoke once a day				
hhb15a7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	216.8432	6.13	216.8432	6.13
Yes	536.0833	15.16	752.9264	21.29
No	2784.074	78.71	3537	100.00

14/15 - P1 - CASI H6.3 - No. cigarettes smoked per day				
hhb15a8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3000.917	84.84	3000.917	84.84
1 to 5 per day	99.20834	2.80	3100.125	87.65
6 to 10 per day	176.2826	4.98	3276.408	92.63
11 to 20 per day	210.9814	5.96	3487.389	98.60
More than 20 per day	49.611	1.40	3537	100.00

14/15 - P1 - CASI H6.4 - No. residents smoke inside				
hhb15a4b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.159692	0.09	3.159692	0.09
-9	313.5178	8.86	316.6775	8.95
-3	3.66699	0.10	320.3445	9.06
0	2873.043	81.23	3193.387	90.29
1	206.8396	5.85	3400.227	96.13
2	116.5696	3.30	3516.797	99.43
3	11.30718	0.32	3528.104	99.75
4	6.02792	0.17	3534.132	99.92
5	1.900988	0.05	3536.033	99.97
6	0.967308	0.03	3537	100.00

14/15 - P1 - CASI H6.4 - No. residents smoke inside (5+)				
hhb15a4a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.159692	0.09	3.159692	0.09
-9	313.5178	8.86	316.6775	8.95
-3	3.66699	0.10	320.3445	9.06
None	2873.043	81.23	3193.387	90.29
1	206.8396	5.85	3400.227	96.13
2	116.5696	3.30	3516.797	99.43
3	11.30718	0.32	3528.104	99.75
4	6.02792	0.17	3534.132	99.92
5 or more	2.868295	0.08	3537	100.00

14/15 - P1 - CASI H6.5 - Frequency of drinking alcohol				
hhb16a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	218.3152	6.17	218.3152	6.17
Never	503.3666	14.23	721.6818	20.40
Not in the last year	160.9458	4.55	882.6276	24.95
Monthly or less	839.7363	23.74	1722.364	48.70
2 to 3 times a month	376.7313	10.65	2099.095	59.35
Once a week	397.6042	11.24	2496.699	70.59
2 to 3 times a week	643.5745	18.20	3140.274	88.78
4 to 6 times a week	312.5524	8.84	3452.826	97.62
Everyday	84.17379	2.38	3537	100.00

14/15 - P1 - CASI H6.6 - Av. daily alcohol when drinking				
hhb16a3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	721.6818	20.40	721.6818	20.40
-3	8.292625	0.23	729.9744	20.64
1 or 2	1944.553	54.98	2674.527	75.62
3 or 4	654.0366	18.49	3328.564	94.11
5 or 6	154.2987	4.36	3482.862	98.47
7 to 10	45.02949	1.27	3527.892	99.74
11 or more	9.10821	0.26	3537	100.00

14/15 - P1 - CASI H6.7 - Freq binge drinking (v4)-5 or more std drinks				
hhb16a7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	729.9744	20.64	729.9744	20.64
Everyday	20.86352	0.59	750.8379	21.23
4-6 times a week	19.9145	0.56	770.7524	21.79
2-3 times a week	59.33908	1.68	830.0915	23.47

14/15 - P1 - CASI H6.7 - Freq binge drinking (v4)-5 or more std drinks				
hhb16a7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once a week	175.674	4.97	1005.765	28.44
2-3 times a month	157.0623	4.44	1162.828	32.88
Monthly or less	906.2008	25.62	2069.029	58.50
Never	1467.971	41.50	3537	100.00

14/15 - P1 - CASI H6.8 - Freq binge drinking (v4)-7 or more std drinks				
hhb16a8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	732.6006	20.71	732.6006	20.71
Everyday	6.584861	0.19	739.1854	20.90
4-6 times a week	11.22922	0.32	750.4146	21.22
2-3 times a week	13.1802	0.37	763.5948	21.59
Once a week	81.96306	2.32	845.5579	23.91
2-3 times a month	79.18636	2.24	924.7443	26.14
Monthly or less	625.8943	17.70	1550.639	43.84
Never	1986.361	56.16	3537	100.00

14/15 - P1 - Freq binge drinking (v3)				
hhb16a5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	729.9744	20.64	729.9744	20.64
Everyday	19.38242	0.55	749.3568	21.19
4-6 times a week	17.66533	0.50	767.0222	21.69
2-3 times a week	49.83897	1.41	816.8611	23.09
Once a week	162.9504	4.61	979.8116	27.70
2-3 times a month	155.2416	4.39	1135.053	32.09
Monthly or less	910.0313	25.73	2045.085	57.82
Never	1491.915	42.18	3537	100.00

14/15 - P1 - Freq binge drinking (v2)				
hhb16a5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2221.89	62.82	2221.89	62.82
Everyday	19.38242	0.55	2241.272	63.37
4-6 times a week	17.66533	0.50	2258.938	63.87
2-3 times a week	49.83897	1.41	2308.777	65.27
Once a week	162.9504	4.61	2471.727	69.88
2-3 times a month	155.2416	4.39	2626.969	74.27
Monthly or less	910.0313	25.73	3537	100.00

14/15 - P1 - Average daily alcohol consumption				
haavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	219.9878	6.22	219.9878	6.22
0	664.3124	18.78	884.3002	25.00
0.0534	635.1793	17.96	1519.479	42.96
0.125	153.6508	4.34	1673.13	47.30
0.143	250.5249	7.08	1923.655	54.39
0.196	31.36211	0.89	1955.017	55.27
0.214	254.2559	7.19	2209.273	62.46
0.304	13.45614	0.38	2222.729	62.84
0.321	96.88678	2.74	2319.616	65.58
0.429	5.445931	0.15	2325.062	65.74
0.5	120.148	3.40	2445.21	69.13
0.571	425.6149	12.03	2870.825	81.17
0.786	38.30517	1.08	2909.13	82.25
1.143	204.3596	5.78	3113.49	88.03
1.214	11.13927	0.31	3124.629	88.34
1.286	174.2821	4.93	3298.911	93.27
1.5	39.18032	1.11	3338.091	94.38
1.714	2.044931	0.06	3340.136	94.43
2	39.87551	1.13	3380.012	95.56
2.571	96.59806	2.73	3476.61	98.29
3.143	3.802009	0.11	3480.412	98.40
3.5	26.58734	0.75	3506.999	99.15
4	9.524633	0.27	3516.524	99.42
5.5	10.38199	0.29	3526.906	99.71
6.286	2.07006	0.06	3528.976	99.77
8.5	7.280825	0.21	3536.257	99.98
12	0.743317	0.02	3537	100.00

14/15 - P1- Alcohol consumption groups				
haalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	218.3152	6.17	218.3152	6.17
-3	1.030483	0.03	219.3457	6.20
Abstain not in the last year	664.3124	18.78	883.6581	24.98
Occasional less than monthly	839.7363	23.74	1723.394	48.72
Light <2 drinks/day men, <1 women	1213.987	34.32	2937.381	83.05
Moderate >=2 to <4 men, >=1 to <2 women	437.8449	12.38	3375.226	95.43
Hazardous >=4 to <6 men, >=2 and <4 women	137.9245	3.90	3513.151	99.33
Harmful >=6 men, >=4 women	23.84928	0.67	3537	100.00

14/15 - P1 - Heavy daily alcohol consumption				
hahvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	219.9878	6.22	219.9878	6.22
Yes	161.7738	4.57	381.7615	10.79
No	3155.238	89.21	3537	100.00

14/15 - P1 - Frequent binge drinking				
habinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	219.9878	6.22	219.9878	6.22
Yes	402.159	11.37	622.1467	17.59
No	2914.853	82.41	3537	100.00

14/15 - P1 - Problematic alcohol use				
haalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	219.9878	6.22	219.9878	6.22
Yes	437.2592	12.36	657.2469	18.58
No	2879.753	81.42	3537	100.00

14/15 - F2F J13.1+W2-5 - Had dental problems				
hhb23c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	12.83937	0.36	12.83937	0.36
Yes	2697.357	76.26	2710.196	76.62
No	826.8037	23.38	3537	100.00

14/15 - F2F J13.1.1+W2-5 - Had cavities or dental decay				
hhb23c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	12.83937	0.36	12.83937	0.36
No	1618.516	45.76	1631.356	46.12
Yes	1905.644	53.88	3537	100.00

14/15 - F2F J13.1.2+W2-5 - Had accident causing tooth damage				
hhb23c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	15.33937	0.43	15.33937	0.43
No	2921.294	82.59	2936.634	83.03
Yes	600.3663	16.97	3537	100.00

14/15 - F2F J13.1.3/4+W5 - Had braces or other dental problems				
hhb23c5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	27.40281	0.77	27.40281	0.77
No	2366.014	66.89	2393.417	67.67
Yes	1143.583	32.33	3537	100.00

14/15 - F2F J13.2.1+W2-5 - Had teeth filled due to decay				
hhb23c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	12.83937	0.36	12.83937	0.36
No	1738.507	49.15	1751.346	49.52
Yes	1785.654	50.48	3537	100.00

14/15 - F2F J13.2.2+W2-5 - Had teeth pulled due to decay				
hhb23c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	15.33937	0.43	15.33937	0.43
No	3029.647	85.66	3044.987	86.09
Yes	492.0134	13.91	3537	100.00

14/15 - F2F J13.2.3+W5 - No treatment as a result of cavities or dental decay				
hhb23c7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	48.04337	1.36	48.04337	1.36
No	3375.752	95.44	3423.796	96.80
Yes	113.2044	3.20	3537	100.00

14/15 - F2F J13.1.1 - Last 2 yrs - cavities or dental decay				
hhb23d1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.11471	2.75	97.11471	2.75
No	2908.527	82.23	3005.642	84.98
Yes	531.3581	15.02	3537	100.00

14/15 - F2F J13.1.2 - Last 2 yrs - accidental tooth damage				
hhb23d4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.11471	2.75	97.11471	2.75
No	3365.719	95.16	3462.833	97.90
Yes	74.16663	2.10	3537	100.00

14/15 - F2F J13.1.3 - Last 2 yrs - Braces				
hhb23d5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.11471	2.75	97.11471	2.75
No	2641.368	74.68	2738.483	77.42
Yes	798.5169	22.58	3537	100.00

14/15 - F2F J13.1.4 - Last 2 yrs - Other dental problems (e.g. oral surgery)				
hhb23d5b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.11471	2.75	97.11471	2.75
No	3255.949	92.05	3353.064	94.80
Yes	183.9359	5.20	3537	100.00

14/15 - F2F J13.1.5 - Last 2 yrs - No problems with teeth				
hhb23d6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.11471	2.75	97.11471	2.75
No	1442.773	40.79	1539.888	43.54
Yes	1997.112	56.46	3537	100.00

14/15 - F2F J13.1.6 - Last 2 yrs - Don't know had any problems with teeth				
hhb23d8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.11471	2.75	97.11471	2.75
No	3417.542	96.62	3514.657	99.37
Yes	22.34298	0.63	3537	100.00

14/15 - F2F J13.2.1 - Last 2 yrs - teeth filled due to decay				
hhb23d2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.11471	2.75	97.11471	2.75
-2	22.34298	0.63	119.4577	3.38
No	2976.702	84.16	3096.16	87.54
Yes	440.8399	12.46	3537	100.00

14/15 - F2F J13.2.2 - Last 2 yrs - teeth pulled due to decay				
hhb23d3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.11471	2.75	97.11471	2.75
-2	22.34298	0.63	119.4577	3.38
No	3363.825	95.10	3483.283	98.48
Yes	53.71728	1.52	3537	100.00

14/15 - F2F J13.2.3 - Last 2 yrs - No treatment - result of cavity/dental decay				
hhb23d7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.11471	2.75	97.11471	2.75
-2	22.34298	0.63	119.4577	3.38
No	3356.051	94.88	3475.509	98.26
Yes	61.4908	1.74	3537	100.00

14/15 - F2F J15.2 - Frequency of sun protection - sunscreen				
hhb20a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.11471	2.75	97.11471	2.75
-2	26.99898	0.76	124.1137	3.51
Every day	484.5212	13.70	608.6349	17.21
Most days	1024.437	28.96	1633.072	46.17
Some days	1159.204	32.77	2792.275	78.94
Never or hardly ever	744.7245	21.06	3537	100.00

14/15 - F2F J15.3 - Frequency of sun protection - hat				
hhb20a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.11471	2.75	97.11471	2.75
-2	24.41753	0.69	121.5322	3.44
Every day	524.6527	14.83	646.185	18.27
Most days	887.4916	25.09	1533.677	43.36
Some days	977.5635	27.64	2511.24	71.00
Never or hardly ever	1025.76	29.00	3537	100.00

14/15 - F2F J15.4 - Frequency of sun protection - shirt with sleeves				
hhb20a3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.11471	2.75	97.11471	2.75
-2	15.60527	0.44	112.72	3.19
Every day	1141.931	32.29	1254.651	35.47
Most days	1209.902	34.21	2464.553	69.68
Some days	644.4814	18.22	3109.034	87.90
Never or hardly ever	427.966	12.10	3537	100.00



14/15 - F2F J15.5 - Frequency of sun protection - sunglasses				
hhb20a4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.11471	2.75	97.11471	2.75
-2	9.086128	0.26	106.2008	3.00
Every day	146.3005	4.14	252.5013	7.14
Most days	364.8152	10.31	617.3165	17.45
Some days	987.316	27.91	1604.633	45.37
Never or hardly ever	1932.367	54.63	3537	100.00

14/15 - F2F J15.6 - Frequency of sun protection - seek shade				
hhb20a5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.11471	2.75	97.11471	2.75
-2	123.7351	3.50	220.8498	6.24
Every day	231.4465	6.54	452.2963	12.79
Most days	1080.424	30.55	1532.72	43.33
Some days	1308.867	37.01	2841.587	80.34
Never or hardly ever	695.4128	19.66	3537	100.00

14/15 - ACASK 9.4.1 - Method used to prevent pregnancy - None				
hhb29a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3381.783	95.61	3381.783	95.61
-3	0.878341	0.02	3382.661	95.64
No	139.4997	3.94	3522.161	99.58
Yes	14.83922	0.42	3537	100.00

14/15 - ACASK 9.4.2 - Method used to prevent pregnancy - Birth control pills				
hhb29a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3381.783	95.61	3381.783	95.61
-3	0.878341	0.02	3382.661	95.64
No	123.8201	3.50	3506.481	99.14
Yes	30.51881	0.86	3537	100.00

14/15 - ACASK 9.4.3 - Method used to prevent pregnancy - Condoms				
hhb29a3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3381.783	95.61	3381.783	95.61
-3	0.878341	0.02	3382.661	95.64
No	39.27629	1.11	3421.937	96.75
Yes	115.0626	3.25	3537	100.00

14/15 - ACASK 9.4.4 - Method used to prevent pregnancy - Other				
hhb29a4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3381.783	95.61	3381.783	95.61
-3	0.878341	0.02	3382.661	95.64
No	145.0225	4.10	3527.684	99.74
Yes	9.316414	0.26	3537	100.00

14/15 - ACASK 9.4.5 - Method used to prevent pregnancy - Not sure				
hhb29a5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3381.783	95.61	3381.783	95.61
-3	0.878341	0.02	3382.661	95.64
No	144.4305	4.08	3527.092	99.72
Yes	9.908469	0.28	3537	100.00

14/15 - ACASK 9.6.1 - Method used to prevent STI - None				
hhb29b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3381.783	95.61	3381.783	95.61
No	125.6841	3.55	3507.467	99.17
Yes	29.53313	0.83	3537	100.00

14/15 - ACASK 9.6.2 - Method used to prevent STI - Condom				
hhb29b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3381.783	95.61	3381.783	95.61
No	36.70151	1.04	3418.484	96.65
Yes	118.5158	3.35	3537	100.00

14/15 - ACASK 9.6.3 - Method used to prevent STI - Other				
hhb29b3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3381.783	95.61	3381.783	95.61
No	153.5832	4.34	3535.366	99.95
Yes	1.634101	0.05	3537	100.00

14/15 - ACASK 9.6.4 - Method used to prevent STI - Not sure				
hhb29b4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3381.783	95.61	3381.783	95.61
No	148.1271	4.19	3529.91	99.80
Yes	7.09019	0.20	3537	100.00

14/15 - SC - ACASK 19.1 - Eat breakfast				
hhb22c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
Yes	2646.367	74.82	2848.954	80.55
No	688.0464	19.45	3537	100.00

14/15 - SC - ACASK 19.2.1 - SC had fresh fruit				
hhb21c1a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	691.7092	19.56	894.7358	25.30
Once	1177.173	33.28	2071.909	58.58
Twice	938.2288	26.53	3010.138	85.10
More than twice	526.862	14.90	3537	100.00

14/15 - SC - ACASK 19.2.1 - SC had fresh fruit				
hhb21c1a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	691.7092	19.56	894.7358	25.30
Once	1177.173	33.28	2071.909	58.58
Twice or more	1465.091	41.42	3537	100.00

14/15 - SC - ACASK 19.2.2 - SC had fresh juice				
hhb21c2a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	1537.776	43.48	1740.802	49.22
Once	1145.95	32.40	2886.753	81.62
Twice	437.744	12.38	3324.497	93.99
More than twice	212.5032	6.01	3537	100.00

14/15 - SC - ACASK 19.2.2 - SC had fresh juice				
hhb21c2a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	1537.776	43.48	1740.802	49.22
Once	1145.95	32.40	2886.753	81.62
Twice or more	650.2472	18.38	3537	100.00

14/15 - SC - ACASK 19.2.3 - SC had cooked vegetables				
hhb21c1b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	845.0974	23.89	1048.124	29.63
Once	1404.855	39.72	2452.979	69.35
Twice	631.1863	17.85	3084.165	87.20
More than twice	452.8345	12.80	3537	100.00

14/15 - SC - ACASK 19.2.3 - SC had cooked vegetables				
hhb21c1b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	845.0974	23.89	1048.124	29.63
Once	1404.855	39.72	2452.979	69.35
Twice or more	1084.021	30.65	3537	100.00

14/15 - SC - ACASK 19.2.4 - SC had raw vegetables				
hhb21c1c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	1417.617	40.08	1620.644	45.82
Once	1186.437	33.54	2807.081	79.36
Twice	463.3455	13.10	3270.426	92.46
More than twice	266.5737	7.54	3537	100.00

14/15 - SC - ACASK 19.2.4 - SC had raw vegetables				
hhb21c1c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	1417.617	40.08	1620.644	45.82
Once	1186.437	33.54	2807.081	79.36
Twice or more	729.9191	20.64	3537	100.00

14/15 - SC - ACASK 19.2.5 - SC had pie, hamburger, sausage roll				
hhb21c3a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	2177.59	61.57	2380.616	67.31
Once	850.8446	24.06	3231.461	91.36

14/15 - SC - ACASK 19.2.5 - SC had pie, hamburger, sausage roll				
hhb21c3a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Twice	229.8283	6.50	3461.289	97.86
More than twice	75.71058	2.14	3537	100.00

14/15 - SC - ACASK 19.2.5 - SC had pie, hamburger, sausage roll				
hhb21c3a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	2177.59	61.57	2380.616	67.31
Once	850.8446	24.06	3231.461	91.36
Twice or more	305.5389	8.64	3537	100.00

14/15 - SC - ACASK 19.2.6 - SC had hot chips or french fries				
hhb21c3b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	2368.394	66.96	2571.42	72.70
Once	810.3803	22.91	3381.801	95.61
Twice	101.1995	2.86	3483	98.47
More than twice	53.99978	1.53	3537	100.00

14/15 - SC - ACASK 19.2.6 - SC had hot chips or french fries				
hhb21c3b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	2368.394	66.96	2571.42	72.70
Once	810.3803	22.91	3381.801	95.61
Twice or more	155.1993	4.39	3537	100.00

14/15 - SC - ACASK 19.2.7 - SC had potato chips or savoury snacks				
hhb21c3c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	1799.746	50.88	2002.772	56.62
Once	1209.259	34.19	3212.031	90.81
Twice	252.763	7.15	3464.794	97.96
More than twice	72.20628	2.04	3537	100.00

14/15 - SC - ACASK 19.2.7 - SC had potato chips or savoury snacks				
hhb21c3c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	1799.746	50.88	2002.772	56.62
Once	1209.259	34.19	3212.031	90.81
Twice or more	324.9692	9.19	3537	100.00

14/15 - SC - ACASK 19.2.8 - SC had biscuits, donuts, cake or chocolate				
hhb21c3d1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	1383.418	39.11	1586.444	44.85
Once	1487.03	42.04	3073.474	86.89
Twice	352.8436	9.98	3426.318	96.87
More than twice	110.682	3.13	3537	100.00

14/15 - SC - ACASK 19.2.8 - SC had biscuits, donuts, cake or chocolate				
hhb21c3d2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	1383.418	39.11	1586.444	44.85
Once	1487.03	42.04	3073.474	86.89
Twice or more	463.5256	13.11	3537	100.00

14/15 - SC - ACASK 19.2.9 - SC bread or Toast				
hhb21c8a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	761.443	21.53	964.4696	27.27
Once	1572.106	44.45	2536.576	71.72
Twice	741.397	20.96	3277.973	92.68
More than twice	259.0272	7.32	3537	100.00

14/15 - SC - ACASK 19.2.9 - SC bread or Toast				
hhb21c8a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	761.443	21.53	964.4696	27.27
Once	1572.106	44.45	2536.576	71.72
Twice or more	1000.424	28.28	3537	100.00

14/15 - SC - ACASK 19.2.10 - SC had full cream milk products				
hhb21c3e1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	979.3237	27.69	1182.35	33.43
Once	1266.098	35.80	2448.448	69.22
Twice	699.8805	19.79	3148.328	89.01
More than twice	388.6716	10.99	3537	100.00

14/15 - SC - ACASK 19.2.10 - SC had full cream milk products				
hhb21c3e2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	979.3237	27.69	1182.35	33.43
Once	1266.098	35.80	2448.448	69.22
Twice or more	1088.552	30.78	3537	100.00

14/15 - SC - ACASK 19.2.11 - SC had skim/low/no fat milk or milk products				
hhb21c4a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	1.453141	0.04	204.04	5.77
Not at all	1785.606	50.48	1989.646	56.25
Once	979.6128	27.70	2969.258	83.95
Twice	362.7771	10.26	3332.035	94.21
More than twice	204.9645	5.79	3537	100.00

14/15 - SC - ACASK 19.2.11 - SC had skim/low/no fat milk or milk products				
hhb21c4a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	1.453141	0.04	204.04	5.77
Not at all	1785.606	50.48	1989.646	56.25
Once	979.6128	27.70	2969.258	83.95
Twice or more	567.7416	16.05	3537	100.00

14/15 - SC - ACASK 19.2.12 - SC had water				
hhb21c5a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	97.15694	2.75	300.1835	8.49
Once	247.5276	7.00	547.7111	15.49
Twice	440.051	12.44	987.762	27.93
More than twice	2549.238	72.07	3537	100.00

14/15 - SC - ACASK 19.2.12 - SC had water				
hhb21c5a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	97.15694	2.75	300.1835	8.49
Once	247.5276	7.00	547.7111	15.49
Twice or more	2989.289	84.51	3537	100.00

14/15 - SC - ACASK 19.2.13 - SC had soft drink/cordial				
hhb21c2b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	1816.376	51.35	2019.403	57.09
Once	989.0593	27.96	3008.462	85.06
Twice	367.1622	10.38	3375.624	95.44
More than twice	161.3756	4.56	3537	100.00



14/15 - SC - ACASK 19.2.13 - SC had soft drink/cordial				
hhb21c2b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	1816.376	51.35	2019.403	57.09
Once	989.0593	27.96	3008.462	85.06
Twice or more	528.5378	14.94	3537	100.00

14/15 - SC - ACASK 19.2.14 - SC had diet or sugar free soft drink/cordial				
hhb21c6a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	2747.313	77.67	2950.34	83.41
Once	426.5507	12.06	3376.89	95.47
Twice	101.8281	2.88	3478.718	98.35
More than twice	58.28153	1.65	3537	100.00

14/15 - SC - ACASK 19.2.14 - SC had diet or sugar free soft drink/cordial				
hhb21c6a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	2747.313	77.67	2950.34	83.41
Once	426.5507	12.06	3376.89	95.47
Twice or more	160.1096	4.53	3537	100.00

14/15 - SC - ACASK 19.2.15 - SC had energy drinks e.g. Redbull, Mother or V				
hhb21c7a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	1.198174	0.03	203.7851	5.76
Not at all	3056.337	86.41	3260.122	92.17
Once	181.398	5.13	3441.52	97.30
Twice	55.21266	1.56	3496.733	98.86
More than twice	40.26726	1.14	3537	100.00

14/15 - SC - ACASK 19.2.15 - SC had energy drinks e.g. Redbull, Mother or V				
hhb21c7a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	1.198174	0.03	203.7851	5.76
Not at all	3056.337	86.41	3260.122	92.17
Once	181.398	5.13	3441.52	97.30
Twice or more	95.47992	2.70	3537	100.00

14/15 - SC - ACASK 19.2.16 - SC had coffee				
hhb21c7b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	2777.488	78.53	2980.515	84.27
Once	409.6589	11.58	3390.173	95.85
Twice	95.18345	2.69	3485.357	98.54
More than twice	51.64309	1.46	3537	100.00

14/15 - SC - ACASK 19.2.16 - SC had coffee				
hhb21c7b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.439636	0.01	203.0265	5.74
Not at all	2777.488	78.53	2980.515	84.27
Once	409.6589	11.58	3390.173	95.85
Twice or more	146.8265	4.15	3537	100.00

14/15 - SC - Frequency ate fruit and vegetables (v2)				
hcfandvb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	203.0265	5.74	203.0265	5.74
0	235.3937	6.66	438.4202	12.40
1	379.3436	10.73	817.7638	23.12
2	572.7984	16.19	1390.562	39.31
3	688.4512	19.46	2079.013	58.78
4	496.3521	14.03	2575.366	72.81
5	359.5346	10.16	2934.9	82.98
6	280.9505	7.94	3215.851	90.92
7	146.3199	4.14	3362.171	95.06
8	83.98553	2.37	3446.156	97.43
9	90.84392	2.57	3537	100.00

14/15 - SC - Frequency ate high fat food (v2)				
hchfatb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	203.0265	5.74	203.0265	5.74
0	497.3877	14.06	700.4143	19.80
1	891.7759	25.21	1592.19	45.02
2	869.081	24.57	2461.271	69.59
3	514.5136	14.55	2975.785	84.13
4	263.6574	7.45	3239.442	91.59
5	123.1503	3.48	3362.593	95.07
6	62.68021	1.77	3425.273	96.84
7	47.11332	1.33	3472.386	98.17
8	27.2867	0.77	3499.673	98.94
9	9.639243	0.27	3509.312	99.22
10	7.433099	0.21	3516.745	99.43
11	3.592165	0.10	3520.337	99.53
12	16.66268	0.47	3537	100.00

14/15 - SC - Frequency ate high fat food (inc. whole milk) (v2)				
hchfwmb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	203.0265	5.74	203.0265	5.74
0	165.0553	4.67	368.0818	10.41
1	464.9204	13.14	833.0023	23.55
2	734.03	20.75	1567.032	44.30
3	680.5816	19.24	2247.614	63.55
4	538.2895	15.22	2785.903	78.76
5	330.3614	9.34	3116.265	88.10
6	163.0453	4.61	3279.31	92.71
7	98.43683	2.78	3377.747	95.50
8	50.49576	1.43	3428.243	96.93
9	48.27015	1.36	3476.513	98.29
10	26.74017	0.76	3503.253	99.05
11	9.44803	0.27	3512.701	99.31
12	2.206729	0.06	3514.908	99.38
13	6.055158	0.17	3520.963	99.55
14	2.04902	0.06	3523.012	99.60
15	13.988	0.40	3537	100.00

14/15 - SC - Frequency drank high sugar drinks (v2)				
hchsdrrkb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	203.0265	5.74	203.0265	5.74
0	954.9172	27.00	1157.944	32.74
1	965.2471	27.29	2123.191	60.03
2	724.2374	20.48	2847.428	80.50
3	417.9576	11.82	3265.386	92.32
4	184.8126	5.23	3450.199	97.55
5	61.19545	1.73	3511.394	99.28
6	25.60601	0.72	3537	100.00

14/15 - SC - Frequency ate fruit and vegetables				
hcfandv	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	203.0265	5.74	203.0265	5.74
0	235.3937	6.66	438.4202	12.40
1	379.3436	10.73	817.7638	23.12
2	622.1559	17.59	1439.92	40.71
3	755.7882	21.37	2195.708	62.08
4	604.0801	17.08	2799.788	79.16
5	404.085	11.42	3203.873	90.58
6	333.1269	9.42	3537	100.00

14/15 - SC - Frequency ate high fat food (v1)				
hchfat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	203.0265	5.74	203.0265	5.74
0	497.3877	14.06	700.4143	19.80
1	891.7759	25.21	1592.19	45.02
2	904.511	25.57	2496.701	70.59
3	511.2927	14.46	3007.994	85.04
4	271.1266	7.67	3279.121	92.71
5	116.1279	3.28	3395.249	95.99
6	75.40483	2.13	3470.653	98.12
7	27.04479	0.76	3497.698	98.89
8	39.30183	1.11	3537	100.00

14/15 - SC - Frequency ate high fat food (inc. whole milk) (v1)				
hchfwm	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	203.0265	5.74	203.0265	5.74
0	165.0553	4.67	368.0818	10.41
1	464.9204	13.14	833.0023	23.55
2	789.4818	22.32	1622.484	45.87
3	732.3086	20.70	2354.793	66.58
4	544.3751	15.39	2899.168	81.97
5	311.3571	8.80	3210.525	90.77
6	143.0586	4.04	3353.583	94.81
7	79.20535	2.24	3432.789	97.05
8	50.62236	1.43	3483.411	98.48
9	29.57114	0.84	3512.982	99.32
10	24.01779	0.68	3537	100.00

14/15 - SC - Frequency drank high sugar drinks (v1)				
hchsdrnk	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	203.0265	5.74	203.0265	5.74
0	954.9172	27.00	1157.944	32.74
1	965.2471	27.29	2123.191	60.03
2	867.1408	24.52	2990.332	84.54
3	393.6222	11.13	3383.954	95.67
4	153.0461	4.33	3537	100.00

14/15 - ACASK 19.3.1 - Leave food at meal times - to avoid putting on weight				
hhb30a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	203.3385	5.75	203.3385	5.75
-3	2.585993	0.07	205.9245	5.82
Seldom/never	2445.838	69.15	2651.763	74.97
Sometimes	667.7956	18.88	3319.558	93.85
Often	166.2074	4.70	3485.766	98.55
Almost always/always	51.23408	1.45	3537	100.00

14/15 - ACASK 19.3.2 - Have eaten too much - eat less than usual on the next day				
hhb30a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	203.3385	5.75	203.3385	5.75
-3	3.264361	0.09	206.6029	5.84
Seldom/never	2003.688	56.65	2210.291	62.49
Sometimes	977.1335	27.63	3187.425	90.12

14/15 - ACASK 19.3.2 - Have eaten too much - eat less than usual on the next day				
hhb30a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Often	251.351	7.11	3438.776	97.22
Almost always/always	98.22414	2.78	3537	100.00

14/15 - ACASK 19.3.3 - Take small helpings - to keep weight under control				
hhb30a3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	203.3385	5.75	203.3385	5.75
-3	2.585993	0.07	205.9245	5.82
Seldom/never	2364.783	66.86	2570.707	72.68
Sometimes	704.9243	19.93	3275.632	92.61
Often	183.5781	5.19	3459.21	97.80
Almost always/always	77.79016	2.20	3537	100.00

14/15 - ACASK 19.3.4 - Skip meals other than breakfast				
hhb30a4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	203.3385	5.75	203.3385	5.75
-3	2.585993	0.07	205.9245	5.82
Seldom/never	2798.554	79.12	3004.479	84.94
Sometimes	329.1946	9.31	3333.673	94.25
Often	135.4547	3.83	3469.128	98.08
Almost always/always	67.87196	1.92	3537	100.00

14/15 - ACASK 19.4 - How would you feel if you gained one to two kilograms				
hhb30b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	203.3385	5.75	203.3385	5.75
-3	6.132698	0.17	209.4712	5.92
It would please me	330.0727	9.33	539.5439	15.25
It wouldn't bother me	1407.325	39.79	1946.869	55.04
I'd be a little concerned	918.4859	25.97	2865.355	81.01
It would worry me	404.7574	11.44	3270.112	92.45
It would really upset me	266.8876	7.55	3537	100.00

14/15 - ACASK 19.5 - Last 4 weeks - Have you been afraid you might gain weight				
hhb30b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	203.3385	5.75	203.3385	5.75
-3	7.656735	0.22	210.9953	5.97
Yes	1181.1	33.39	1392.095	39.36
No	2144.905	60.64	3537	100.00

14/15 - ACASK 19.6 - Last 4 week - Freq you feel afraid you might gain weight				
hhb30b3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2355.9	66.61	2355.9	66.61
Less than one day a week	357.8274	10.12	2713.727	76.72
One day a week	228.0253	6.45	2941.753	83.17
Two or three days a week	297.1344	8.40	3238.887	91.57
Four or five days a week	139.4717	3.94	3378.359	95.51
Six or seven days a week	158.6412	4.49	3537	100.00

14/15 - ACASK 19.7 - How concerned were you that you might gain weight				
hhb30b4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2355.9	66.61	2355.9	66.61
Only a little	320.5912	9.06	2676.491	75.67
Moderately	451.1036	12.75	3127.595	88.43
Very	271.45	7.67	3399.045	96.10
Extremely	137.9551	3.90	3537	100.00

14/15 - ACASK 19.8 - How important is weight in how you feel about yourself				
hhb30b5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	203.3385	5.75	203.3385	5.75
-3	3.841103	0.11	207.1796	5.86
Not important	568.9462	16.09	776.1258	21.94
A bit important	1113.125	31.47	1889.251	53.41
Moderately important	1059.128	29.94	2948.38	83.36
Very important	588.6203	16.64	3537	100.00

14/15 - ACASK 19.9 - How do you feel about your weight at the moment				
hhb30b6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	203.3385	5.75	203.3385	5.75
-3	6.174072	0.17	209.5126	5.92
Very underweight	41.04137	1.16	250.554	7.08
Somewhat underweight	361.6732	10.23	612.2271	17.31
About the right weight	1973.365	55.79	2585.592	73.10
Somewhat overweight	855.5434	24.19	3441.135	97.29
Very overweight	95.8646	2.71	3537	100.00

14/15 - ACASK 20.1 - Last 4 weeks - Gone all day no eating to control weight				
hhb30b7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	203.3385	5.75	203.3385	5.75
-3	4.15286	0.12	207.4914	5.87
Yes	272.1596	7.69	479.651	13.56
No	3057.349	86.44	3537	100.00

14/15 - ACASK 20.2 - Last 4 weeks - Freq you have gone all day without eating				
hhb30b8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3264.84	92.31	3264.84	92.31
Less than one day a week	165.6448	4.68	3430.485	96.99
One day a week	35.42767	1.00	3465.913	97.99
Two or three days a week	54.62167	1.54	3520.535	99.53
Four or five days a week	13.09798	0.37	3533.633	99.90
Six or seven days a week	3.36749	0.10	3537	100.00

14/15 - ACASK 20.3 - How long have you been having days without eating				
hhb30b9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3264.84	92.31	3264.84	92.31
Less than 4 weeks	138.5689	3.92	3403.409	96.22
Between 4 weeks and 3 months	30.66084	0.87	3434.07	97.09
Between 3 months and 6 months	21.70743	0.61	3455.778	97.70
Between 6 months and a year	31.99108	0.90	3487.769	98.61
Longer than a year	49.23135	1.39	3537	100.00



14/15 - ACASK 21.1 - Last 4 weeks - Felt that you lost control of your eating				
hhb30b10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	203.3385	5.75	203.3385	5.75
-3	5.504653	0.16	208.8432	5.90
Yes	1036.518	29.30	1245.361	35.21
No	2291.639	64.79	3537	100.00

14/15 - ACASK 21.2 - How often during the last 4 weeks have you felt like this				
hhb30b11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2500.482	70.70	2500.482	70.70
Less than one day a week	400.317	11.32	2900.799	82.01
One day a week	272.5504	7.71	3173.35	89.72
Two or three days a week	239.7236	6.78	3413.073	96.50
Four or five days a week	75.14211	2.12	3488.215	98.62
Six or seven days a week	48.7848	1.38	3537	100.00

14/15 - ACASK 21.3 - Duration of feelings - You have lost control of your eating				
hhb30b12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2500.482	70.70	2500.482	70.70
Less than 4 weeks	515.773	14.58	3016.255	85.28
Between 4 weeks and 3 months	133.5209	3.77	3149.776	89.05
Between 3 months and 6 months	97.40277	2.75	3247.179	91.81
Between 6 months and a year	120.2361	3.40	3367.415	95.21
Longer than a year	169.585	4.79	3537	100.00

14/15 - ACASK 21.4 - When you lose control of eating, how hard is it to stop				
hhb30b13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2500.482	70.70	2500.482	70.70
Fairly easy	564.7514	15.97	3065.234	86.66
Fairly difficult	318.3276	9.00	3383.561	95.66
Very difficult	117.9293	3.33	3501.49	99.00
Impossible	35.5095	1.00	3537	100.00

14/15 - ACASK 21.5 - Amount of food you would eat in less than 2 hours					
hhb30b14	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
-9	2500.482	70.70	2500.482	70.70	
2 pieces of bread and 4 scoops of ice-cream and 2 biscuits	457.666	12.94	2958.148	83.63	
8 pieces of bread and half a litre of ice-cream and 5 biscuits	130.3998	3.69	3088.548	87.32	
12 pieces of bread and 1 litre of ice-cream and 10 biscuits	20.59175	0.58	3109.14	87.90	

14/15 - ACASK 21.5 - Amount of food you would eat in less than 2 hours				
hhb30b14	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 loaf of bread and 2 litres of ice-cream and 1 packet of biscuits	22.26433	0.63	3131.404	88.53
Less than any of these amounts	405.5959	11.47	3537	100.00

14/15 - ACASK 22.1 - Last 4 week - Tablet/medicine/drug to weight control				
hhb30c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	203.3385	5.75	203.3385	5.75
-3	4.15286	0.12	207.4914	5.87
Yes	62.48981	1.77	269.9812	7.63
No	3267.019	92.37	3537	100.00

14/15 - ACASK 22.2.1 - Laxatives				
hhb30c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3474.51	98.23	3474.51	98.23
No	51.36015	1.45	3525.87	99.69
Yes	11.12966	0.31	3537	100.00

14/15 - ACASK 22.2.2 - Diuretics				
hhb30c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3474.51	98.23	3474.51	98.23
No	58.19751	1.65	3532.708	99.88
Yes	4.292304	0.12	3537	100.00

14/15 - ACASK 22.2.3 - Appetite suppressants				
hhb30c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3474.51	98.23	3474.51	98.23
No	49.9571	1.41	3524.467	99.65
Yes	12.53271	0.35	3537	100.00

14/15 - ACASK 22.2.4 - Other drugs				
hhb30c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3474.51	98.23	3474.51	98.23
No	25.10183	0.71	3499.612	98.94
Yes	37.38798	1.06	3537	100.00

14/15 - ACASK 22.4.1 - How often have you taken ? Laxatives				
hhb30c1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3525.87	99.69	3525.87	99.69
Less than one day a week	6.094642	0.17	3531.965	99.86
One day a week	2.39124	0.07	3534.356	99.93
Two or three days a week	1.876054	0.05	3536.232	99.98
Six or seven days a week	0.767726	0.02	3537	100.00

14/15 - ACASK 22.4.2 - How often have you taken ? Diuretics				
hhb30c2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3532.708	99.88	3532.708	99.88
One day a week	2.5	0.07	3535.208	99.95
Two or three days a week	1.792304	0.05	3537	100.00

14/15 - ACASK 22.4.3 - How often have you taken ? Appetite suppressants				
hhb30c3a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3524.467	99.65	3524.467	99.65
Less than one day a week	2.374643	0.07	3526.842	99.71
One day a week	1.032017	0.03	3527.874	99.74
Two or three days a week	1.510447	0.04	3529.384	99.78
Four or five days a week	4.414851	0.12	3533.799	99.91
Six or seven days a week	3.200751	0.09	3537	100.00

14/15 - ACASK 22.4.4 - How often have you taken ? Other drugs				
hhb30c5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3491.35	98.71	3491.35	98.71
Less than one day a week	31.55957	0.89	3522.909	99.60
One day a week	4.496299	0.13	3527.405	99.73
Two or three days a week	3.543172	0.10	3530.949	99.83
Four or five days a week	2.510191	0.07	3533.459	99.90
Six or seven days a week	3.541209	0.10	3537	100.00

14/15 - ACASK 22.5.1 - How long have you been taking Laxatives?				
hhb30c1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3525.87	99.69	3525.87	99.69
Less than 4 weeks	7.300117	0.21	3533.17	99.89
Between 4 weeks and 3 months	1.38283	0.04	3534.553	99.93
Between 3 months and 6 months	1.776136	0.05	3536.329	99.98
Between 6 months and a year	0.670578	0.02	3537	100.00

14/15 - ACASK 22.5.2 - How long have you been taking Diuretics?				
hhb30c2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3532.708	99.88	3532.708	99.88
Less than 4 weeks	1.792304	0.05	3534.5	99.93
Between 3 months and 6 months	2.5	0.07	3537	100.00

14/15 - ACASK 22.5.3 - How long have you been taking Appetite suppressants?				
hhb30c3b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3524.467	99.65	3524.467	99.65
Less than 4 weeks	4.64209	0.13	3529.109	99.78
Between 4 weeks and 3 months	1.50779	0.04	3530.617	99.82
Between 3 months and 6 months	2.5	0.07	3533.117	99.89
Between 6 months and a year	1.38283	0.04	3534.5	99.93
Longer than a year	2.5	0.07	3537	100.00

14/15 - ACASK 22.5.4 - How long have you been taking Other drugs ?				
hhb30c5b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3491.35	98.71	3491.35	98.71
Less than 4 weeks	37.79443	1.07	3529.144	99.78
Between 4 weeks and 3 months	2.472236	0.07	3531.616	99.85
Between 3 months and 6 months	1.06336	0.03	3532.68	99.88
Longer than a year	4.320416	0.12	3537	100.00

14/15 - ACASK 22.6.1 - How many laxatives would you take in a day				
hhb30c1c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3525.87	99.69	3525.87	99.69
One	7.300117	0.21	3533.17	99.89
Between 2 and 5	2.053408	0.06	3535.224	99.95
Between 6 and 10	1.776136	0.05	3537	100.00

14/15 - ACASK 22.6.2 - How many diuretics would you take in a day				
hhb30c2c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3532.708	99.88	3532.708	99.88
Between 2 and 5	1.792304	0.05	3534.5	99.93
Between 6 and 10	2.5	0.07	3537	100.00

14/15 - ACASK 22.6.3 - How many appetite suppressants you take in a day				
hhb30c3c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3524.467	99.65	3524.467	99.65
One	4.856658	0.14	3529.324	99.78
Between 2 and 5	7.676052	0.22	3537	100.00

14/15 - ACASK 22.6.4 - How many other drugs would you take in a day				
hhb30c5c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3491.35	98.71	3491.35	98.71
One	37.05809	1.05	3528.408	99.76
Between 2 and 5	8.592355	0.24	3537	100.00

14/15 - ACASK 23.1 - Vomit as a means of controlling your shape or weight				
hhb30d	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	203.3385	5.75	203.3385	5.75
-3	3.273984	0.09	206.6125	5.84
Yes	57.3252	1.62	263.9377	7.46
No	3273.062	92.54	3537	100.00

14/15 - ACASK 23.2 - How often have you made yourself vomit				
hhb30d1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3479.675	98.38	3479.675	98.38
Less than one day a week	31.58059	0.89	3511.255	99.27
One day a week	10.38842	0.29	3521.644	99.57
Two or three days a week	12.10919	0.34	3533.753	99.91
Four or five days a week	1.430459	0.04	3535.183	99.95
Six or seven days a week	1.816545	0.05	3537	100.00

14/15 - ACASK 23.3 - How long have you been making yourself vomit				
hhb30d2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3479.675	98.38	3479.675	98.38
Less than 4 weeks	24.91927	0.70	3504.594	99.08
Between 4 weeks and 3 months	12.97537	0.37	3517.569	99.45
Between 3 months and 6 months	4.269748	0.12	3521.839	99.57
Between 6 months and a year	5.94754	0.17	3527.787	99.74
Longer than a year	9.213274	0.26	3537	100.00

14/15 - ACASK 24.1 - Last 4 week - Exercise in order to control weight				
hhb30e	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	203.3385	5.75	203.3385	5.75
-3	3.273984	0.09	206.6125	5.84
Yes	1646.626	46.55	1853.238	52.40
No	1683.762	47.60	3537	100.00

14/15 - ACASK 24.2 - Frequency exercised in order to control your weight				
hhb30e1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1890.374	53.45	1890.374	53.45
Less than one day a week	160.5404	4.54	2050.914	57.98
One day a week	269.7159	7.63	2320.63	65.61
Two or three days a week	718.2297	20.31	3038.86	85.92
Four or five days a week	314.3996	8.89	3353.26	94.81
Six or seven days a week	183.7403	5.19	3537	100.00

14/15 - ACASK 24.3 - Time spent exercising per day				
hhb30e2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1890.374	53.45	1890.374	53.45
Less than an hour per day	350.1627	9.90	2240.537	63.35
About an hour per day	749.1896	21.18	2989.726	84.53
About 2 hours per day	353.8775	10.01	3343.604	94.53
About 3 hours per day	122.5005	3.46	3466.104	98.00
About 4 hours per day	29.17801	0.82	3495.282	98.82
More than 4 hours per day	41.71778	1.18	3537	100.00

14/15 - ACASK 24.4 - How long have you been exercising				
hhb30e3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1890.374	53.45	1890.374	53.45
Less than 4 weeks	471.3834	13.33	2361.757	66.77
Between 4 weeks and 3 months	332.131	9.39	2693.888	76.16
Between 3 months and 6 months	176.0827	4.98	2869.971	81.14
Between 6 months and a year	190.6899	5.39	3060.661	86.53
Longer than a year	476.3391	13.47	3537	100.00

14/15 - Partial Syndromal Bulimia				
hbulimia	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	3462.777	97.90	3462.777	97.90
Yes	74.2227	2.10	3537	100.00

14/15 - Partial Syndromal Anorexia				
hanorexia	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	284.0504	8.03	284.0504	8.03
No	3244.694	91.74	3528.745	99.77
Yes	8.255411	0.23	3537	100.00

14/15 - Partial Syndromal Anorexia and/or Bulimia				
heatingdis	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	3454.522	97.67	3454.522	97.67
Yes	82.47811	2.33	3537	100.00

14/15 - ACASK 25.1.1 - Have tooth pain				
hhb23e1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	1.243995	0.04	203.8309	5.76
Never	1779.914	50.32	1983.744	56.09
Almost never	928.4678	26.25	2912.212	82.34
Sometimes	504.3863	14.26	3416.599	96.60
Often	98.69227	2.79	3515.291	99.39
Almost always	21.70922	0.61	3537	100.00

14/15 - ACASK 25.1.2 - Have tooth pain when I eat/drink hot/cold/sweet				
hhb23e2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	1.243995	0.04	203.8309	5.76
Never	1701.279	48.10	1905.11	53.86
Almost never	838.3607	23.70	2743.471	77.56
Sometimes	537.3857	15.19	3280.856	92.76
Often	186.5406	5.27	3467.397	98.03
Almost always	69.60307	1.97	3537	100.00

14/15 - ACASK 25.1.3 - Have teeth that are dark in colour				
hhb23e3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	3.551287	0.10	206.1382	5.83
Never	2691.127	76.09	2897.266	81.91
Almost never	447.2122	12.64	3344.478	94.56
Sometimes	154.59	4.37	3499.068	98.93

14/15 - ACASK 25.1.3 - Have teeth that are dark in colour				
hhb23e3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Often	21.44235	0.61	3520.51	99.53
Almost always	16.48989	0.47	3537	100.00

14/15 - ACASK 25.1.4 - Have gum pain				
hhb23e4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	1.243995	0.04	203.8309	5.76
Never	2572.724	72.74	2776.555	78.50
Almost never	521.2547	14.74	3297.81	93.24
Sometimes	193.4695	5.47	3491.279	98.71
Often	34.69157	0.98	3525.971	99.69
Almost always	11.02925	0.31	3537	100.00

14/15 - ACASK 25.1.5 - Have blood on my toothbrush after brushing teeth				
hhb23e5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	1.243995	0.04	203.8309	5.76
Never	1685.083	47.64	1888.914	53.40
Almost never	920.8861	26.04	2809.8	79.44
Sometimes	515.6479	14.58	3325.448	94.02
Often	154.6472	4.37	3480.095	98.39
Almost always	56.90473	1.61	3537	100.00



14/15 - Oral Health				
horal	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	203.8309	5.76	203.8309	5.76
20	1.35545	0.04	205.1864	5.80
28	3.552043	0.10	208.7384	5.90
36	1.332301	0.04	210.0707	5.94
40	2.378898	0.07	212.4496	6.01
44	13.08361	0.37	225.5332	6.38
48	2.667264	0.08	228.2005	6.45
52	11.92816	0.34	240.1286	6.79
56	25.53622	0.72	265.6648	7.51
60	30.82145	0.87	296.4863	8.38
64	49.17797	1.39	345.6643	9.77
68	78.68174	2.22	424.346	12.00
72	152.8596	4.32	577.2056	16.32
76	202.7383	5.73	779.9439	22.05
80	260.0784	7.35	1040.022	29.40
84	296.456	8.38	1336.478	37.79
88	384.8828	10.88	1721.361	48.67
92	539.6652	15.26	2261.026	63.92
96	492.8241	13.93	2753.85	77.86
100	783.1496	22.14	3537	100.00

14/15 - ACASK 25.2 - How often teeth cleaned per day				
hhb23b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	202.5869	5.73	202.5869	5.73
-3	0.687991	0.02	203.2749	5.75
Not at all	150.2699	4.25	353.5448	10.00
Once	953.6567	26.96	1307.202	36.96
Twice	2068.445	58.48	3375.646	95.44
More than twice	161.3539	4.56	3537	100.00

14/15 - SC - ACASK 26.1 - Ever smoked part of a cigarette				
hhb15c9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	289.3688	8.18	289.3688	8.18
-3	4.053334	0.11	293.4222	8.30
No	2879.749	81.42	3173.171	89.71
Yes, just a few puffs	222.7158	6.30	3395.887	96.01
Yes, I have smoked fewer than 10 cigarettes in my life	62.8616	1.78	3458.749	97.79
Yes, I have smoked 10 to 100 cigarettes in my life	47.67972	1.35	3506.428	99.14
Yes, I have smoked more than 100 cigarettes in my life	30.5715	0.86	3537	100.00

14/15 - SC - ACASK 26.2 First cigarette - Age				
hhb15c10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.835645	0.05	1.835645	0.05
-9	3091.006	87.39	3092.842	87.44
-3	0.367357	0.01	3093.209	87.45
4	2.432412	0.07	3095.642	87.52
5	2.641226	0.07	3098.283	87.60
6	6.736868	0.19	3105.02	87.79
7	0.826416	0.02	3105.846	87.81
8	6.000408	0.17	3111.847	87.98
9	9.610071	0.27	3121.457	88.25
10	14.01116	0.40	3135.468	88.65
11	28.53711	0.81	3164.005	89.45
12	63.61822	1.80	3227.623	91.25
13	78.42739	2.22	3306.051	93.47
14	185.5605	5.25	3491.611	98.72
15	45.38873	1.28	3537	100.00

14/15 - SC - ACASK 26.3 Smoked in last 12 months				
hhb15c11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3086.407	87.26	3086.407	87.26
-3	4.599131	0.13	3091.006	87.39
Yes	282.691	7.99	3373.697	95.38
No	163.3025	4.62	3537	100.00

14/15 - SC - ACASK 26.4 Smoked in last 4 weeks				
hhb15c12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3254.309	92.01	3254.309	92.01
Yes	129.6167	3.66	3383.926	95.67
No	153.0743	4.33	3537	100.00

14/15 - SC - ACASK 26.5 No. cigarettes smoked per week				
hhb15c13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3407.383	96.34	3407.383	96.34
-3	0.779207	0.02	3408.163	96.36
0	37.93412	1.07	3446.097	97.43
1	22.00821	0.62	3468.105	98.05
2	3.849014	0.11	3471.954	98.16
3	5.458128	0.15	3477.412	98.32
4	4.383207	0.12	3481.795	98.44
5	7.726284	0.22	3489.521	98.66
6	2.613825	0.07	3492.135	98.73
7	4.333381	0.12	3496.469	98.85
8	4.658744	0.13	3501.127	98.99
9	1.224068	0.03	3502.351	99.02
10	2.113665	0.06	3504.465	99.08
11	4.556448	0.13	3509.022	99.21
12	0.615104	0.02	3509.637	99.23
14	0.796383	0.02	3510.433	99.25
15	1.368498	0.04	3511.802	99.29
19	1.098124	0.03	3512.9	99.32
20	0.986965	0.03	3513.887	99.35
21	1.055615	0.03	3514.942	99.38
22	2.73462	0.08	3517.677	99.45
26	1.449033	0.04	3519.126	99.49
28	3.603151	0.10	3522.729	99.60
31	0.33	0.01	3523.059	99.61
34	0.974694	0.03	3524.034	99.63
40	1.225641	0.03	3525.259	99.67
46	2.221034	0.06	3527.48	99.73
49	0.86455	0.02	3528.345	99.76
67	4.306954	0.12	3532.652	99.88
72	1.031205	0.03	3533.683	99.91
74	0.941453	0.03	3534.625	99.93
79	0.937067	0.03	3535.562	99.96
91	0.670578	0.02	3536.232	99.98
155	0.767726	0.02	3537	100.00

14/15 - SC - ACASK 27.1 Ever had alcoholic drink					
hhb16c11	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
-9	257.1169	7.27	257.1169	7.27	
-3	5.382887	0.15	262.4997	7.42	
No	1574.999	44.53	1837.499	51.95	
Yes, just a few sips	1221.948	34.55	3059.448	86.50	
Yes, I have had fewer than 10 alcoholic drinks in my life	322.2507	9.11	3381.698	95.61	
Yes, I have had 10 or more alcoholic drinks in my life	155.3017	4.39	3537	100.00	

14/15 - SC - ACASK 27.2 First alcoholic drink - Age				
hhb16c12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3006.475	85.00	3006.475	85.00
-3	3.175937	0.09	3009.651	85.09
2	1.236824	0.03	3010.888	85.13
4	0.6509	0.02	3011.539	85.14
5	2.507509	0.07	3014.046	85.21
6	1.558558	0.04	3015.605	85.26
7	1.775668	0.05	3017.381	85.31
8	2.789877	0.08	3020.17	85.39
9	4.385937	0.12	3024.556	85.51
10	23.34498	0.66	3047.901	86.17
11	16.99393	0.48	3064.895	86.65
12	60.33434	1.71	3125.23	88.36
13	129.9751	3.67	3255.205	92.03
14	220.1988	6.23	3475.404	98.26
15	61.59649	1.74	3537	100.00

14/15 - SC - ACASK 27.3 Alcohol consumption - In last 12 months				
hhb16c13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3009.651	85.09	3009.651	85.09
Yes	490.9486	13.88	3500.6	98.97
No	36.40033	1.03	3537	100.00

14/15 - SC - ACASK 27.4 Alcohol consumption - In last four weeks				
hhb16c9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3046.051	86.12	3046.051	86.12
Yes	244.0094	6.90	3290.061	93.02
No	246.9392	6.98	3537	100.00

14/15 - SC - ACASK 27.5 Previous week's alcohol consumption				
hhb16c10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3296.007	93.19	3296.007	93.19
-3	0.367357	0.01	3296.374	93.20
0	123.612	3.49	3419.986	96.69
1	36.51235	1.03	3456.499	97.72
2	20.89628	0.59	3477.395	98.31
3	13.33504	0.38	3490.73	98.69
4	14.11904	0.40	3504.849	99.09
5	5.280676	0.15	3510.13	99.24
6	7.81965	0.22	3517.949	99.46
7	5.540414	0.16	3523.49	99.62
8	2.802719	0.08	3526.292	99.70
9	1.176753	0.03	3527.469	99.73
10	0.58045	0.02	3528.05	99.75
12	0.39432	0.01	3528.444	99.76
14	0.670578	0.02	3529.115	99.78
16	0.371755	0.01	3529.486	99.79
17	1.449033	0.04	3530.935	99.83
21	1.120112	0.03	3532.055	99.86
29	0.937067	0.03	3532.993	99.89
48	0.974694	0.03	3533.967	99.91
81	0.906425	0.03	3534.874	99.94
82	0.767726	0.02	3535.641	99.96
95	1.358592	0.04	3537	100.00

14/15 - SC - ACASK 27.6.1 - Alcohol caused - Have trouble at school the next day				
hhb16c14a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3292.991	93.10	3292.991	93.10
Never	225.978	6.39	3518.969	99.49
Sometimes	17.10122	0.48	3536.07	99.97
Often	0.930151	0.03	3537	100.00

14/15 - SC - ACASK 27.6.2 - Alcohol caused - Get into arguments with your family				
hhb16c14b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3292.991	93.10	3292.991	93.10
Never	221.3055	6.26	3514.296	99.36
Sometimes	18.5739	0.53	3532.87	99.88
Often	4.130033	0.12	3537	100.00

14/15 - SC - ACASK 27.6.3 - Alcohol caused Get injured or have an accident				
hhb16c14c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3292.991	93.10	3292.991	93.10
Never	228.1097	6.45	3521.1	99.55
Sometimes	11.64077	0.33	3532.741	99.88
Often	4.258993	0.12	3537	100.00

14/15 - SC - ACASK 27.6.4 - Alcohol caused Become violent and get into a fight				
hhb16c14d	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3292.991	93.10	3292.991	93.10
Never	224.0599	6.33	3517.051	99.44
Sometimes	18.07291	0.51	3535.123	99.95
Often	1.876573	0.05	3537	100.00

14/15 - SC - ACASK 27.6.5 - Alcohol caused - Have sex which you later regretted				
hhb16c14e	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3292.991	93.10	3292.991	93.10
Never	223.0049	6.30	3515.995	99.41
Sometimes	19.3304	0.55	3535.326	99.95
Often	1.674151	0.05	3537	100.00

14/15 - SC - Alcohol-related harm				
hcalcharm	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3292.991	93.10	3292.991	93.10
5	194.7411	5.51	3487.732	98.61
6	23.47467	0.66	3511.206	99.27
7	9.643924	0.27	3520.85	99.54
8	4.17594	0.12	3525.026	99.66
9	7.310279	0.21	3532.337	99.87
10	2.05338	0.06	3534.39	99.93
11	2.61011	0.07	3537	100.00

14/15 - ACASK 28.1 - Ever used marijuana				
hhb26c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	211.2379	5.97	211.2379	5.97
-3	6.087422	0.17	217.3253	6.14
Yes	250.7147	7.09	468.0401	13.23
No	3068.96	86.77	3537	100.00

14/15 - ACASK 28.2 - First marijuana - Age				
hhb26c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	23.34598	0.66	23.34598	0.66
-9	3279.192	92.71	3302.538	93.37
-3	15.10604	0.43	3317.644	93.80
10	0.683718	0.02	3318.327	93.82
11	6.885429	0.19	3325.213	94.01
12	15.32233	0.43	3340.535	94.45
13	48.77951	1.38	3389.315	95.82
14	102.2829	2.89	3491.598	98.72
15	45.40237	1.28	3537	100.00

14/15 - ACASK 28.3 - Marijuana - In last twelve months				
hhb26c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3279.192	92.71	3279.192	92.71
Yes	181.0642	5.12	3460.256	97.83
No	76.7441	2.17	3537	100.00

14/15 - ACASK 28.4 - Marijuana - In last four weeks				
hhb26c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3355.936	94.88	3355.936	94.88
Yes	79.28316	2.24	3435.219	97.12
No	101.781	2.88	3537	100.00

14/15 - ACASK 29.1 - Ever tried sniffing				
hhb27c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	225.5285	6.38	225.5285	6.38
-3	7.462477	0.21	232.991	6.59
Yes	49.7385	1.41	282.7295	7.99
No	3254.27	92.01	3537	100.00

14/15 - ACASK 29.2 - First sniffing - Age				
hhb27c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3465.877	97.99	3465.877	97.99
5	0.648592	0.02	3466.526	98.01
7	2.243262	0.06	3468.769	98.07
10	1.659665	0.05	3470.429	98.12
11	3.51899	0.10	3473.948	98.22
12	15.21472	0.43	3489.163	98.65
13	18.5834	0.53	3507.746	99.17

14/15 - ACASK 29.2 - First sniffing - Age				
hhb27c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
14	22.44424	0.63	3530.19	99.81
15	6.809771	0.19	3537	100.00

14/15 - ACASK 29.3 - Sniffing - In last twelve months				
hhb27c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3465.877	97.99	3465.877	97.99
Yes	37.04632	1.05	3502.924	99.04
No	34.07632	0.96	3537	100.00

14/15 - ACASK 29.4 -Last 4 wks inhalants (chroming/sniffing/solvents)				
hhb27c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3499.954	98.95	3499.954	98.95
Yes	9.248259	0.26	3509.202	99.21
No	27.79806	0.79	3537	100.00

14/15 - ACASK 30.1 - Ever used other drugs				
hhb28c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	225.5285	6.38	225.5285	6.38
-3	6.532522	0.18	232.0611	6.56
Yes	23.1287	0.65	255.1898	7.21
No	3281.81	92.79	3537	100.00

14/15 - ACASK 30.3 - First other drugs - Age				
hhb28c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.242506	0.04	1.242506	0.04
-9	3512.629	99.31	3513.871	99.35
13	2.448477	0.07	3516.32	99.42
14	11.57484	0.33	3527.895	99.74
15	9.105386	0.26	3537	100.00

14/15 - ACASK 30.4 - Other drugs - In last two years				
hhb28c2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3512.629	99.31	3512.629	99.31
Yes	17.48634	0.49	3530.115	99.81
No	6.884868	0.19	3537	100.00



14/15 - ACASK 30.6 - Other drugs - In last twelve months				
hhb28c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3519.514	99.51	3519.514	99.51
Yes	11.24114	0.32	3530.755	99.82
No	6.2452	0.18	3537	100.00

14/15 - ACASK 30.7 - Other drugs - In last four weeks				
hhb28c5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3525.759	99.68	3525.759	99.68
Yes	5.048275	0.14	3530.807	99.82
No	6.192865	0.18	3537	100.00

14/15 - CSRK 6 - Enjoy being physically active				
hhb14c5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	235.76	6.67	235.76	6.67
A lot	1641.475	46.41	1877.235	53.07
Quite a lot	1130.443	31.96	3007.677	85.03
Not very much	466.5516	13.19	3474.229	98.23
Not at all	62.77112	1.77	3537	100.00

14/15 - PLE - PLE 21.4 - Current cigarette smoking				
hhb15p5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3090.218	87.37	3090.218	87.37
Yes	145.1758	4.10	3235.393	91.47
No	301.6066	8.53	3537	100.00

14/15 - PLE - PLE 21.5/6 - Current cigarette smoking -Frequency				
hhb15p1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3090.218	87.37	3090.218	87.37
Do not smoke at all	293.334	8.29	3383.552	95.66
Less than once a day	8.272641	0.23	3391.824	95.90
At least once a day	145.1758	4.10	3537	100.00

14/15 - PLE - PLE 21.5 - Smoke once a day				
hhb15p7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3383.552	95.66	3383.552	95.66
Yes	145.1758	4.10	3528.727	99.77
No	8.272641	0.23	3537	100.00

14/15 - PLE - PLE 21.6 - No. cigarettes smoked per day				
hhb15p8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3391.824	95.90	3391.824	95.90
1 to 5 per day	19.4933	0.55	3411.318	96.45
6 to 10 per day	21.98233	0.62	3433.3	97.07
11 to 20 per day	66.4414	1.88	3499.741	98.95
More than 20 per day	37.25873	1.05	3537	100.00

14/15 - PLE - PLE 22.1 - Frequency of drinking alcohol				
hhb16p2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3090.218	87.37	3090.218	87.37
Never	49.74154	1.41	3139.959	88.77
Not in the last year	6.870648	0.19	3146.83	88.97
Monthly or less	69.20243	1.96	3216.032	90.93
2 to 3 times a month	37.50852	1.06	3253.541	91.99
Once a week	69.4343	1.96	3322.975	93.95
2 to 3 times a week	111.8614	3.16	3434.836	97.11
4 to 6 times a week	51.39926	1.45	3486.236	98.56
Everyday	50.76429	1.44	3537	100.00

14/15 - PLE - PLE 22.2 - Av. daily alcohol when drinking				
hhb16p3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3146.83	88.97	3146.83	88.97
1 or 2	175.9961	4.98	3322.826	93.94
3 or 4	134.211	3.79	3457.037	97.74
5 or 6	55.89668	1.58	3512.934	99.32
7 to 10	19.64272	0.56	3532.576	99.87
11 or more	4.423771	0.13	3537	100.00

14/15 - PLE - PLE 22.3 - Freq binge drinking (v4) -5 or more standard drinks				
hhb16p7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3139.959	88.77	3139.959	88.77
Everyday	8.360495	0.24	3148.32	89.01
4-6 times a week	8.303365	0.23	3156.623	89.25
2-3 times a week	30.26193	0.86	3186.885	90.10
Once a week	56.72116	1.60	3243.606	91.71
2-3 times a month	32.46481	0.92	3276.071	92.62
Monthly or less	159.1841	4.50	3435.255	97.12
Never	101.745	2.88	3537	100.00

14/15 - PLE - PLE 22.4 - Freq binge drinking (v4) -7 or more standard drinks				
hhb16p8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3139.959	88.77	3139.959	88.77
Everyday	1.583098	0.04	3141.542	88.82
4-6 times a week	4.097586	0.12	3145.64	88.94
2-3 times a week	13.51059	0.38	3159.15	89.32
Once a week	25.98062	0.73	3185.131	90.05
2-3 times a month	11.89641	0.34	3197.027	90.39
Monthly or less	158.5719	4.48	3355.599	94.87
Never	181.4006	5.13	3537	100.00

14/15 - PLE - Freq binge drinking (v3)				
hhb16p5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3146.83	88.97	3146.83	88.97
Everyday	1.583098	0.04	3148.413	89.01
4-6 times a week	4.097586	0.12	3152.51	89.13
2-3 times a week	16.82008	0.48	3169.331	89.61
Once a week	26.7191	0.76	3196.05	90.36
2-3 times a month	13.11447	0.37	3209.164	90.73
Monthly or less	167.9475	4.75	3377.112	95.48
Never	159.8884	4.52	3537	100.00

14/15 - PLE - Freq binge drinking (v2)				
hhb16p5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3306.718	93.49	3306.718	93.49
Everyday	1.583098	0.04	3308.301	93.53
4-6 times a week	4.097586	0.12	3312.399	93.65
2-3 times a week	16.82008	0.48	3329.219	94.13
Once a week	26.7191	0.76	3355.938	94.88
2-3 times a month	13.11447	0.37	3369.052	95.25
Monthly or less	167.9475	4.75	3537	100.00

14/15 - PLE - Average daily alcohol consumption				
hpavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3090.218	87.37	3090.218	87.37
0	56.61219	1.60	3146.83	88.97
0.0534	43.08098	1.22	3189.911	90.19
0.125	14.10235	0.40	3204.013	90.59
0.143	9.630386	0.27	3213.644	90.86
0.196	8.678163	0.25	3222.322	91.10
0.214	31.49346	0.89	3253.815	91.99
0.304	1.929655	0.05	3255.745	92.05
0.321	20.3812	0.58	3276.126	92.62
0.429	1.411285	0.04	3277.537	92.66
0.5	20.55211	0.58	3298.089	93.25
0.571	47.32269	1.34	3345.412	94.58
0.786	20.1039	0.57	3365.516	95.15
1.143	27.41014	0.77	3392.926	95.93
1.214	2.281769	0.06	3395.208	95.99
1.286	42.93482	1.21	3438.143	97.21
1.5	17.0584	0.48	3455.201	97.69
1.714	2.5	0.07	3457.701	97.76
2	14.99121	0.42	3472.692	98.18
2.571	20.47224	0.58	3493.165	98.76
3.143	6.100196	0.17	3499.265	98.93
3.5	19.10017	0.54	3518.365	99.47
4	2.772309	0.08	3521.137	99.55
4.357	0.512486	0.01	3521.65	99.57
5.5	10.18422	0.29	3531.834	99.85
6.286	0.744568	0.02	3532.579	99.87
8.5	4.421499	0.13	3537	100.00

14/15 - PLE - Alcohol consumption groups				
hpalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3090.218	87.37	3090.218	87.37
Abstain not in the last year	56.61219	1.60	3146.83	88.97
Occasional less than monthly	69.20243	1.96	3216.032	90.93
Light <2 drinks/day men, <1 women	232.2001	6.56	3448.232	97.49
Moderate >=2 to <4 men, >=1 to <2 women	65.06814	1.84	3513.3	99.33
Hazardous >=4 to <6 men, >=2 and <4 women	18.53344	0.52	3531.834	99.85
Harmful >=6 men, >=4 women	5.166068	0.15	3537	100.00

14/15 - PLE - Heavy daily alcohol consumption				
hphvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3090.218	87.37	3090.218	87.37
Yes	23.6995	0.67	3113.917	88.04
No	423.0829	11.96	3537	100.00

14/15 - PLE - Frequent binge drinking				
hpbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3090.218	87.37	3090.218	87.37
Yes	62.33434	1.76	3152.552	89.13
No	384.4481	10.87	3537	100.00

14/15 - PLE - Problematic alcohol use				
hpalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3090.218	87.37	3090.218	87.37
Yes	70.09791	1.98	3160.316	89.35
No	376.6845	10.65	3537	100.00

14/15 - P2 - P2K 33 - Current cigarette smoking				
hhb15b5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7.347549	0.21	7.347549	0.21
-9	1492.342	42.19	1499.689	42.40
Yes	264.1423	7.47	1763.832	49.87
No	1773.168	50.13	3537	100.00

14/15 - P2 - P2K 33/34 - Current cigarette smoking-Frequency				
hhb15b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21.44135	0.61	21.44135	0.61
-9	1492.342	42.19	1513.783	42.80
Do not smoke at all	1773.168	50.13	3286.952	92.93
Less than once a day	13.27123	0.38	3300.223	93.31
At least once a day	236.7772	6.69	3537	100.00

14/15 - P2 - P2K 34 - Smoke once a day				
hhb15b7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21.44135	0.61	21.44135	0.61
-9	1492.342	42.19	1513.783	42.80
Yes	236.7772	6.69	1750.56	49.49
No	1786.44	50.51	3537	100.00

14/15 - P2 - P2K 35 - No. cigarettes smoked per day				
hhb15b8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	22.94192	0.65	22.94192	0.65
-9	3278.781	92.70	3301.723	93.35
1 to 5 per day	40.19533	1.14	3341.919	94.48
6 to 10 per day	63.11419	1.78	3405.033	96.27
11 to 20 per day	98.54064	2.79	3503.574	99.05
More than 20 per day	33.42649	0.95	3537	100.00

14/15 - P2 - P2K 36 - Frequency of drinking alcohol				
hhb16b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	8.512472	0.24	8.512472	0.24
-9	1492.342	42.19	1500.854	42.43
Never	183.9481	5.20	1684.802	47.63
Not in the last year	46.45666	1.31	1731.259	48.95
Monthly or less	314.9666	8.90	2046.226	57.85
2 to 3 times a month	237.1089	6.70	2283.335	64.56
Once a week	260.5477	7.37	2543.882	71.92
2 to 3 times a week	558.4888	15.79	3102.371	87.71
4 to 6 times a week	300.0191	8.48	3402.39	96.19
Everyday	134.6098	3.81	3537	100.00

14/15 - P2 - P2K 37 - Av. daily alcohol when drinking				
hhb16b3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	63.03147	1.78	63.03147	1.78
-9	1676.29	47.39	1739.321	49.18
1 or 2	955.7649	27.02	2695.086	76.20
3 or 4	599.0318	16.94	3294.118	93.13
5 or 6	199.2123	5.63	3493.33	98.77
7 to 10	40.5146	1.15	3533.845	99.91
11 or more	3.154909	0.09	3537	100.00

14/15 - P2 - P2K 38 - Freq binge drinking (v4)-5 or more std drinks				
hhb16b7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	62.72812	1.77	62.72812	1.77
-9	1676.29	47.39	1739.018	49.17
Everyday	15.7034	0.44	1754.722	49.61
4-6 times a week	30.85988	0.87	1785.581	50.48
2-3 times a week	122.1888	3.45	1907.77	53.94
Once a week	187.8784	5.31	2095.649	59.25

14/15 - P2 - P2K 38 - Freq binge drinking (v4)-5 or more std drinks				
hhb16b7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2-3 times a month	174.7696	4.94	2270.418	64.19
Monthly or less	688.8373	19.48	2959.256	83.67
Never	577.7445	16.33	3537	100.00

14/15 - P2 - P2K 39 - Freq binge drinking (v4)-7 or more std drinks				
hhb16b8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	105.6442	2.99	105.6442	2.99
-9	1676.29	47.39	1781.934	50.38
Everyday	3.637381	0.10	1785.572	50.48
4-6 times a week	6.045087	0.17	1791.617	50.65
2-3 times a week	44.38719	1.25	1836.004	51.91
Once a week	116.112	3.28	1952.116	55.19
2-3 times a month	91.25398	2.58	2043.37	57.77
Monthly or less	569.9491	16.11	2613.319	73.89
Never	923.6811	26.11	3537	100.00

14/15 - P2 - Freq binge drinking (v3)				
hhb16b5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	288.6208	8.16	288.6208	8.16
-9	1492.342	42.19	1780.963	50.35
Everyday	3.637381	0.10	1784.6	50.46
4-6 times a week	6.045087	0.17	1790.645	50.63
2-3 times a week	44.38719	1.25	1835.032	51.88
Once a week	124.4912	3.52	1959.524	55.40
2-3 times a month	94.41018	2.67	2053.934	58.07
Monthly or less	575.2468	16.26	2629.181	74.33
Never	907.8195	25.67	3537	100.00

14/15 - P2 - Freq binge drinking (v2)				
hhb16b5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	810.716	22.92	810.716	22.92
-9	1878.066	53.10	2688.782	76.02
Everyday	3.637381	0.10	2692.419	76.12
4-6 times a week	6.045087	0.17	2698.465	76.29
2-3 times a week	44.38719	1.25	2742.852	77.55
Once a week	124.4912	3.52	2867.343	81.07
2-3 times a month	94.41018	2.67	2961.753	83.74
Monthly or less	575.2468	16.26	3537	100.00

14/15 - P2 - Average daily alcohol consumption				
hbavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	53.55531	1.51	53.55531	1.51
-9	1492.342	42.19	1545.897	43.71
0	230.4048	6.51	1776.302	50.22
0.0534	215.3851	6.09	1991.687	56.31
0.125	53.77753	1.52	2045.465	57.83
0.143	143.2685	4.05	2188.733	61.88
0.196	19.54732	0.55	2208.28	62.43
0.214	136.993	3.87	2345.273	66.31
0.304	6.266631	0.18	2351.54	66.48
0.321	57.85343	1.64	2409.394	68.12
0.5	103.9962	2.94	2513.39	71.06
0.571	257.8487	7.29	2771.238	78.35
0.786	39.85085	1.13	2811.089	79.48
1.143	128.745	3.64	2939.834	83.12
1.214	2.045291	0.06	2941.88	83.17
1.286	219.3777	6.20	3161.257	89.38
1.5	44.38446	1.25	3205.642	90.63
1.714	0.82434	0.02	3206.466	90.65
2	55.70357	1.57	3262.17	92.23
2.571	127.5858	3.61	3389.755	95.84
3.143	15.95077	0.45	3405.706	96.29
3.5	57.14676	1.62	3462.853	97.90
4	35.92364	1.02	3498.777	98.92
4.357	0.7964	0.02	3499.573	98.94
5.5	21.84043	0.62	3521.413	99.56
6.286	4.348424	0.12	3525.762	99.68
8.5	9.703937	0.27	3535.466	99.96
12	1.534169	0.04	3537	100.00

14/15 - P2 - Alcohol consumption groups				
hbalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	33.56524	0.95	33.56524	0.95
-9	1492.342	42.19	1525.907	43.14
Abstain not in the last year	230.4048	6.51	1756.312	49.66
Occasional less than monthly	314.9666	8.90	2071.279	58.56
Light <2 drinks/day men, <1 women	1118.774	31.63	3190.053	90.19
Moderate >=2 to <4 men, >=1 to <2 women	267.3408	7.56	3457.394	97.75
Hazardous >=4 to <6 men, >=2 and <4 women	64.01972	1.81	3521.413	99.56
Harmful >=6 men, >=4 women	15.58653	0.44	3537	100.00



14/15 - P2 - Heavy daily alcohol consumption				
hbhvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	55.3715	1.57	55.3715	1.57
-9	1492.342	42.19	1547.713	43.76
Yes	79.60625	2.25	1627.32	46.01
No	1909.68	53.99	3537	100.00

14/15 - P2 - Frequent binge drinking				
hbbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	52.68812	1.49	52.68812	1.49
-9	1492.342	42.19	1545.03	43.68
Yes	272.2195	7.70	1817.249	51.38
No	1719.751	48.62	3537	100.00

14/15 - P2 - Problematic alcohol use				
hbalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	56.42593	1.60	56.42593	1.60
-9	1492.342	42.19	1548.768	43.79
Yes	281.7152	7.96	1830.483	51.75
No	1706.517	48.25	3537	100.00

14/15 - M - CASI H6.1+P2K 33 - Current cigarette smoking				
hhb15m5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	314.9783	8.91	314.9783	8.91
Yes	552.784	15.63	867.7623	24.53
No	2669.238	75.47	3537	100.00

14/15 - M - CASI H6.1/H6.2+P2K 33/34 - Current cigarette smoking -Frequency				
hhb15m1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	314.9783	8.91	314.9783	8.91
Do not smoke at all	2669.238	75.47	2984.216	84.37
Less than once a day	43.27457	1.22	3027.491	85.59
At least once a day	509.5094	14.41	3537	100.00

14/15 - M - CASI H6.2+P2K 34 - Smoke once a day				
hhb15m7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	314.9783	8.91	314.9783	8.91
Yes	509.5094	14.41	824.4877	23.31
No	2712.512	76.69	3537	100.00

14/15 - M - CASI H6.3+P2K 35 - No. cigarettes smoked per day				
hhb15m8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.591286	0.04	1.591286	0.04
-9	3027.491	85.59	3029.082	85.64
1 to 5 per day	100.3716	2.84	3129.453	88.48
6 to 10 per day	162.9185	4.61	3292.372	93.08
11 to 20 per day	204.6962	5.79	3497.068	98.87
More than 20 per day	39.93179	1.13	3537	100.00

14/15 - M - CASI H6.5+P2K 36 - Frequency of drinking alcohol				
hhb16m2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	316.4503	8.95	316.4503	8.95
Never	495.8718	14.02	812.3221	22.97
Not in the last year	157.0766	4.44	969.3987	27.41
Monthly or less	817.8127	23.12	1787.211	50.53
2 to 3 times a month	381.655	10.79	2168.866	61.32
Once a week	385.8338	10.91	2554.7	72.23
2 to 3 times a week	618.8339	17.50	3173.534	89.72
4 to 6 times a week	295.5823	8.36	3469.116	98.08
Everyday	67.88372	1.92	3537	100.00

14/15 - M - CASI H6.6+P2K 37 - Av. daily alcohol when drinking				
hhb16m3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.2891	0.04	1.2891	0.04
-9	812.3221	22.97	813.6112	23.00
-3	8.292625	0.23	821.9038	23.24
1 or 2	1924.636	54.41	2746.539	77.65
3 or 4	609.9617	17.25	3356.501	94.90
5 or 6	134.4909	3.80	3490.992	98.70
7 to 10	37.66851	1.06	3528.66	99.76
11 or more	8.339548	0.24	3537	100.00

14/15 - M - CASI H6.7+P2K 38 - Freq binge drinking (v4)-5 or more std drinks				
hhb16m7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.2891	0.04	1.2891	0.04
-9	820.6147	23.20	821.9038	23.24
Everyday	16.65034	0.47	838.5542	23.71
4-6 times a week	13.55543	0.38	852.1096	24.09
2-3 times a week	46.03055	1.30	898.1401	25.39
Once a week	157.8765	4.46	1056.017	29.86
2-3 times a month	151.4606	4.28	1207.477	34.14
Monthly or less	861.695	24.36	2069.172	58.50
Never	1467.828	41.50	3537	100.00

14/15 - M - CASI H6.8+P2K 39 - Freq binge drinking (v4)-7 or more std drinks				
hhb16m8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2.260644	0.06	2.260644	0.06
-9	823.2409	23.28	825.5015	23.34
Everyday	3.852774	0.11	829.3543	23.45
4-6 times a week	7.119326	0.20	836.4736	23.65
2-3 times a week	9.371774	0.26	845.8454	23.91
Once a week	68.50985	1.94	914.3552	25.85
2-3 times a month	72.9964	2.06	987.3516	27.91
Monthly or less	569.0712	16.09	1556.423	44.00
Never	1980.577	56.00	3537	100.00

14/15 - M - Freq binge drinking (v3)				
hhb16m5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	18.34074	0.52	18.34074	0.52
-9	803.5631	22.72	821.9038	23.24
Everyday	16.65034	0.47	838.5542	23.71
4-6 times a week	13.55543	0.38	852.1096	24.09
2-3 times a week	46.03055	1.30	898.1401	25.39
Once a week	157.8765	4.46	1056.017	29.86
2-3 times a month	151.4606	4.28	1207.477	34.14
Monthly or less	859.2533	24.29	2066.731	58.43
Never	1470.269	41.57	3537	100.00

14/15 - M - Freq binge drinking (v2)				
hhb16m5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	18.34074	0.52	18.34074	0.52
-9	2273.833	64.29	2292.173	64.81
Everyday	16.65034	0.47	2308.824	65.28
4-6 times a week	13.55543	0.38	2322.379	65.66
2-3 times a week	46.03055	1.30	2368.41	66.96
Once a week	157.8765	4.46	2526.286	71.42
2-3 times a month	151.4606	4.28	2677.747	75.71
Monthly or less	859.2533	24.29	3537	100.00

14/15 - M - Average daily alcohol consumption				
hmvadac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.467338	0.01	0.467338	0.01
-9	318.1229	8.99	318.5902	9.01
0	652.9484	18.46	971.5386	27.47
0.0534	621.148	17.56	1592.687	45.03
0.125	149.0056	4.21	1741.692	49.24
0.143	258.727	7.31	2000.419	56.56
0.196	29.69752	0.84	2030.117	57.40
0.214	251.6175	7.11	2281.734	64.51
0.304	12.64219	0.36	2294.376	64.87
0.321	95.8362	2.71	2390.213	67.58
0.429	4.677269	0.13	2394.89	67.71
0.5	114.5977	3.24	2509.488	70.95
0.571	416.9898	11.79	2926.477	82.74
0.786	32.74219	0.93	2959.22	83.66
1.143	204.5932	5.78	3163.813	89.45
1.214	10.42546	0.29	3174.238	89.74
1.286	163.6365	4.63	3337.875	94.37
1.5	40.09571	1.13	3377.97	95.50
1.714	2.044931	0.06	3380.015	95.56
2	36.14187	1.02	3416.157	96.58
2.571	81.79556	2.31	3497.953	98.90
3.143	2.065666	0.06	3500.018	98.95
3.5	17.2291	0.49	3517.248	99.44
4	7.123436	0.20	3524.371	99.64
5.5	6.631645	0.19	3531.003	99.83
6.286	2.07006	0.06	3533.073	99.89
8.5	3.183943	0.09	3536.257	99.98
12	0.743317	0.02	3537	100.00

14/15 - M - Alcohol consumption groups				
hmalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.467338	0.01	0.467338	0.01
-9	316.4503	8.95	316.9177	8.96
-3	1.030483	0.03	317.9482	8.99
Abstain not in the last year	652.9484	18.46	970.8965	27.45
Occasional less than monthly	817.8127	23.12	1788.709	50.57
Light <2 drinks/day men, <1 women	1172.138	33.14	2960.847	83.71
Moderate >=2 to <4 men, >=1 to <2 women	419.168	11.85	3380.015	95.56
Hazardous >=4 to <6 men, >=2 and <4 women	137.2322	3.88	3517.248	99.44
Harmful >=6 men, >=4 women	19.7524	0.56	3537	100.00

14/15 - M - Heavy daily alcohol consumption				
hmvhdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.467338	0.01	0.467338	0.01
-9	318.1229	8.99	318.5902	9.01
Yes	156.9846	4.44	475.5749	13.45
No	3061.425	86.55	3537	100.00

14/15 - M - Frequent binge drinking				
hmbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.467338	0.01	0.467338	0.01
-9	318.1229	8.99	318.5902	9.01
Yes	382.6536	10.82	701.2439	19.83
No	2835.756	80.17	3537	100.00

14/15 - M - Problematic alcohol use				
hmalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.467338	0.01	0.467338	0.01
-9	318.1229	8.99	318.5902	9.01
Yes	419.2452	11.85	737.8355	20.86
No	2799.165	79.14	3537	100.00

14/15 - F - CASI H6.1/H6.2+P2K 33/34 - Current cigarette smoking -Frequency				
hhb15f1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21.44135	0.61	21.44135	0.61
-9	1396.023	39.47	1417.464	40.08
Do not smoke at all	1841.022	52.05	3258.486	92.13

14/15 - F - CASI H6.1/H6.2+P2K 33/34 - Current cigarette smoking -Frequency				
hhb15f1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Less than once a day	15.1626	0.43	3273.649	92.55
At least once a day	263.3511	7.45	3537	100.00

14/15 - F - CASI H6.1+P2K 33 - Current cigarette smoking				
hhb15f5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7.347549	0.21	7.347549	0.21
-9	1396.023	39.47	1403.37	39.68
Yes	292.6075	8.27	1695.978	47.95
No	1841.022	52.05	3537	100.00

14/15 - F- CASI H6.2+P2K 34 - Smoke once a day				
hhb15f7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21.44135	0.61	21.44135	0.61
-9	1396.023	39.47	1417.464	40.08
Yes	263.3511	7.45	1680.815	47.52
No	1856.185	52.48	3537	100.00

14/15 - F - CASI H6.3+P2K 35 - No. cigarettes smoked per day				
hhb15f8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21.35064	0.60	21.35064	0.60
-9	3252.208	91.95	3273.558	92.55
1 to 5 per day	39.03205	1.10	3312.59	93.66
6 to 10 per day	76.4783	2.16	3389.069	95.82
11 to 20 per day	104.8258	2.96	3493.894	98.78
More than 20 per day	43.10571	1.22	3537	100.00

14/15 - F - CASI H6.5+P2K 36 - Frequency of drinking alcohol				
hhb16f2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	8.512472	0.24	8.512472	0.24
-9	1396.023	39.47	1404.535	39.71
Never	189.6268	5.36	1594.162	45.07
Not in the last year	50.32584	1.42	1644.488	46.49
Monthly or less	336.8902	9.52	1981.378	56.02
2 to 3 times a month	232.1852	6.56	2213.563	62.58
Once a week	272.3181	7.70	2485.881	70.28
2 to 3 times a week	583.2295	16.49	3069.111	86.77

14/15 - F - CASI H6.5+P2K 36 - Frequency of drinking alcohol				
hhb16f2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4 to 6 times a week	316.9892	8.96	3386.1	95.73
Everyday	150.8998	4.27	3537	100.00

14/15 - F - CASI H6.6+P2K 37 - Av. daily alcohol when drinking				
hhb16f3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	61.74237	1.75	61.74237	1.75
-9	1585.65	44.83	1647.392	46.58
1 or 2	975.682	27.59	2623.074	74.16
3 or 4	643.1067	18.18	3266.181	92.34
5 or 6	219.0202	6.19	3485.201	98.54
7 to 10	47.87558	1.35	3533.076	99.89
11 or more	3.923571	0.11	3537	100.00

14/15 - F - CASI H6.7+P2K 38 - Freq binge drinking (v4)-5 or more std drinks				
hhb16f7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	61.43902	1.74	61.43902	1.74
-9	1585.65	44.83	1647.089	46.57
Everyday	19.91658	0.56	1667.005	47.13
4-6 times a week	37.21895	1.05	1704.224	48.18
2-3 times a week	135.4973	3.83	1839.722	52.01
Once a week	205.6759	5.81	2045.397	57.83
2-3 times a month	180.3713	5.10	2225.769	62.93
Monthly or less	733.343	20.73	2959.112	83.66
Never	577.8882	16.34	3537	100.00

14/15 - F - CASI H6.8+P2K 39 - Freq binge drinking (v4)-7 or more std drinks				
hhb16f8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	103.3836	2.92	103.3836	2.92
-9	1585.65	44.83	1689.033	47.75
Everyday	6.369469	0.18	1695.403	47.93
4-6 times a week	10.15498	0.29	1705.558	48.22
2-3 times a week	48.19561	1.36	1753.753	49.58
Once a week	129.5652	3.66	1883.318	53.25
2-3 times a month	97.44394	2.75	1980.762	56.00
Monthly or less	626.7721	17.72	2607.535	73.72
Never	929.4654	26.28	3537	100.00

14/15 - F - Freq binge drinking (v3)				
hhb16f5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	268.4639	7.59	268.4639	7.59
-9	1420.569	40.16	1689.033	47.75
Everyday	6.369469	0.18	1695.403	47.93
4-6 times a week	10.15498	0.29	1705.558	48.22
2-3 times a week	48.19561	1.36	1753.753	49.58
Once a week	129.5652	3.66	1883.318	53.25
2-3 times a month	98.1912	2.78	1981.51	56.02
Monthly or less	626.0249	17.70	2607.535	73.72
Never	929.4654	26.28	3537	100.00

14/15 - F - Freq binge drinking (v2)				
hhb16f5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	790.5591	22.35	790.5591	22.35
-9	1827.94	51.68	2618.499	74.03
Everyday	6.369469	0.18	2624.868	74.21
4-6 times a week	10.15498	0.29	2635.023	74.50
2-3 times a week	48.19561	1.36	2683.219	75.86
Once a week	129.5652	3.66	2812.784	79.52
2-3 times a month	98.1912	2.78	2910.975	82.30
Monthly or less	626.0249	17.70	3537	100.00



14/15 - F - Average daily alcohol consumption				
hfavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	53.08797	1.50	53.08797	1.50
-9	1396.023	39.47	1449.111	40.97
0	239.9526	6.78	1689.063	47.75
0.0534	229.4163	6.49	1918.48	54.24
0.125	58.42267	1.65	1976.902	55.89
0.143	135.0665	3.82	2111.969	59.71
0.196	21.2119	0.60	2133.181	60.31
0.214	139.6314	3.95	2272.812	64.26
0.304	7.080576	0.20	2279.893	64.46
0.321	58.904	1.67	2338.797	66.12
0.429	0.768662	0.02	2339.566	66.15
0.5	109.5465	3.10	2449.112	69.24
0.571	266.4738	7.53	2715.586	76.78
0.786	45.41384	1.28	2761	78.06
1.143	128.5114	3.63	2889.511	81.69
1.214	2.759104	0.08	2892.27	81.77
1.286	230.0233	6.50	3122.293	88.28
1.5	43.46908	1.23	3165.763	89.50
1.714	0.82434	0.02	3166.587	89.53
2	59.43721	1.68	3226.024	91.21
2.571	142.3883	4.03	3368.412	95.23
3.143	17.68711	0.50	3386.1	95.73
3.5	66.505	1.88	3452.605	97.61
4	38.32483	1.08	3490.929	98.70
4.357	0.7964	0.02	3491.726	98.72
5.5	25.59078	0.72	3517.317	99.44
6.286	4.348424	0.12	3521.665	99.57
8.5	13.80082	0.39	3535.466	99.96
12	1.534169	0.04	3537	100.00

14/15 - F - Alcohol consumption groups				
hfacgcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	33.09791	0.94	33.09791	0.94
-9	1396.023	39.47	1429.121	40.40
Abstain not in the last year	239.9526	6.78	1669.073	47.19
Occasional less than monthly	336.8902	9.52	2005.964	56.71
Light <2 drinks/day men, <1 women	1160.623	32.81	3166.587	89.53
Moderate >=2 to <4 men, >=1 to <2 women	286.0177	8.09	3452.605	97.61

14/15 - F - Alcohol consumption groups				
hfalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hazardous >=4 to <6 men, >=2 and <4 women	64.71201	1.83	3517.317	99.44
Harmful >=6 men, >=4 women	19.68341	0.56	3537	100.00

14/15 - F - Heavy daily alcohol consumption				
hfhvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	53.08797	1.50	53.08797	1.50
-9	1396.023	39.47	1449.111	40.97
Yes	84.39542	2.39	1533.506	43.36
No	2003.494	56.64	3537	100.00

14/15 - F - Frequent binge drinking				
hfbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	52.22078	1.48	52.22078	1.48
-9	1396.023	39.47	1448.244	40.95
Yes	291.7248	8.25	1739.968	49.19
No	1797.032	50.81	3537	100.00

14/15 - F - Problematic alcohol use				
hfalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	54.14241	1.53	54.14241	1.53
-9	1396.023	39.47	1450.165	41.00
Yes	299.7291	8.47	1749.894	49.47
No	1787.106	50.53	3537	100.00