

The FREQ Procedure

16/17 - P1 - CASI A2.1 - SC allowed alcohol at home				
ihb16c15	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	134.1823	4.34	134.1823	4.34
-3	4.496965	0.15	138.6793	4.49
Yes	842.5608	27.28	981.2401	31.77
No	2107.76	68.23	3089	100.00

16/17 - P1 - CASI A2.2 - Frequency SC drink alcohol at home				
ihb16c15a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2246.439	72.72	2246.439	72.72
Never	98.88628	3.20	2345.325	75.93
Not in the last year	78.70532	2.55	2424.031	78.47
Monthly or less	585.8141	18.96	3009.845	97.44
2 to 3 times a month	60.83661	1.97	3070.681	99.41
Once a week	15.51279	0.50	3086.194	99.91
2 to 3 times a week	2.805718	0.09	3089	100.00

16/17 - P1 - CASI A2.3 - Age SC first allowed alcohol at home				
ihb16c15b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12.37794	0.40	12.37794	0.40
-9	2246.439	72.72	2258.817	73.12
-3	4.627187	0.15	2263.444	73.27
2	0.703018	0.02	2264.147	73.30
8	0.565331	0.02	2264.713	73.32
12	2.730987	0.09	2267.444	73.40
13	6.403579	0.21	2273.847	73.61
14	16.8594	0.55	2290.707	74.16
15	112.552	3.64	2403.259	77.80
16	475.3509	15.39	2878.61	93.19
17	210.3905	6.81	3089	100.00

The FREQ Procedure

16/17 - P1 - CASI A2.4 - SC allowed to take alcohol to parties/social events				
ihb16c15c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	137.3682	4.45	137.3682	4.45
-3	6.342287	0.21	143.7105	4.65
-2	71.8481	2.33	215.5586	6.98
Yes	551.3863	17.85	766.9448	24.83
No	2322.055	75.17	3089	100.00

16/17 - P1 - CASI A2.5 - Age SC first allowed alcohol at parties/social events				
ihb16c15d	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2.798032	0.09	2.798032	0.09
-9	2537.614	82.15	2540.412	82.24
6	1.333303	0.04	2541.745	82.28
8	0.385116	0.01	2542.13	82.30
11	1.668951	0.05	2543.799	82.35
14	0.821128	0.03	2544.62	82.38
15	28.73234	0.93	2573.353	83.31
16	324.9159	10.52	2898.269	93.83
17	189.4626	6.13	3087.731	99.96
18	1.268853	0.04	3089	100.00

16/17 - P1 - P1 CASI E5.2 - Days per week exercise				
ihb14a2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	134.1823	4.34	134.1823	4.34
-3	6.743762	0.22	140.9261	4.56
0	675.7911	21.88	816.7172	26.44
1	535.0524	17.32	1351.77	43.76
2	464.6756	15.04	1816.445	58.80
3	504.8298	16.34	2321.275	75.15
4	269.0172	8.71	2590.292	83.86
5	292.7875	9.48	2883.08	93.33
6	99.28182	3.21	2982.362	96.55
7	106.6384	3.45	3089	100.00

The FREQ Procedure

16/17 - P1 CAI D14.1+W2-6 - Had dental problems				
ihb23c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.70946	1.77	54.70946	1.77
Yes	2469.836	79.96	2524.546	81.73
No	564.4544	18.27	3089	100.00

16/17 - P1 CAI D14.1.1+W2-6 - Had cavities or dental decay				
ihb23c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.70946	1.77	54.70946	1.77
No	1298.906	42.05	1353.615	43.82
Yes	1735.385	56.18	3089	100.00

16/17 - P1 CAI D14.1.2+W2-6 - Had accident causing tooth damage				
ihb23c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.70946	1.77	54.70946	1.77
No	2504.614	81.08	2559.324	82.85
Yes	529.6761	17.15	3089	100.00

16/17 - P1 CAI D14.1.3/4+W5-6 - Had braces or other dental problems				
ihb23c5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	59.07823	1.91	59.07823	1.91
No	1956.238	63.33	2015.316	65.24
Yes	1073.684	34.76	3089	100.00

16/17 - P1 CAI D14.2.1+W2-6 - Had teeth filled due to decay				
ihb23c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.70946	1.77	54.70946	1.77
No	1396.208	45.20	1450.917	46.97
Yes	1638.083	53.03	3089	100.00

The FREQ Procedure

16/17 - P1 CAI D14.2.2+W2-6 - Had teeth pulled due to decay				
ihb23c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.70946	1.77	54.70946	1.77
No	2620.643	84.84	2675.353	86.61
Yes	413.6473	13.39	3089	100.00

16/17 - P1 CAI D14.2.3+W5-6 - No treatment as a result of cavities or dental decay				
ihb23c7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	74.76372	2.42	74.76372	2.42
No	2920.686	94.55	2995.449	96.97
Yes	93.55057	3.03	3089	100.00

16/17 - P1 CAI D14.1.1 - Last 2 yrs - cavities or dental decay				
ihb23d1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	75.28497	2.44	75.28497	2.44
No	2575.17	83.37	2650.455	85.80
Yes	438.5453	14.20	3089	100.00

16/17 - P1 CAI D14.1.2 - Last 2 yrs - accidental tooth damage				
ihb23d4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	75.28497	2.44	75.28497	2.44
No	2956.746	95.72	3032.031	98.16
Yes	56.96857	1.84	3089	100.00

16/17 - P1 CAI D14.1.3 - Last 2 yrs - Braces				
ihb23d5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	75.28497	2.44	75.28497	2.44
No	2400.838	77.72	2476.123	80.16
Yes	612.8769	19.84	3089	100.00

The FREQ Procedure

16/17 - P1 CAI D14.1.4 - Last 2 yrs - Other dental problems
(e.g. oral surgery)

ihb23d5b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	75.28497	2.44	75.28497	2.44
No	2812.294	91.04	2887.579	93.48
Yes	201.4213	6.52	3089	100.00

16/17 - P1 CAI D14.1.5 - Last 2 yrs - No problems with teeth

ihb23d6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	75.28497	2.44	75.28497	2.44
No	1204.505	38.99	1279.79	41.43
Yes	1809.21	58.57	3089	100.00

16/17 - P1 CAI D14.1.6 - Last 2 yrs - Don't know had any
problems with teeth

ihb23d8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	75.28497	2.44	75.28497	2.44
No	2966.216	96.03	3041.501	98.46
Yes	47.49924	1.54	3089	100.00

16/17 - P1 CAI D14.2.1 - Last 2 yrs - teeth filled due to decay

ihb23d2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	75.28497	2.44	75.28497	2.44
-2	47.49924	1.54	122.7842	3.97
No	2576.603	83.41	2699.388	87.39
Yes	389.6125	12.61	3089	100.00

16/17 - P1 CAI D14.2.2 - Last 2 yrs - teeth pulled due to
decay

ihb23d3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	75.28497	2.44	75.28497	2.44
-2	47.49924	1.54	122.7842	3.97
No	2928.662	94.81	3051.447	98.78
Yes	37.55343	1.22	3089	100.00

The FREQ Procedure

16/17 - P1 CAI D14.2.3 - Last 2 yrs - No treatment - result of dental decay				
ihb23d7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	75.28497	2.44	75.28497	2.44
-2	47.49924	1.54	122.7842	3.97
No	2929.476	94.84	3052.26	98.81
Yes	36.73954	1.19	3089	100.00

16/17 - SC CAI C3.1 - Time you thought you should get medical care, but didn't				
ihb32c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	147.3521	4.77	147.3521	4.77
-2	53.80493	1.74	201.1571	6.51
Yes	405.6904	13.13	606.8474	19.65
No	2482.153	80.35	3089	100.00

16/17 - SC CAI C3.2.1 - Reasons no medical care - Didn't know who to go and see				
ihb32c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2683.31	86.87	2683.31	86.87
No	379.8001	12.30	3063.11	99.16
Yes	25.89025	0.84	3089	100.00

16/17 - SC CAI C3.2.2 - Reasons not seek medical care - Had no transportation				
ihb32c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2683.31	86.87	2683.31	86.87
No	397.0736	12.85	3080.383	99.72
Yes	8.616763	0.28	3089	100.00

16/17 - SC CAI C3.2.3 - Reasons no medical care - No one available to go with				
ihb32c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2683.31	86.87	2683.31	86.87
No	393.0235	12.72	3076.333	99.59
Yes	12.66687	0.41	3089	100.00

The FREQ Procedure

16/17 - SC CAI C3.2.4 - Reasons no medical care - Parent/guardian would not go				
ihb32c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2683.31	86.87	2683.31	86.87
No	391.3947	12.67	3074.704	99.54
Yes	14.29562	0.46	3089	100.00

16/17 - SC CAI C3.2.5 - Reasons no medical care - Didn't want parents to know				
ihb32c5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2683.31	86.87	2683.31	86.87
No	387.2828	12.54	3070.592	99.40
Yes	18.40761	0.60	3089	100.00

16/17 - SC CAI C3.2.6 - Reasons no medical care - Difficult to make appointment				
ihb32c6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2683.31	86.87	2683.31	86.87
No	383.4582	12.41	3066.768	99.28
Yes	22.23212	0.72	3089	100.00

16/17 - SC CAI C3.2.7 - Reasons no medical care - Afraid what doctors would do				
ihb32c7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2683.31	86.87	2683.31	86.87
No	369.4168	11.96	3052.726	98.83
Yes	36.27353	1.17	3089	100.00

16/17 - SC CAI C3.2.8 - Reasons no medical care - Thought problem would go away				
ihb32c8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2683.31	86.87	2683.31	86.87
No	201.1065	6.51	2884.416	93.38
Yes	204.5838	6.62	3089	100.00

The FREQ Procedure

16/17 - SC CAI C3.2.9 - Reasons not seek medical care - Couldn't pay				
ihb32c9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2683.31	86.87	2683.31	86.87
No	390.4151	12.64	3073.725	99.51
Yes	15.27523	0.49	3089	100.00

16/17 - SC CAI C3.2.10 - Reasons not seek medical care - The problem went away				
ihb32c10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2683.31	86.87	2683.31	86.87
No	355.7096	11.52	3039.019	98.38
Yes	49.98076	1.62	3089	100.00

16/17 - SC CAI C3.2.11 - Reasons not seek medical care - Too embarrassed				
ihb32c11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2683.31	86.87	2683.31	86.87
No	387.6448	12.55	3070.954	99.42
Yes	18.04559	0.58	3089	100.00

16/17 - SC CAI C3.2.12 - Reasons not seek medical care - Other				
ihb32c12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2683.31	86.87	2683.31	86.87
No	321.7026	10.41	3005.012	97.28
Yes	83.98779	2.72	3089	100.00

16/17 - SC CAI C4.1 - Have tooth pain				
ihb23e1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	147.3521	4.77	147.3521	4.77
Never	2041.981	66.10	2189.333	70.88
Almost never	481.4669	15.59	2670.8	86.46
Sometimes	318.8967	10.32	2989.697	96.79
Often	84.04481	2.72	3073.742	99.51
Almost always	15.25817	0.49	3089	100.00

The FREQ Procedure

16/17 - SC CAI C4.2 - Have tooth pain when I eat/drink something hot/cold/sweet				
ihb23e2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	147.3521	4.77	147.3521	4.77
Never	1684.447	54.53	1831.799	59.30
Almost never	574.0027	18.58	2405.801	77.88
Sometimes	508.8414	16.47	2914.643	94.36
Often	126.5466	4.10	3041.189	98.45
Almost always	47.81055	1.55	3089	100.00

16/17 - SC CAI C4.3 - Have teeth that are dark in colour				
ihb23e3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	147.3521	4.77	147.3521	4.77
Never	2592.368	83.92	2739.72	88.69
Almost never	226.1002	7.32	2965.82	96.01
Sometimes	91.55039	2.96	3057.37	98.98
Often	16.1544	0.52	3073.525	99.50
Almost always	15.47531	0.50	3089	100.00

16/17 - SC CAI C4.4 - Have gum pain				
ihb23e4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	147.3521	4.77	147.3521	4.77
Never	2443.733	79.11	2591.085	83.88
Almost never	292.4065	9.47	2883.491	93.35
Sometimes	185.2137	6.00	3068.705	99.34
Often	17.89809	0.58	3086.603	99.92
Almost always	2.39698	0.08	3089	100.00

16/17 - SC CAI C4.5 - Have blood on my toothbrush after brushing my teeth				
ihb23e5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	147.3521	4.77	147.3521	4.77
Never	1634.248	52.91	1781.6	57.68
Almost never	641.5873	20.77	2423.187	78.45
Sometimes	528.809	17.12	2951.996	95.56

The FREQ Procedure

16/17 - SC CAI C4.5 - Have blood on my toothbrush after brushing my teeth				
ihb23e5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Often	99.79079	3.23	3051.787	98.80
Almost always	37.21298	1.20	3089	100.00

16/17 - Oral Health				
ioral	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	147.3521	4.77	147.3521	4.77
44	4.373452	0.14	151.7256	4.91
48	2.051359	0.07	153.777	4.98
52	9.161812	0.30	162.9388	5.27
56	9.381654	0.30	172.3204	5.58
60	22.49192	0.73	194.8123	6.31
64	35.78136	1.16	230.5937	7.46
68	36.67482	1.19	267.2685	8.65
72	83.63115	2.71	350.8997	11.36
76	170.5173	5.52	521.4169	16.88
80	159.5568	5.17	680.9738	22.05
84	250.0499	8.09	931.0237	30.14
88	346.3248	11.21	1277.348	41.35
92	482.6976	15.63	1760.046	56.98
96	435.8449	14.11	2195.891	71.09
100	893.109	28.91	3089	100.00

16/17 - SC CAI C4.6 - How often teeth cleaned per day				
ihb23b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	147.3521	4.77	147.3521	4.77
Not at all	117.0339	3.79	264.3861	8.56
Once	896.4119	29.02	1160.798	37.58
Twice	1835.201	59.41	2995.999	96.99
More than twice	93.00083	3.01	3089	100.00

The FREQ Procedure

16/17 - SC CAI C4.7 - Last see a dentist				
ihb33c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	147.3521	4.77	147.3521	4.77
Less than 1 year ago	2010.489	65.09	2157.842	69.86
1-2 years ago	544.6158	17.63	2702.457	87.49
More than 2 years ago	309.7084	10.03	3012.166	97.51
Never	24.79407	0.80	3036.96	98.32
Unsure	52.04023	1.68	3089	100.00

16/17 - SC - SC CAI C5.1 - No. serves of fruit/day				
ihb13c2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	147.9331	4.79	147.9331	4.79
0	447.5709	14.49	595.504	19.28
1	993.3543	32.16	1588.858	51.44
2	867.1905	28.07	2456.049	79.51
3	406.9102	13.17	2862.959	92.68
4	125.6986	4.07	2988.658	96.75
5	65.71282	2.13	3054.37	98.88
6	13.69833	0.44	3068.069	99.32
7	6.540922	0.21	3074.61	99.53
8	7.616015	0.25	3082.226	99.78
9	0.616636	0.02	3082.842	99.80
10	4.041377	0.13	3086.884	99.93
12	1.357236	0.04	3088.241	99.98
20	0.759035	0.02	3089	100.00

16/17 - SC - SC CAI C5.1 - No. serves of fruit/day (6+)				
ihb13c2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	147.9331	4.79	147.9331	4.79
Less than 1	447.5709	14.49	595.504	19.28
1	993.3543	32.16	1588.858	51.44
2	867.1905	28.07	2456.049	79.51
3	406.9102	13.17	2862.959	92.68
4	125.6986	4.07	2988.658	96.75
5	65.71282	2.13	3054.37	98.88
6 or more	34.62955	1.12	3089	100.00

The FREQ Procedure

16/17 - SC - SC CAI C5.2 - No. serves of vegetables/day				
ihb13c1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	147.9331	4.79	147.9331	4.79
0	144.2647	4.67	292.1978	9.46
1	737.333	23.87	1029.531	33.33
2	828.3916	26.82	1857.922	60.15
3	650.1793	21.05	2508.102	81.19
4	348.15	11.27	2856.252	92.47
5	195.6743	6.33	3051.926	98.80
6	20.4077	0.66	3072.334	99.46
7	6.713014	0.22	3079.047	99.68
8	6.158315	0.20	3085.205	99.88
10	1.401878	0.05	3086.607	99.92
14	0.655706	0.02	3087.263	99.94
15	1.118817	0.04	3088.381	99.98
20	0.618549	0.02	3089	100.00

16/17 - SC - SC CAI C5.2 - No. serves of vegetables/day (6+)				
ihb13c1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	147.9331	4.79	147.9331	4.79
Less than 1	144.2647	4.67	292.1978	9.46
1	737.333	23.87	1029.531	33.33
2	828.3916	26.82	1857.922	60.15
3	650.1793	21.05	2508.102	81.19
4	348.15	11.27	2856.252	92.47
5	195.6743	6.33	3051.926	98.80
6 or more	37.07398	1.20	3089	100.00

16/17 - SC - SC CAI C5.3 - Days per week exercise				
ihb14c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	130.4737	4.22	130.4737	4.22
0	481.5586	15.59	612.0322	19.81
1	287.7813	9.32	899.8136	29.13
2	422.0748	13.66	1321.888	42.79
3	486.9243	15.76	1808.813	58.56
4	371.1066	12.01	2179.919	70.57

The FREQ Procedure

16/17 - SC - SC CAI C5.3 - Days per week exercise				
ihb14c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5	365.6425	11.84	2545.562	82.41
6	143.2499	4.64	2688.812	87.04
7	400.1883	12.96	3089	100.00

16/17 - SC - SC CAI C5.4 - Days per week exercise				
ihb14c2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	130.4737	4.22	130.4737	4.22
0	888.4766	28.76	1018.95	32.99
1	413.8366	13.40	1432.787	46.38
2	436.4097	14.13	1869.197	60.51
3	413.2395	13.38	2282.436	73.89
4	287.1596	9.30	2569.596	83.19
5	223.6924	7.24	2793.288	90.43
6	94.65411	3.06	2887.942	93.49
7	201.0578	6.51	3089	100.00

16/17 - SC CAI C7.1 - Frequency of sun protection - sunscreen				
ihb20c1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	149.9634	4.85	149.9634	4.85
Never	520.6984	16.86	670.6618	21.71
Every day	785.3661	25.42	1456.028	47.14
Most days	783.7584	25.37	2239.786	72.51
Some days	636.5626	20.61	2876.349	93.12
Never or hardly ever	212.6511	6.88	3089	100.00

16/17 - SC CAI C7.2 - Frequency of sun protection - shirt with sleeves				
ihb20c1c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	149.9634	4.85	149.9634	4.85
Never	93.09508	3.01	243.0585	7.87
Every day	289.4127	9.37	532.4712	17.24
Most days	583.8616	18.90	1116.333	36.14
Some days	1046.452	33.88	2162.785	70.02
Never or hardly ever	926.2149	29.98	3089	100.00

The FREQ Procedure

16/17 - SC CAI C7.3 - Frequency of sun protection - hat				
ihb20c1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	149.9634	4.85	149.9634	4.85
Never	642.6383	20.80	792.6017	25.66
Every day	755.9109	24.47	1548.513	50.13
Most days	686.8719	22.24	2235.384	72.37
Some days	575.293	18.62	2810.677	90.99
Never or hardly ever	278.3226	9.01	3089	100.00

16/17 - SC CAI C7.4 - Frequency of sun protection - sunglasses				
ihb20c1d	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	149.9634	4.85	149.9634	4.85
Never	718.811	23.27	868.7744	28.12
Every day	630.0448	20.40	1498.819	48.52
Most days	669.8591	21.69	2168.678	70.21
Some days	625.9074	20.26	2794.586	90.47
Never or hardly ever	294.4144	9.53	3089	100.00

16/17 - SC CAI C7.5 - Frequency of sun protection - seek shade				
ihb20c1e	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	149.9634	4.85	149.9634	4.85
Never	82.16545	2.66	232.1288	7.51
Every day	347.8652	11.26	579.994	18.78
Most days	1215.113	39.34	1795.107	58.11
Some days	1091.364	35.33	2886.471	93.44
Never or hardly ever	202.529	6.56	3089	100.00

16/17 - SC CAI C7.6 - Freq- Red/painful sunburn that lasted for more than a day				
ihb20c1f	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	149.9634	4.85	149.9634	4.85
Not at all	1088.805	35.25	1238.768	40.10
Once	849.6571	27.51	2088.425	67.61
Twice	535.7685	17.34	2624.194	84.95
Three times	247.9708	8.03	2872.165	92.98

The FREQ Procedure

16/17 - SC CAI C7.6 - Freq- Red/painful sunburn that lasted for more than a day				
ihb20c1f	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Four times	102.7574	3.33	2974.922	96.31
Five or more times	114.0778	3.69	3089	100.00

16/17 - SC CAI C7.7 - Colour of untanned skin				
ihb20c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	149.9634	4.85	149.9634	4.85
Very fair	352.5064	11.41	502.4697	16.27
Fair	1373.925	44.48	1876.395	60.74
Olive	854.8985	27.68	2731.293	88.42
Light brown	315.806	10.22	3047.099	98.64
Dark brown	39.91432	1.29	3087.014	99.94
Very dark	1.986274	0.06	3089	100.00

16/17 - SC - SC CASI A15.1 - Eat breakfast				
ihb22c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	0.645858	0.02	160.9608	5.21
Yes	2209.828	71.54	2370.789	76.75
No	718.2109	23.25	3089	100.00

16/17 - SC - SC CASI A15.2.1 - SC had fresh fruit				
ihb21c1a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	656.5752	21.26	821.856	26.61
Once	1076.013	34.83	1897.869	61.44
Twice	770.7347	24.95	2668.604	86.39
More than twice	420.396	13.61	3089	100.00

The FREQ Procedure

16/17 - SC - SC CASI A15.2.1 - SC had fresh fruit				
ihb21c1a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	656.5752	21.26	821.856	26.61
Once	1076.013	34.83	1897.869	61.44
Twice or more	1191.131	38.56	3089	100.00

16/17 - SC - SC CASI A15.2.2 - SC had fruit juice				
ihb21c2a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	1522.244	49.28	1687.525	54.63
Once	906.1456	29.33	2593.671	83.96
Twice	331.0857	10.72	2924.756	94.68
More than twice	164.2437	5.32	3089	100.00

16/17 - SC - SC CASI A15.2.2 - SC had fruit juice				
ihb21c2a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	1522.244	49.28	1687.525	54.63
Once	906.1456	29.33	2593.671	83.96
Twice or more	495.3294	16.04	3089	100.00

16/17 - SC - SC CASI A15.2.3 - SC had cooked vegetables				
ihb21c1b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	601.5952	19.48	766.876	24.83
Once	1212.832	39.26	1979.708	64.09
Twice	688.7089	22.30	2668.417	86.38
More than twice	420.5828	13.62	3089	100.00

The FREQ Procedure

16/17 - SC - SC CASI A15.2.3 - SC had cooked vegetables				
ihb21c1b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	601.5952	19.48	766.876	24.83
Once	1212.832	39.26	1979.708	64.09
Twice or more	1109.292	35.91	3089	100.00

16/17 - SC - SC CASI A15.2.4 - SC had raw vegetables				
ihb21c1c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	1168.797	37.84	1334.078	43.19
Once	1112.024	36.00	2446.102	79.19
Twice	415.1991	13.44	2861.301	92.63
More than twice	227.699	7.37	3089	100.00

16/17 - SC - SC CASI A15.2.4 - SC had raw vegetables				
ihb21c1c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	1168.797	37.84	1334.078	43.19
Once	1112.024	36.00	2446.102	79.19
Twice or more	642.8981	20.81	3089	100.00

16/17 - SC - SC CASI A15.2.5 - SC had pie, hamburger, sausage roll				
ihb21c3a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	1839.773	59.56	2005.054	64.91
Once	837.6563	27.12	2842.711	92.03
Twice	173.9704	5.63	3016.681	97.66
More than twice	72.31899	2.34	3089	100.00

The FREQ Procedure

16/17 - SC - SC CASI A15.2.5 - SC had pie, hamburger, sausage roll				
ihb21c3a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	1839.773	59.56	2005.054	64.91
Once	837.6563	27.12	2842.711	92.03
Twice or more	246.2894	7.97	3089	100.00

16/17 - SC - SC CASI A15.2.6 - SC had hot chips or french fries				
ihb21c3b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	1931.898	62.54	2097.179	67.89
Once	806.7994	26.12	2903.979	94.01
Twice	134.237	4.35	3038.216	98.36
More than twice	50.78439	1.64	3089	100.00

16/17 - SC - SC CASI A15.2.6 - SC had hot chips or french fries				
ihb21c3b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	1931.898	62.54	2097.179	67.89
Once	806.7994	26.12	2903.979	94.01
Twice or more	185.0214	5.99	3089	100.00

16/17 - SC - SC CASI A15.2.7 - SC had potato chips or savoury snacks				
ihb21c3c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	1722.667	55.77	1887.948	61.12
Once	973.3734	31.51	2861.321	92.63
Twice	172.2766	5.58	3033.598	98.21
More than twice	55.40238	1.79	3089	100.00

The FREQ Procedure

16/17 - SC - SC CASI A15.2.7 - SC had potato chips or savoury snacks				
ihb21c3c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	1722.667	55.77	1887.948	61.12
Once	973.3734	31.51	2861.321	92.63
Twice or more	227.679	7.37	3089	100.00

16/17 - SC - SC CASI A15.2.8 - SC had biscuits, donuts, cake or chocolate				
ihb21c3d1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	1357.41	43.94	1522.691	49.29
Once	1220.709	39.52	2743.401	88.81
Twice	268.3765	8.69	3011.777	97.50
More than twice	77.22296	2.50	3089	100.00

16/17 - SC - SC CASI A15.2.8 - SC had biscuits, donuts, cake or chocolate				
ihb21c3d2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	1357.41	43.94	1522.691	49.29
Once	1220.709	39.52	2743.401	88.81
Twice or more	345.5994	11.19	3089	100.00

16/17 - SC - SC CASI A15.2.9 - SC bread or Toast				
ihb21c8a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	753.1431	24.38	918.4239	29.73
Once	1421.389	46.01	2339.813	75.75
Twice	590.3717	19.11	2930.185	94.86
More than twice	158.8153	5.14	3089	100.00

The FREQ Procedure

16/17 - SC - SC CASI A15.2.9 - SC bread or Toast				
ihb21c8a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	753.1431	24.38	918.4239	29.73
Once	1421.389	46.01	2339.813	75.75
Twice or more	749.187	24.25	3089	100.00

16/17 - SC - SC CASI A15.2.10 - SC had full cream milk products				
ihb21c3e1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	5.463948	0.18	165.7788	5.37
Not at all	882.8512	28.58	1048.63	33.95
Once	1201.081	38.88	2249.711	72.83
Twice	534.4168	17.30	2784.128	90.13
More than twice	304.8721	9.87	3089	100.00

16/17 - SC - SC CASI A15.2.10 - SC had full cream milk products				
ihb21c3e2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	5.463948	0.18	165.7788	5.37
Not at all	882.8512	28.58	1048.63	33.95
Once	1201.081	38.88	2249.711	72.83
Twice or more	839.2889	27.17	3089	100.00

16/17 - SC - SC CASI A15.2.11 - SC had skim/low/no fat milk or milk products				
ihb21c4a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	5.463948	0.18	165.7788	5.37
Not at all	1678.656	54.34	1844.435	59.71
Once	768.9258	24.89	2613.361	84.60
Twice	324.3581	10.50	2937.719	95.10
More than twice	151.2813	4.90	3089	100.00

The FREQ Procedure

16/17 - SC - SC CASI A15.2.11 - SC had skim/low/no fat milk or milk products				
ihb21c4a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	5.463948	0.18	165.7788	5.37
Not at all	1678.656	54.34	1844.435	59.71
Once	768.9258	24.89	2613.361	84.60
Twice or more	475.6394	15.40	3089	100.00

16/17 - SC - SC CASI A15.2.12 - SC had water				
ihb21c5a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	67.25137	2.18	232.5322	7.53
Once	280.3732	9.08	512.9054	16.60
Twice	349.2945	11.31	862.1999	27.91
More than twice	2226.8	72.09	3089	100.00

16/17 - SC - SC CASI A15.2.12 - SC had water				
ihb21c5a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	67.25137	2.18	232.5322	7.53
Once	280.3732	9.08	512.9054	16.60
Twice or more	2576.095	83.40	3089	100.00

16/17 - SC - SC CASI A15.2.13 - SC had soft drink/cordial				
ihb21c2b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	1641.085	53.13	1806.366	58.48
Once	886.695	28.70	2693.061	87.18
Twice	292.1615	9.46	2985.222	96.64
More than twice	103.7777	3.36	3089	100.00

The FREQ Procedure

16/17 - SC - SC CASI A15.2.13 - SC had soft drink/cordial				
ihb21c2b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	1641.085	53.13	1806.366	58.48
Once	886.695	28.70	2693.061	87.18
Twice or more	395.9392	12.82	3089	100.00

16/17 - SC - SC CASI A15.2.14 - SC had diet or sugar free soft drink or cordial				
ihb21c6a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	2446.451	79.20	2611.732	84.55
Once	342.1447	11.08	2953.877	95.63
Twice	92.05934	2.98	3045.936	98.61
More than twice	43.06371	1.39	3089	100.00

16/17 - SC - SC CASI A15.2.14 - SC had diet or sugar free soft drink or cordial				
ihb21c6a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	2446.451	79.20	2611.732	84.55
Once	342.1447	11.08	2953.877	95.63
Twice or more	135.1231	4.37	3089	100.00

16/17 - SC - SC CASI A15.2.15 - SC had energy drinks (e.g. Redbull, Mother or V)				
ihb21c7a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	2617.62	84.74	2782.901	90.09
Once	218.8291	7.08	3001.73	97.17
Twice	57.81892	1.87	3059.549	99.05
More than twice	29.45131	0.95	3089	100.00

The FREQ Procedure

16/17 - SC - SC CASI A15.2.15 - SC had energy drinks (e.g. Redbull, Mother or V)				
ihb21c7a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	2617.62	84.74	2782.901	90.09
Once	218.8291	7.08	3001.73	97.17
Twice or more	87.27023	2.83	3089	100.00

16/17 - SC - SC CASI A15.2.16 - SC had coffee				
ihb21c7b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	2087.09	67.57	2252.371	72.92
Once	559.0549	18.10	2811.426	91.01
Twice	193.9404	6.28	3005.366	97.29
More than twice	83.63362	2.71	3089	100.00

16/17 - SC - SC CASI A15.2.16 - SC had coffee				
ihb21c7b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
Not at all	2087.09	67.57	2252.371	72.92
Once	559.0549	18.10	2811.426	91.01
Twice or more	277.574	8.99	3089	100.00

16/17 - SC - Frequency ate fruit and vegetables (v2)				
icfandvb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
0	220.8382	7.15	386.119	12.50
1	331.4058	10.73	717.5248	23.23
2	461.7089	14.95	1179.234	38.18
3	564.6233	18.28	1743.857	56.45
4	422.8079	13.69	2166.665	70.14
5	360.9218	11.68	2527.587	81.83

The FREQ Procedure

16/17 - SC - Frequency ate fruit and vegetables (v2)				
icfandvb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6	271.7749	8.80	2799.362	90.62
7	129.2137	4.18	2928.575	94.81
8	67.31361	2.18	2995.889	96.99
9	93.11109	3.01	3089	100.00

16/17 - SC - Frequency ate high fat food (v2)				
ichfatb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
0	516.6429	16.73	681.9237	22.08
1	778.0251	25.19	1459.949	47.26
2	740.2316	23.96	2200.18	71.23
3	397.3296	12.86	2597.51	84.09
4	249.8914	8.09	2847.401	92.18
5	82.04743	2.66	2929.449	94.83
6	45.61524	1.48	2975.064	96.31
7	39.18373	1.27	3014.248	97.58
8	30.98287	1.00	3045.231	98.58
9	20.01092	0.65	3065.242	99.23
10	8.547519	0.28	3073.789	99.51
11	0.778206	0.03	3074.567	99.53
12	14.43266	0.47	3089	100.00

The FREQ Procedure

16/17 - SC - Frequency ate high fat food (inc. whole milk) (v2)				
ichfwmb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.8129	5.21	160.8129	5.21
-3	4.965909	0.16	165.7788	5.37
0	196.1706	6.35	361.9495	11.72
1	440.8819	14.27	802.8314	25.99
2	651.1423	21.08	1453.974	47.07
3	610.6466	19.77	2064.62	66.84
4	398.4767	12.90	2463.097	79.74
5	292.4813	9.47	2755.578	89.21
6	128.6982	4.17	2884.277	93.37
7	60.84596	1.97	2945.123	95.34
8	27.15098	0.88	2972.273	96.22
9	39.18681	1.27	3011.46	97.49
10	36.90724	1.19	3048.368	98.68
11	10.66961	0.35	3059.037	99.03
12	14.05491	0.45	3073.092	99.49
13	2.056053	0.07	3075.148	99.55
14	2.043244	0.07	3077.191	99.62
15	11.80865	0.38	3089	100.00

16/17 - SC - Frequency drank high sugar drinks (v2)				
ichsdrnkb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
0	990.9236	32.08	1156.204	37.43
1	810.7532	26.25	1966.958	63.68
2	593.0008	19.20	2559.958	82.87
3	339.3182	10.98	2899.277	93.86
4	130.5865	4.23	3029.863	98.09
5	48.47718	1.57	3078.34	99.65
6	10.65961	0.35	3089	100.00

The FREQ Procedure

16/17 - SC - Frequency ate fruit and vegetables				
icfandv	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
0	220.8382	7.15	386.119	12.50
1	331.4058	10.73	717.5248	23.23
2	490.2936	15.87	1207.818	39.10
3	602.8363	19.52	1810.655	58.62
4	556.4699	18.01	2367.125	76.63
5	390.1234	12.63	2757.248	89.26
6	331.7519	10.74	3089	100.00

16/17 - SC - Frequency ate high fat food (v1)				
ichfat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
0	516.6429	16.73	681.9237	22.08
1	778.0251	25.19	1459.949	47.26
2	760.6026	24.62	2220.551	71.89
3	398.2852	12.89	2618.837	84.78
4	265.8127	8.61	2884.649	93.38
5	68.4544	2.22	2953.104	95.60
6	52.07346	1.69	3005.177	97.29
7	34.91453	1.13	3040.092	98.42
8	48.90825	1.58	3089	100.00

The FREQ Procedure

16/17 - SC - Frequency ate high fat food (inc. whole milk) (v1)				
ichfwm	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.8129	5.21	160.8129	5.21
-3	4.965909	0.16	165.7788	5.37
0	196.1706	6.35	361.9495	11.72
1	440.8819	14.27	802.8314	25.99
2	704.2627	22.80	1507.094	48.79
3	635.5233	20.57	2142.617	69.36
4	405.9787	13.14	2548.596	82.51
5	276.7834	8.96	2825.379	91.47
6	105.5611	3.42	2930.941	94.88
7	49.7385	1.61	2980.679	96.49
8	34.75015	1.12	3015.429	97.62
9	32.67443	1.06	3048.104	98.68
10	40.8964	1.32	3089	100.00

16/17 - SC - Frequency drank high sugar drinks (v1)				
ichsdrnk	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.3149	5.19	160.3149	5.19
-3	4.965909	0.16	165.2808	5.35
0	990.9236	32.08	1156.204	37.43
1	810.7532	26.25	1966.958	63.68
2	718.5899	23.26	2685.547	86.94
3	286.3652	9.27	2971.913	96.21
4	117.0873	3.79	3089	100.00

16/17 - SC CASI A15.3.1 - Leave food at meal times - to avoid putting on weight				
ihb30a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.9523	5.21	160.9523	5.21
-3	10.01064	0.32	170.9629	5.53
Seldom/never	2213.207	71.65	2384.17	77.18
Sometimes	519.9903	16.83	2904.16	94.02
Often	139.6478	4.52	3043.808	98.54
Almost always/always	45.19195	1.46	3089	100.00

The FREQ Procedure

16/17 - SC CASI A15.3.2 - Ate too much - less than usual on the next day				
ihb30a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.9523	5.21	160.9523	5.21
-3	10.59214	0.34	171.5444	5.55
Seldom/never	1812.532	58.68	1984.076	64.23
Sometimes	790.7799	25.60	2774.856	89.83
Often	225.0692	7.29	2999.925	97.12
Almost always/always	89.07477	2.88	3089	100.00

16/17 - SC CASI A15.3.3 - Take small helpings - to keep weight under control				
ihb30a3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.9523	5.21	160.9523	5.21
-3	10.59214	0.34	171.5444	5.55
Seldom/never	2053.348	66.47	2224.893	72.03
Sometimes	592.7231	19.19	2817.616	91.21
Often	204.3281	6.61	3021.944	97.83
Almost always/always	67.05597	2.17	3089	100.00

16/17 - SC CASI A15.3.4 - Skip meals other than breakfast				
ihb30a4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.9523	5.21	160.9523	5.21
-3	10.59214	0.34	171.5444	5.55
Seldom/never	2396.141	77.57	2567.685	83.12
Sometimes	351.7189	11.39	2919.404	94.51
Often	103.8174	3.36	3023.221	97.87
Almost always/always	65.77873	2.13	3089	100.00

16/17 - SC CASI A15.4 - How would you feel if you gained one to two kilograms				
ihb30b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.9523	5.21	160.9523	5.21
-3	12.29115	0.40	173.2434	5.61
It would please me	417.9662	13.53	591.2096	19.14
It wouldn't bother me	1024.062	33.15	1615.272	52.29
I'd be a little concerned	750.2119	24.29	2365.484	76.58

The FREQ Procedure

16/17 - SC CASI A15.4 - How would you feel if you gained one to two kilograms				
ihb30b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
It would worry me	439.2069	14.22	2804.691	90.80
It would really upset me	284.3092	9.20	3089	100.00

16/17 - SC CASI A15.5 - Last 4 weeks - Been afraid of gaining weight				
ihb30b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.9523	5.21	160.9523	5.21
-3	8.438571	0.27	169.3909	5.48
Yes	1170.565	37.89	1339.956	43.38
No	1749.044	56.62	3089	100.00

16/17 - SC CASI A15.6 - Last 4 weeks - Frequency feel afraid of gaining weight				
ihb30b3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1918.435	62.11	1918.435	62.11
Less than one day a week	339.3549	10.99	2257.79	73.09
One day a week	234.454	7.59	2492.244	80.68
Two or three days a week	279.6026	9.05	2771.847	89.73
Four or five days a week	146.5451	4.74	2918.392	94.48
Six or seven days a week	170.6084	5.52	3089	100.00

16/17 - SC CASI A15.7 - How concerned were you that you might gain weight				
ihb30b4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1918.435	62.11	1918.435	62.11
Only a little	327.5904	10.61	2246.026	72.71
Moderately	417.565	13.52	2663.591	86.23
Very	253.5906	8.21	2917.181	94.44
Extremely	171.8188	5.56	3089	100.00

The FREQ Procedure

16/17 - SC CASI A15.8 - Importance of weight in how you feel				
ihb30b5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.9523	5.21	160.9523	5.21
-3	4.871733	0.16	165.824	5.37
Not important	532.0637	17.22	697.8877	22.59
A bit important	945.6766	30.61	1643.564	53.21
Moderately important	914.0452	29.59	2557.609	82.80
Very important	531.3905	17.20	3089	100.00

16/17 - SC CASI A15.9 - How do you feel about your weight at the moment				
ihb30b6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.9523	5.21	160.9523	5.21
-3	8.655037	0.28	169.6073	5.49
Very underweight	64.1392	2.08	233.7465	7.57
Somewhat underweight	381.3379	12.35	615.0844	19.91
About the right weight	1559.182	50.48	2174.266	70.39
Somewhat overweight	796.6082	25.79	2970.874	96.18
Very overweight	118.1257	3.82	3089	100.00

16/17 - SC CASI A16.1 - Last 4 weeks - Gone all day without eating				
ihb30b7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.9523	5.21	160.9523	5.21
-3	8.438571	0.27	169.3909	5.48
Yes	264.649	8.57	434.0399	14.05
No	2654.96	85.95	3089	100.00

16/17 - SC CASI A16.2 - Last 4 weeks - Frequency - gone all day without eating				
ihb30b8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2824.351	91.43	2824.351	91.43
Less than one day a week	131.1573	4.25	2955.508	95.68
One day a week	58.41206	1.89	3013.92	97.57
Two or three days a week	59.55102	1.93	3073.471	99.50
Four or five days a week	10.42754	0.34	3083.899	99.83
Six or seven days a week	5.101048	0.17	3089	100.00

The FREQ Procedure

16/17 - SC CASI A16.3 - How long have you been having days without eating				
ihb30b9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2824.351	91.43	2824.351	91.43
Less than 4 weeks	124.4578	4.03	2948.809	95.46
Between 4 weeks and 3 months	33.90135	1.10	2982.71	96.56
Between 3 months and 6 months	18.50756	0.60	3001.218	97.16
Between 6 months and a year	25.95697	0.84	3027.175	98.00
Longer than a year	61.82535	2.00	3089	100.00

16/17 - SC CASI A17.1 - Last 4 weeks - Felt that lost control of eating				
ihb30b10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.9523	5.21	160.9523	5.21
-3	9.94411	0.32	170.8964	5.53
Yes	1042.31	33.74	1213.207	39.28
No	1875.793	60.72	3089	100.00

16/17 - SC CASI A17.2 - How often have you felt like this				
ihb30b11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2046.69	66.26	2046.69	66.26
Less than one day a week	393.8572	12.75	2440.547	79.01
One day a week	260.8878	8.45	2701.435	87.45
Two or three days a week	261.825	8.48	2963.26	95.93
Four or five days a week	88.09806	2.85	3051.358	98.78
Six or seven days a week	37.64206	1.22	3089	100.00

16/17 - SC CASI A17.3 - Duration of feelings - Lost control of eating				
ihb30b12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2046.69	66.26	2046.69	66.26
Less than 4 weeks	412.3422	13.35	2459.032	79.61
Between 4 weeks and 3 months	152.8614	4.95	2611.893	84.55
Between 3 months and 6 months	92.1677	2.98	2704.061	87.54
Between 6 months and a year	127.9457	4.14	2832.007	91.68
Longer than a year	256.9932	8.32	3089	100.00

The FREQ Procedure

16/17 - SC CASI A17.4 - How difficult is it to stop after start eating				
ihb30b13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2046.69	66.26	2046.69	66.26
Fairly easy	551.568	17.86	2598.258	84.11
Fairly difficult	342.9867	11.10	2941.245	95.22
Very difficult	118.5378	3.84	3059.782	99.05
Impossible	29.21765	0.95	3089	100.00

16/17 - SC CASI A17.5 - Amount of food you would eat in less than 2 hours					
ihb30b14	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
-9	2046.69	66.26	2046.69	66.26	
2 pieces of bread and 4 scoops of ice-cream and 2 biscuits	488.5696	15.82	2535.259	82.07	
8 pieces of bread and half a litre of ice-cream and 5 biscuits	138.295	4.48	2673.554	86.55	
12 pieces of bread and 1 litre of ice-cream and 10 biscuits	15.39283	0.50	2688.947	87.05	
1 loaf of bread and 2 litres of ice-cream and 1 packet of biscuits	16.52643	0.54	2705.474	87.58	
Less than any of these amounts	383.5264	12.42	3089	100.00	

16/17 - SC CASI A18.1 - Last 4 weeks - Medicines/drugs for weight control				
ihb30c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.9523	5.21	160.9523	5.21
-3	9.94411	0.32	170.8964	5.53
Yes	75.37945	2.44	246.2758	7.97
No	2842.724	92.03	3089	100.00

16/17 - SC CASI A18.2.1 - Laxatives				
ihb30c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3013.621	97.56	3013.621	97.56
No	63.32942	2.05	3076.95	99.61
Yes	12.05003	0.39	3089	100.00

The FREQ Procedure

16/17 - SC CASI A18.2.2 - Diuretics				
ihb30c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3013.621	97.56	3013.621	97.56
No	71.09297	2.30	3084.714	99.86
Yes	4.286479	0.14	3089	100.00

16/17 - SC CASI A18.2.3 - Appetite suppressants				
ihb30c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3013.621	97.56	3013.621	97.56
No	59.48441	1.93	3073.105	99.49
Yes	15.89504	0.51	3089	100.00

16/17 - SC CASI A18.2.4 - Other drugs				
ihb30c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3013.621	97.56	3013.621	97.56
No	29.52489	0.96	3043.145	98.52
Yes	45.85456	1.48	3089	100.00

16/17 - SC CASI A18.3.1 - How often have you taken ? Laxatives				
ihb30c1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3076.95	99.61	3076.95	99.61
Less than one day a week	10.18362	0.33	3087.134	99.94
One day a week	0.830339	0.03	3087.964	99.97
Two or three days a week	1.036069	0.03	3089	100.00

16/17 - SC CASI A18.3.2 - How often have you taken ? Diuretics				
ihb30c2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3084.714	99.86	3084.714	99.86
Less than one day a week	3.583822	0.12	3088.297	99.98
Four or five days a week	0.702657	0.02	3089	100.00

The FREQ Procedure

16/17 - SC CASI A18.3.3 - How often have you taken ? Appetite suppressants				
ihb30c3a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3073.105	99.49	3073.105	99.49
Less than one day a week	2.938824	0.10	3076.044	99.58
One day a week	5.240327	0.17	3081.284	99.75
Two or three days a week	3.416672	0.11	3084.701	99.86
Four or five days a week	2.121163	0.07	3086.822	99.93
Six or seven days a week	2.178051	0.07	3089	100.00

16/17 - SC CASI A18.3.4 - How often have you taken ? Other drugs				
ihb30c5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3043.145	98.52	3043.145	98.52
Less than one day a week	21.86992	0.71	3065.015	99.22
One day a week	6.949255	0.22	3071.965	99.45
Two or three days a week	4.396236	0.14	3076.361	99.59
Four or five days a week	2.83992	0.09	3079.201	99.68
Six or seven days a week	9.799239	0.32	3089	100.00

16/17 - SC CASI A18.4.1 - How long have you been taking Laxatives?				
ihb30c1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3076.95	99.61	3076.95	99.61
Less than 4 weeks	10.18362	0.33	3087.134	99.94
Between 4 weeks and 3 months	1.036069	0.03	3088.17	99.97
Between 3 months and 6 months	0.830339	0.03	3089	100.00

16/17 - SC CASI A18.4.2 - How long have you been taking Diuretics?				
ihb30c2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3084.714	99.86	3084.714	99.86
Less than 4 weeks	3.583822	0.12	3088.297	99.98
Between 6 months and a year	0.702657	0.02	3089	100.00

The FREQ Procedure

16/17 - SC CASI A18.4.3 - How long have you been taking Appetite suppressants?				
ihb30c3b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3073.105	99.49	3073.105	99.49
Less than 4 weeks	4.600902	0.15	3077.706	99.63
Between 4 weeks and 3 months	10.26506	0.33	3087.971	99.97
Between 3 months and 6 months	0.480235	0.02	3088.451	99.98
Between 6 months and a year	0.548844	0.02	3089	100.00

16/17 - SC CASI A18.4.4 - How long have you been taking Other drugs ?				
ihb30c5b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3043.145	98.52	3043.145	98.52
Less than 4 weeks	30.35085	0.98	3073.496	99.50
Between 4 weeks and 3 months	2.611997	0.08	3076.108	99.58
Between 3 months and 6 months	1.223764	0.04	3077.332	99.62
Between 6 months and a year	2.90627	0.09	3080.238	99.72
Longer than a year	8.761686	0.28	3089	100.00

16/17 - SC CASI A18.5.1 - How many laxatives would you take in a day				
ihb30c1c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3076.95	99.61	3076.95	99.61
One	11.35295	0.37	3088.303	99.98
Between 2 and 5	0.697081	0.02	3089	100.00

16/17 - SC CASI A18.5.2 - How many diuretics would you take in a day				
ihb30c2c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3084.714	99.86	3084.714	99.86
One	0.702657	0.02	3085.416	99.88
Between 2 and 5	3.583822	0.12	3089	100.00

The FREQ Procedure

16/17 - SC CASI A18.5.3 - How many appetite suppressants would you take in a day				
ihb30c3c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3073.105	99.49	3073.105	99.49
One	10.85661	0.35	3083.962	99.84
Between 2 and 5	3.011957	0.10	3086.974	99.93
Between 6 and 10	2.026474	0.07	3089	100.00

16/17 - SC CASI A18.5.4 - How many other drugs would you take in a day				
ihb30c5c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3043.145	98.52	3043.145	98.52
One	25.34548	0.82	3068.491	99.34
Between 2 and 5	15.58317	0.50	3084.074	99.84
Between 6 and 10	0.657717	0.02	3084.732	99.86
Between 11 and 15	0.972262	0.03	3085.704	99.89
Between 16 and 20	3.295934	0.11	3089	100.00

16/17 - SC CASI A19.1 - Last 4 weeks - Vomit as means to control shape or weight				
ihb30d	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.9523	5.21	160.9523	5.21
-3	9.94411	0.32	170.8964	5.53
Yes	77.41064	2.51	248.307	8.04
No	2840.693	91.96	3089	100.00

16/17 - SC CASI A19.2 - Last 4 weeks - How often have you made yourself vomit				
ihb30d1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3011.589	97.49	3011.589	97.49
Less than one day a week	44.27706	1.43	3055.866	98.93
One day a week	8.824568	0.29	3064.691	99.21
Two or three days a week	18.72198	0.61	3083.413	99.82
Four or five days a week	2.458512	0.08	3085.871	99.90
Six or seven days a week	3.128517	0.10	3089	100.00

The FREQ Procedure

16/17 - SC CASI A19.3 - How long have you been making yourself vomit				
ihb30d2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3011.589	97.49	3011.589	97.49
Less than 4 weeks	31.69306	1.03	3043.282	98.52
Between 4 weeks and 3 months	10.2191	0.33	3053.502	98.85
Between 3 months and 6 months	15.24101	0.49	3068.743	99.34
Between 6 months and a year	6.622618	0.21	3075.365	99.56
Longer than a year	13.63485	0.44	3089	100.00

16/17 - SC CASI A20.1 - Last 4 weeks - Exercise in order to control weight				
ihb30e	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.9523	5.21	160.9523	5.21
-3	11.66172	0.38	172.614	5.59
Yes	1420.119	45.97	1592.733	51.56
No	1496.267	48.44	3089	100.00

16/17 - SC CASI A20.2 - Frequency you exercised in order to control your weight				
ihb30e1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1668.881	54.03	1668.881	54.03
Less than one day a week	168.029	5.44	1836.91	59.47
One day a week	228.5716	7.40	2065.482	66.87
Two or three days a week	571.9619	18.52	2637.444	85.38
Four or five days a week	278.5874	9.02	2916.031	94.40
Six or seven days a week	172.9687	5.60	3089	100.00

16/17 - SC CASI A20.3 - Time spent exercising per day				
ihb30e2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1668.881	54.03	1668.881	54.03
Less than an hour per day	356.8339	11.55	2025.715	65.58
About an hour per day	695.0548	22.50	2720.77	88.08
About 2 hours per day	232.0746	7.51	2952.845	95.59
About 3 hours per day	85.4502	2.77	3038.295	98.36
About 4 hours per day	26.65041	0.86	3064.945	99.22
More than 4 hours per day	24.05459	0.78	3089	100.00

The FREQ Procedure

16/17 - SC CASI A20.4 - How long have you been exercising				
ihb30e3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1668.881	54.03	1668.881	54.03
Less than 4 weeks	354.9477	11.49	2023.829	65.52
Between 4 weeks and 3 months	224.3147	7.26	2248.144	72.78
Between 3 months and 6 months	150.1632	4.86	2398.307	77.64
Between 6 months and a year	177.5874	5.75	2575.895	83.39
Longer than a year	513.1055	16.61	3089	100.00

16/17 - Partial Syndromal Bulimia				
ibulimia	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	3024.19	97.90	3024.19	97.90
Yes	64.81005	2.10	3089	100.00

16/17 - Partial Syndromal Anorexia				
ianorexia	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	252.2516	8.17	252.2516	8.17
No	2828.41	91.56	3080.662	99.73
Yes	8.33829	0.27	3089	100.00

16/17 - Partial Syndromal Anorexia and/or Bulimia				
ieatingdis	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	3015.852	97.63	3015.852	97.63
Yes	73.14834	2.37	3089	100.00

16/17 - SC CASI A21.1 - Driving a car or other vehicle					
ihb36C	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
-9	159.057	5.15	159.057	5.15	
-3	5.53413	0.18	164.5911	5.33	
I have a learner driver's permit (i.e. L's, L1's, L2's)	1973.803	63.90	2138.394	69.23	
I have a provisional/probationary driver's license (i.e. P's, P1's, P2's)	328.1887	10.62	2466.582	79.85	
I have a full driver's license	4.850122	0.16	2471.433	80.01	
I do not hold any driver's permit/ license	617.5675	19.99	3089	100.00	

The FREQ Procedure

16/17 - SC CASI A21.2 - Drive under the influence of alcohol / drugs				
ihb36c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	159.057	5.15	159.057	5.15
-3	7.247834	0.23	166.3049	5.38
Yes	114.7981	3.72	281.103	9.10
No	2807.897	90.90	3089	100.00

16/17 - SC CASI A21.3 - Passenger - when the driver was under alcohol / drugs				
ihb36c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	159.057	5.15	159.057	5.15
-3	6.750087	0.22	165.8071	5.37
Yes	297.5356	9.63	463.3428	15.00
No	2625.657	85.00	3089	100.00

16/17 - SC CASI A21.4.1 - Driver - A friend about the same age				
ihb36c4a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2791.464	90.37	2791.464	90.37
No	165.0717	5.34	2956.536	95.71
Yes	132.464	4.29	3089	100.00

16/17 - SC CASI A21.4.2 - Driver - A brother/sister/relative about the same age				
ihb36c4b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2791.464	90.37	2791.464	90.37
No	277.7794	8.99	3069.244	99.36
Yes	19.75628	0.64	3089	100.00

16/17 - SC CASI A21.4.3 - Driver - An older friend				
ihb36c4c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2791.464	90.37	2791.464	90.37
No	223.6143	7.24	3015.079	97.61
Yes	73.92139	2.39	3089	100.00

The FREQ Procedure

16/17 - SC CASI A21.4.4 - Driver - An older brother,
sister or relative

ihb36c4d	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2791.464	90.37	2791.464	90.37
No	282.819	9.16	3074.283	99.52
Yes	14.71669	0.48	3089	100.00

16/17 - SC CASI A21.4.5 - Driver - A parent

ihb36c4e	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2791.464	90.37	2791.464	90.37
No	224.114	7.26	3015.578	97.62
Yes	73.42166	2.38	3089	100.00

16/17 - SC CASI A21.4.6 - Driver - Another adult

ihb36c4f	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2791.464	90.37	2791.464	90.37
No	258.1553	8.36	3049.62	98.73
Yes	39.38035	1.27	3089	100.00

16/17 - SC CASI A21.4.7 - Driver - Other

ihb36c4g	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2791.464	90.37	2791.464	90.37
No	274.1779	8.88	3065.642	99.24
Yes	23.35774	0.76	3089	100.00

16/17 - SC CASI A21.5.1 - Drove up to 10 km/h over the limit

ihb36c5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	159.057	5.15	159.057	5.15
-3	18.56525	0.60	177.6223	5.75
0 of 10 times	1769.63	57.29	1947.252	63.04
1 of 10 times	424.0067	13.73	2371.259	76.76
2 of 10 times	205.8061	6.66	2577.065	83.43
3 of 10 times	125.5952	4.07	2702.66	87.49
4 of 10 times	82.1635	2.66	2784.823	90.15
5 of 10 times	90.62853	2.93	2875.452	93.09

The FREQ Procedure

16/17 - SC CASI A21.5.1 - Drove up to 10 km/h over the limit				
ihb36c5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6 of 10 times	35.84776	1.16	2911.3	94.25
7 of 10 times	28.05393	0.91	2939.354	95.16
8 of 10 times	22.68473	0.73	2962.038	95.89
9 of 10 times	13.72661	0.44	2975.765	96.33
10 of 10 times	113.235	3.67	3089	100.00

16/17 - SC CASI A21.5.2 - Drove between 10 and 25 km/h over the limit				
ihb36c5b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	159.057	5.15	159.057	5.15
-3	18.56525	0.60	177.6223	5.75
0 of 10 times	2472.68	80.05	2650.303	85.80
1 of 10 times	185.94	6.02	2836.243	91.82
2 of 10 times	85.78248	2.78	2922.025	94.59
3 of 10 times	39.02579	1.26	2961.051	95.86
4 of 10 times	33.18573	1.07	2994.237	96.93
5 of 10 times	27.3501	0.89	3021.587	97.82
6 of 10 times	9.390615	0.30	3030.977	98.12
7 of 10 times	3.598949	0.12	3034.576	98.24
8 of 10 times	3.124749	0.10	3037.701	98.34
9 of 10 times	3.903162	0.13	3041.604	98.47
10 of 10 times	47.39587	1.53	3089	100.00

16/17 - SC CASI A21.5.3 - Drove more than 25 km/h over the limit				
ihb36c5c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	159.057	5.15	159.057	5.15
-3	18.56525	0.60	177.6223	5.75
0 of 10 times	2686.45	86.97	2864.072	92.72
1 of 10 times	103.0993	3.34	2967.172	96.06
2 of 10 times	24.5029	0.79	2991.675	96.85
3 of 10 times	24.89689	0.81	3016.572	97.66
4 of 10 times	15.47189	0.50	3032.043	98.16
5 of 10 times	13.40425	0.43	3045.448	98.59
6 of 10 times	3.923499	0.13	3049.371	98.72

The FREQ Procedure

16/17 - SC CASI A21.5.3 - Drove more than 25 km/h over the limit				
ihb36c5c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
7 of 10 times	2.212574	0.07	3051.584	98.79
8 of 10 times	1.957149	0.06	3053.541	98.85
10 of 10 times	35.45908	1.15	3089	100.00

16/17 - SC CASI A21.5.4 - Drove when probably affected by alcohol				
ihb36c5d	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	159.057	5.15	159.057	5.15
-3	19.80053	0.64	178.8575	5.79
0 of 10 times	2809.808	90.96	2988.665	96.75
1 of 10 times	55.79831	1.81	3044.464	98.56
2 of 10 times	12.12905	0.39	3056.593	98.95
3 of 10 times	7.255354	0.23	3063.848	99.19
4 of 10 times	1.140527	0.04	3064.989	99.22
5 of 10 times	10.21606	0.33	3075.205	99.55
6 of 10 times	1.048568	0.03	3076.253	99.59
7 of 10 times	0.36236	0.01	3076.616	99.60
8 of 10 times	0.377266	0.01	3076.993	99.61
9 of 10 times	0.99859	0.03	3077.991	99.64
10 of 10 times	11.00851	0.36	3089	100.00

16/17 - SC CASI A21.5.5 - Did not wear a seat belt/helmet at all				
ihb36c5e	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	159.057	5.15	159.057	5.15
-3	22.06525	0.71	181.1223	5.86
0 of 10 times	2703.158	87.51	2884.281	93.37
1 of 10 times	91.34581	2.96	2975.626	96.33
2 of 10 times	22.95121	0.74	2998.578	97.07
3 of 10 times	23.06883	0.75	3021.646	97.82
4 of 10 times	6.144097	0.20	3027.791	98.02
5 of 10 times	11.95346	0.39	3039.744	98.41
6 of 10 times	2.85105	0.09	3042.595	98.50
7 of 10 times	5.595807	0.18	3048.191	98.68
8 of 10 times	2.892875	0.09	3051.084	98.77

The FREQ Procedure

16/17 - SC CASI A21.5.5 - Did not wear a seat belt/helmet at all				
ihb36c5e	Frequency	Percent	Cumulative Frequency	Cumulative Percent
9 of 10 times	2.176628	0.07	3053.26	98.84
10 of 10 times	35.7396	1.16	3089	100.00

16/17 - SC CASI A21.5.6 - Did not wear seat belt/helmet for part of the trip				
ihb36c5f	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	159.057	5.15	159.057	5.15
-3	22.06525	0.71	181.1223	5.86
0 of 10 times	2684.896	86.92	2866.018	92.78
1 of 10 times	108.7923	3.52	2974.81	96.30
2 of 10 times	29.05533	0.94	3003.866	97.24
3 of 10 times	25.0295	0.81	3028.895	98.05
4 of 10 times	11.38088	0.37	3040.276	98.42
5 of 10 times	12.75913	0.41	3053.035	98.84
6 of 10 times	4.005216	0.13	3057.04	98.97
7 of 10 times	1.35345	0.04	3058.394	99.01
8 of 10 times	3.023009	0.10	3061.417	99.11
9 of 10 times	5.40713	0.18	3066.824	99.28
10 of 10 times	22.17603	0.72	3089	100.00

16/17 - SC CASI A21.5.7 - Drove when very tired				
ihb36c5g	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	159.057	5.15	159.057	5.15
-3	18.56525	0.60	177.6223	5.75
0 of 10 times	2210.291	71.55	2387.913	77.30
1 of 10 times	375.4093	12.15	2763.322	89.46
2 of 10 times	159.0578	5.15	2922.38	94.61
3 of 10 times	65.51589	2.12	2987.896	96.73
4 of 10 times	32.6075	1.06	3020.504	97.78
5 of 10 times	24.31511	0.79	3044.819	98.57
6 of 10 times	17.16767	0.56	3061.986	99.13
7 of 10 times	7.678386	0.25	3069.665	99.37
8 of 10 times	4.73185	0.15	3074.397	99.53

The FREQ Procedure

16/17 - SC CASI A21.5.7 - Drove when very tired				
ihb36c5g	Frequency	Percent	Cumulative Frequency	Cumulative Percent
9 of 10 times	2.512832	0.08	3076.909	99.61
10 of 10 times	12.09057	0.39	3089	100.00

16/17 - SC CASI A21.5.8 - Drove when probably affected by an illegal drug				
ihb36c5h	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	159.057	5.15	159.057	5.15
-3	18.56525	0.60	177.6223	5.75
0 of 10 times	2834.85	91.77	3012.472	97.52
1 of 10 times	29.16342	0.94	3041.636	98.47
2 of 10 times	10.54324	0.34	3052.179	98.81
3 of 10 times	12.97314	0.42	3065.152	99.23
4 of 10 times	2.520129	0.08	3067.672	99.31
5 of 10 times	11.53759	0.37	3079.21	99.68
6 of 10 times	1.45862	0.05	3080.668	99.73
7 of 10 times	1.384085	0.04	3082.052	99.78
8 of 10 times	0.829647	0.03	3082.882	99.80
9 of 10 times	1.579634	0.05	3084.462	99.85
10 of 10 times	4.53826	0.15	3089	100.00

16/17 - SC - SC CASI A22.1 - Ever smoked part of a cigarette					
ihb15c9	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
-9	439.1565	14.22	439.1565	14.22	
-3	10.23966	0.33	449.3961	14.55	
No	2030.825	65.74	2480.221	80.29	
Yes, just a few puffs	284.4827	9.21	2764.704	89.50	
Yes, I have smoked fewer than 10 cigarettes in my life	144.9419	4.69	2909.646	94.19	
Yes, I have smoked 10 to 100 cigarettes in my life	105.7023	3.42	3015.348	97.62	
Yes, I have smoked more than 100 cigarettes in my life	73.65204	2.38	3089	100.00	

The FREQ Procedure

16/17 - SC - SC CASI A22.1+W5-6 - Ever smoked part of a cigarette				
ihb15c9a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	146.67	4.75	146.67	4.75
-3	9.006025	0.29	155.676	5.04
Yes	918.6361	29.74	1074.312	34.78
No	2014.688	65.22	3089	100.00

16/17 - SC - SC CASI A22.2 - First cigarette - Age				
ihb15c10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7.100137	0.23	7.100137	0.23
-9	2480.221	80.29	2487.321	80.52
-3	6.412093	0.21	2493.733	80.73
6	2.30725	0.07	2496.041	80.80
7	1.685119	0.05	2497.726	80.86
8	1.636529	0.05	2499.362	80.91
9	5.562303	0.18	2504.924	81.09
10	3.761672	0.12	2508.686	81.21
11	6.612454	0.21	2515.299	81.43
12	28.31895	0.92	2543.618	82.34
13	22.47141	0.73	2566.089	83.07
14	54.32285	1.76	2620.412	84.83
15	129.0308	4.18	2749.443	89.01
16	270.2655	8.75	3019.708	97.76
17	69.2919	2.24	3089	100.00

The FREQ Procedure

16/17 - SC - SC CASI A22.2+W5-6 - First cigarette - Age				
ihb15c10a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2174.592	70.40	2174.592	70.40
-3	6.742093	0.22	2181.334	70.62
1	2.577441	0.08	2183.912	70.70
4	4.55891	0.15	2188.471	70.85
5	6.006957	0.19	2194.477	71.04
6	8.064514	0.26	2202.542	71.30
7	2.493094	0.08	2205.035	71.38
8	7.593673	0.25	2212.629	71.63
9	13.39593	0.43	2226.025	72.06
10	13.20912	0.43	2239.234	72.49
11	34.54597	1.12	2273.78	73.61
12	77.203	2.50	2350.983	76.11
13	75.99033	2.46	2426.973	78.57
14	181.5075	5.88	2608.481	84.44
15	145.1351	4.70	2753.616	89.14
16	268.9569	8.71	3022.573	97.85
17	66.42744	2.15	3089	100.00

16/17 - SC - SC CASI A22.3 - Smoked in last 12 months				
ihb15c11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2189.882	70.89	2189.882	70.89
-3	9.807478	0.32	2199.689	71.21
Yes	629.6831	20.38	2829.373	91.60
No	259.6275	8.40	3089	100.00

16/17 - SC - SC CASI A22.4 - Smoked in last 4 weeks				
ihb15c12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2459.317	79.62	2459.317	79.62
Yes	387.6968	12.55	2847.014	92.17
No	241.9863	7.83	3089	100.00

The FREQ Procedure

16/17 - SC - SC CASI A22.5 - No. cigarettes smoked per week				
ihb15c13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	27.9355	0.90	27.9355	0.90
-9	2701.303	87.45	2729.239	88.35
-3	13.41663	0.43	2742.655	88.79
0	107.4219	3.48	2850.077	92.27
1	37.75867	1.22	2887.836	93.49
2	25.40212	0.82	2913.238	94.31
3	17.3325	0.56	2930.57	94.87
4	10.13108	0.33	2940.702	95.20
5	7.283296	0.24	2947.985	95.43
6	2.384001	0.08	2950.369	95.51
7	19.64521	0.64	2970.014	96.15
8	3.126119	0.10	2973.14	96.25
9	2.866313	0.09	2976.006	96.34
10	4.430132	0.14	2980.437	96.49
11	6.478031	0.21	2986.915	96.70
12	4.150947	0.13	2991.066	96.83
13	2.072601	0.07	2993.138	96.90
14	4.495919	0.15	2997.634	97.04
15	2.372218	0.08	3000.006	97.12
16	0.964337	0.03	3000.971	97.15
17	1.592373	0.05	3002.563	97.20
18	4.325338	0.14	3006.888	97.34
19	4.130446	0.13	3011.019	97.48
20	4.602554	0.15	3015.621	97.62
21	6.9608	0.23	3022.582	97.85
23	2.693448	0.09	3025.276	97.94
25	1.294018	0.04	3026.57	97.98
26	0.5522	0.02	3027.122	98.00
28	7.606645	0.25	3034.728	98.24
29	3.046066	0.10	3037.775	98.34
30	2.263394	0.07	3040.038	98.41
31	2.878957	0.09	3042.917	98.51
33	3.5	0.11	3046.417	98.62
34	0.987645	0.03	3047.405	98.65

The FREQ Procedure

16/17 - SC - SC CASI A22.5 - No. cigarettes smoked per week				
ihb15c13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
35	7.938468	0.26	3055.343	98.91
36	1.075253	0.03	3056.418	98.95
37	1.173636	0.04	3057.592	98.98
39	1.235663	0.04	3058.828	99.02
40	2.232509	0.07	3061.06	99.10
41	0.622894	0.02	3061.683	99.12
42	0.694696	0.02	3062.378	99.14
44	0.597328	0.02	3062.975	99.16
45	1.238883	0.04	3064.214	99.20
46	3.5	0.11	3067.714	99.31
47	2.926618	0.09	3070.64	99.41
48	1.000469	0.03	3071.641	99.44
49	6.337107	0.21	3077.978	99.64
50	0.911011	0.03	3078.889	99.67
51	1.308618	0.04	3080.198	99.72
54	0.483624	0.02	3080.681	99.73
55	0.729832	0.02	3081.411	99.75
56	2.435831	0.08	3083.847	99.83
60	0.79472	0.03	3084.642	99.86
63	0.661936	0.02	3085.304	99.88
65	3.696352	0.12	3089	100.00

16/17 - SC - SC CASI A23.1 - Ever had alcoholic drink				
ihb16c11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1546.023	50.05	1546.023	50.05
-3	7.18227	0.23	1553.205	50.28
No	625.2929	20.24	2178.498	70.52
Yes, just a few sips	334.9738	10.84	2513.472	81.37
Yes, I have had fewer than 10 alcoholic drinks in my life	215.9186	6.99	2729.391	88.36
Yes, I have had 10 or more alcoholic drinks in my life	359.6093	11.64	3089	100.00

The FREQ Procedure

16/17 - SC - SC CASI A23.1+W5-6 - Ever had alcoholic drink				
ihb16c11a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1164.575	37.70	1164.575	37.70
-3	7.18227	0.23	1171.758	37.93
Yes	966.2497	31.28	2138.007	69.21
No	950.9927	30.79	3089	100.00

16/17 - SC - SC CASI A23.2 - First alcoholic drink - Age				
ihb16c12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2513.472	81.37	2513.472	81.37
-3	3.946735	0.13	2517.419	81.50
6	1.74029	0.06	2519.159	81.55
7	1.173636	0.04	2520.333	81.59
8	6.874181	0.22	2527.207	81.81
9	1.936855	0.06	2529.144	81.88
10	4.453366	0.14	2533.597	82.02
11	5.909904	0.19	2539.507	82.21
12	17.19088	0.56	2556.698	82.77
13	14.07862	0.46	2570.777	83.22
14	71.05456	2.30	2641.831	85.52
15	151.9221	4.92	2793.753	90.44
16	245.2778	7.94	3039.031	98.38
17	49.26618	1.59	3088.297	99.98
18	0.702776	0.02	3089	100.00

The FREQ Procedure

16/17 - SC - SC CASI A23.2+W5-6 - First alcoholic drink - Age				
ihb16c12a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2122.75	68.72	2122.75	68.72
-3	8.40817	0.27	2131.158	68.99
2	1.194509	0.04	2132.353	69.03
5	1.224007	0.04	2133.577	69.07
6	3.091401	0.10	2136.668	69.17
7	2.495733	0.08	2139.164	69.25
8	7.824658	0.25	2146.989	69.50
9	6.468312	0.21	2153.457	69.71
10	25.5204	0.83	2178.977	70.54
11	20.49759	0.66	2199.475	71.20
12	58.20793	1.88	2257.683	73.09
13	115.8707	3.75	2373.554	76.84
14	239.3719	7.75	2612.926	84.59
15	190.6863	6.17	2803.612	90.76
16	235.8264	7.63	3039.438	98.40
17	48.85894	1.58	3088.297	99.98
18	0.702776	0.02	3089	100.00

16/17 - SC - SC CASI A23.3 - Alcohol consumption - In last 12 months				
ihb16c13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1130.453	36.60	1130.453	36.60
-3	2.294467	0.07	1132.747	36.67
Yes	1697.841	54.96	2830.588	91.63
No	258.4116	8.37	3089	100.00

16/17 - SC - SC CASI A23.4 - Alcohol consumption - In last four weeks				
ihb16c9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1391.159	45.04	1391.159	45.04
Yes	1210.286	39.18	2601.445	84.22
No	487.5548	15.78	3089	100.00

The FREQ Procedure

16/17 - SC - SC CASI A23.5 - Previous week's alcohol consumption				
ihb16c10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	5.130744	0.17	5.130744	0.17
-9	1878.714	60.82	1883.844	60.99
-3	17.00381	0.55	1900.848	61.54
0	487.0018	15.77	2387.85	77.30
1	138.4455	4.48	2526.295	81.78
2	90.73245	2.94	2617.028	84.72
3	56.57877	1.83	2673.607	86.55
4	71.6695	2.32	2745.276	88.87
5	52.51573	1.70	2797.792	90.57
6	46.15506	1.49	2843.947	92.07
7	38.36052	1.24	2882.307	93.31
8	18.4662	0.60	2900.774	93.91
9	17.83891	0.58	2918.613	94.48
10	34.84534	1.13	2953.458	95.61
11	15.19741	0.49	2968.655	96.10
12	27.7248	0.90	2996.38	97.00
13	6.018914	0.19	3002.399	97.20
14	4.058261	0.13	3006.457	97.33
15	15.99052	0.52	3022.448	97.85
16	10.75518	0.35	3033.203	98.19
17	4.684645	0.15	3037.888	98.35
18	1.731707	0.06	3039.619	98.40
19	3.736654	0.12	3043.356	98.52
20	2.605134	0.08	3045.961	98.61
21	2.79068	0.09	3048.752	98.70
22	11.39023	0.37	3060.142	99.07
23	2.689658	0.09	3062.832	99.15
24	1.108402	0.04	3063.94	99.19
25	5.654317	0.18	3069.594	99.37
26	1.528221	0.05	3071.123	99.42
28	1.375506	0.04	3072.498	99.47
29	4.22014	0.14	3076.718	99.60
30	3.802559	0.12	3080.521	99.73
32	2.875261	0.09	3083.396	99.82

The FREQ Procedure

16/17 - SC - SC CASI A23.5 - Previous week's alcohol consumption				
ihb16c10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
34	1.497165	0.05	3084.893	99.87
35	1.413714	0.05	3086.307	99.91
36	0.99859	0.03	3087.306	99.95
38	0.942906	0.03	3088.248	99.98
44	0.751509	0.02	3089	100.00

16/17 - SC - SC CASI A23.6.1 - Alcohol caused - Trouble at school or work				
ihb16c14a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1391.159	45.04	1391.159	45.04
-3	0.821128	0.03	1391.98	45.06
Never	1563.872	50.63	2955.852	95.69
Sometimes	122.8597	3.98	3078.712	99.67
Often	10.288	0.33	3089	100.00

16/17 - SC - SC CASI A23.6.2 - Alcohol caused - Get into arguments with family				
ihb16c14b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1391.159	45.04	1391.159	45.04
-3	0.821128	0.03	1391.98	45.06
Never	1559.53	50.49	2951.51	95.55
Sometimes	116.7017	3.78	3068.211	99.33
Often	20.78876	0.67	3089	100.00

16/17 - SC - SC CASI A23.6.3 - Alcohol caused - Get injured or have an accident				
ihb16c14c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1391.159	45.04	1391.159	45.04
Never	1573.004	50.92	2964.163	95.96
Sometimes	116.4596	3.77	3080.623	99.73
Often	8.377157	0.27	3089	100.00

The FREQ Procedure

16/17 - SC - SC CASI A23.6.4 - Alcohol caused - Become violent/get into a fight				
ihb16c14d	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1391.159	45.04	1391.159	45.04
Never	1629.431	52.75	3020.59	97.79
Sometimes	54.82954	1.77	3075.42	99.56
Often	13.5802	0.44	3089	100.00

16/17 - SC - SC CASI A23.6.5 - Alcohol caused - Sex with someone				
ihb16c14e	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1391.159	45.04	1391.159	45.04
Never	1560.82	50.53	2951.978	95.56
Sometimes	114.5088	3.71	3066.487	99.27
Often	22.51274	0.73	3089	100.00

16/17 - SC - Alcohol-related harm				
icalcharm	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1391.159	45.04	1391.159	45.04
3	0.821128	0.03	1391.98	45.06
5	1342.028	43.45	2734.008	88.51
6	191.9319	6.21	2925.939	94.72
7	87.79264	2.84	3013.732	97.56
8	44.89212	1.45	3058.624	99.02
9	10.38164	0.34	3069.006	99.35
10	9.418113	0.30	3078.424	99.66
11	4.530791	0.15	3082.955	99.80
13	0.997213	0.03	3083.952	99.84
15	5.047994	0.16	3089	100.00

16/17 - SC CASI A24. 1- Ever had marijuana				
ihb26c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	479.9164	15.54	479.9164	15.54
-3	13.65044	0.44	493.5668	15.98
Yes	471.0976	15.25	964.6644	31.23
No	2124.336	68.77	3089	100.00

The FREQ Procedure

16/17 - SC CASI A24.1+W5-6 - Ever had marijuana				
ihb26c1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	279.6601	9.05	279.6601	9.05
-3	13.65044	0.44	293.3105	9.50
Yes	702.258	22.73	995.5685	32.23
No	2093.432	67.77	3089	100.00

16/17 - SC CASI A24.2 - First marijuana - Age				
ihb26c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.78692	0.38	11.78692	0.38
-9	2617.902	84.75	2629.689	85.13
-3	5.707219	0.18	2635.397	85.32
10	1.325989	0.04	2636.723	85.36
12	7.49577	0.24	2644.218	85.60
13	17.24181	0.56	2661.46	86.16
14	61.54632	1.99	2723.006	88.15
15	120.788	3.91	2843.794	92.06
16	195.6532	6.33	3039.448	98.40
17	49.55236	1.60	3089	100.00

16/17 - SC CASI A24.2+W5-6 - First marijuana - Age				
ihb26c2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2440.262	79.00	2440.262	79.00
-3	26.14771	0.85	2466.41	79.84
1	4.585142	0.15	2470.995	79.99
2	0.798772	0.03	2471.794	80.02
3	1.196869	0.04	2472.99	80.06
6	0.76414	0.02	2473.755	80.08
10	1.325989	0.04	2475.081	80.13
11	5.993466	0.19	2481.074	80.32
12	19.61438	0.63	2500.688	80.95
13	59.73032	1.93	2560.419	82.89
14	132.815	4.30	2693.234	87.19
15	150.5606	4.87	2843.794	92.06
16	195.6532	6.33	3039.448	98.40
17	49.55236	1.60	3089	100.00

The FREQ Procedure

16/17 - SC CASI A24.3 - Marijuana - In last twelve months				
ihb26c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2435.03	78.83	2435.03	78.83
-3	1.83941	0.06	2436.87	78.89
Yes	476.292	15.42	2913.162	94.31
No	175.8382	5.69	3089	100.00

16/17 - SC CASI A24.4 - Marijuana - In last four weeks				
ihb26c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2612.708	84.58	2612.708	84.58
-3	0.58258	0.02	2613.291	84.60
Yes	240.2705	7.78	2853.561	92.38
No	235.4389	7.62	3089	100.00

16/17 - SC CASI A24.5 - Marijuana - In last week				
ihb26c5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2848.73	92.22	2848.73	92.22
-3	0.685487	0.02	2849.415	92.24
Yes	140.1308	4.54	2989.546	96.78
No	99.45415	3.22	3089	100.00

16/17 - SC CASI A24.6 - Frequency - Marijuana - In last week				
ihb26c6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2948.869	95.46	2948.869	95.46
1 day	63.26264	2.05	3012.132	97.51
2 or 3 days	33.31203	1.08	3045.444	98.59
4 or 5 days	11.19544	0.36	3056.639	98.95
6 or 7 days	32.36073	1.05	3089	100.00

16/17 - SC CASI A25.1 - Ever tried sniffing				
ihb27c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	330.2636	10.69	330.2636	10.69
-3	9.587574	0.31	339.8512	11.00
Yes	47.48168	1.54	387.3328	12.54
No	2701.667	87.46	3089	100.00

The FREQ Procedure

16/17 - SC CASI A25.1+W5-6 - Ever tried sniffing				
ihb27c1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	291.1812	9.43	291.1812	9.43
-3	9.587574	0.31	300.7688	9.74
Yes	104.317	3.38	405.0858	13.11
No	2683.914	86.89	3089	100.00

16/17 - SC CASI A25.2 - First sniffing - Age				
ihb27c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3041.518	98.46	3041.518	98.46
-3	1.140527	0.04	3042.659	98.50
7	0.978466	0.03	3043.637	98.53
10	2.726832	0.09	3046.364	98.62
11	4.585142	0.15	3050.949	98.77
12	3.743032	0.12	3054.692	98.89
13	2.843366	0.09	3057.536	98.98
14	7.362889	0.24	3064.899	99.22
15	10.95829	0.35	3075.857	99.57
16	10.22338	0.33	3086.08	99.91
17	2.91976	0.09	3089	100.00

16/17 - SC CASI A25.2+W5-6 - First sniffing - Age				
ihb27c2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2989.303	96.77	2989.303	96.77
-3	1.140527	0.04	2990.443	96.81
5	0.661909	0.02	2991.105	96.83
7	2.408585	0.08	2993.514	96.91
9	2.757944	0.09	2996.272	97.00
10	5.779867	0.19	3002.051	97.19
11	8.229911	0.27	3010.281	97.45
12	15.21529	0.49	3025.497	97.94
13	16.63045	0.54	3042.127	98.48
14	18.32724	0.59	3060.454	99.08
15	15.40251	0.50	3075.857	99.57
16	10.22338	0.33	3086.08	99.91
17	2.91976	0.09	3089	100.00

The FREQ Procedure

16/17 - SC CASI A25.3 - Sniffing - In last twelve months				
ihb27c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3006.257	97.32	3006.257	97.32
Yes	17.13627	0.55	3023.393	97.88
No	65.6066	2.12	3089	100.00

16/17 - SC CASI A25.4 - Sniffing - In last four weeks				
ihb27c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3071.864	99.45	3071.864	99.45
Yes	9.735583	0.32	3081.599	99.76
No	7.400686	0.24	3089	100.00

16/17 - SC CASI A26.1 - Medicines for non-medical purposes				
ihb31c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	161.7964	5.24	161.7964	5.24
-3	9.101393	0.29	170.8978	5.53
Yes	120.0612	3.89	290.959	9.42
No	2798.041	90.58	3089	100.00

16/17 - SC CASI A26.2 - First medicines - Age				
ihb31c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.225273	0.10	3.225273	0.10
-9	2969.681	96.14	2972.906	96.24
-3	0.526055	0.02	2973.432	96.26
8	0.759028	0.02	2974.191	96.28
12	1.784734	0.06	2975.976	96.34
13	4.004631	0.13	2979.981	96.47
14	13.73262	0.44	2993.713	96.92
15	22.68705	0.73	3016.4	97.65
16	60.85725	1.97	3077.257	99.62
17	11.74251	0.38	3089	100.00

The FREQ Procedure

16/17 - SC CASI A26.3 - Medicines - In last two years				
ihb31c5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2969.681	96.14	2969.681	96.14
Yes	90.3035	2.92	3059.984	99.06
No	29.01567	0.94	3089	100.00

16/17 - SC CASI A26.4 - Medicines - In last twelve months				
ihb31c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2998.697	97.08	2998.697	97.08
Yes	76.14151	2.46	3074.838	99.54
No	14.16199	0.46	3089	100.00

16/17 - SC CASI A26.5 - Medicines - In last four weeks				
ihb31c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3012.858	97.54	3012.858	97.54
Yes	38.06211	1.23	3050.921	98.77
No	38.0794	1.23	3089	100.00

16/17 - SC CASI A27.1 - Ever had other drugs				
ihb28c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	344.8009	11.16	344.8009	11.16
-3	9.587574	0.31	354.3885	11.47
Yes	116.1227	3.76	470.5112	15.23
No	2618.489	84.77	3089	100.00

16/17 - SC CASI A27.1+W5-6 - Ever had other drugs				
ihb28c1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	326.8137	10.58	326.8137	10.58
-3	9.587574	0.31	336.4013	10.89
Yes	135.2128	4.38	471.614	15.27
No	2617.386	84.73	3089	100.00

The FREQ Procedure

16/17 - SC CASI A27.2 - Ever had (Ecstasy or similar listed)

ihb28c7a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2973.02	96.25	2973.02	96.25
No	55.33618	1.79	3028.356	98.04
Yes	60.64401	1.96	3089	100.00

16/17 - SC CASI A27.2 - Ever had (Cocaine or similar listed)

ihb28c7b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2973.02	96.25	2973.02	96.25
No	107.8483	3.49	3080.868	99.74
Yes	8.131853	0.26	3089	100.00

16/17 - SC CASI A27.2 - Ever had
(Non-Ice methamphetamine/similar listed)

ihb28c7c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2973.02	96.25	2973.02	96.25
No	101.6533	3.29	3074.673	99.54
Yes	14.32688	0.46	3089	100.00

16/17 - SC CASI A27.2 - Ever had
(Hallucinogens or similar listed)

ihb28c7d	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2973.02	96.25	2973.02	96.25
No	85.22165	2.76	3058.241	99.00
Yes	30.75855	1.00	3089	100.00

16/17 - SC CASI A27.2 - Ever had
(Ice or Crystal meth/similar listed)

ihb28c7e	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2973.02	96.25	2973.02	96.25
No	108.8858	3.52	3081.906	99.77
Yes	7.094358	0.23	3089	100.00

The FREQ Procedure

16/17 - SC CASI A27.2 - Ever had(other drugs listed)

ihb28c7f	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2973.02	96.25	2973.02	96.25
No	104.1508	3.37	3077.171	99.62
Yes	11.82941	0.38	3089	100.00

16/17 - SC CASI A27.2 - Ever had (No other drug specified)

ihb28c7g	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2973.02	96.25	2973.02	96.25
No	108.6412	3.52	3081.661	99.76
Yes	7.338999	0.24	3089	100.00

16/17 - SC CASI A27.3 - First other drugs - Age

ihb28c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2973.02	96.25	2973.02	96.25
1	3.236445	0.10	2976.256	96.35
12	2.945738	0.10	2979.202	96.45
14	1.498317	0.05	2980.7	96.49
15	23.34888	0.76	3004.049	97.25
16	66.22992	2.14	3070.279	99.39
17	18.72089	0.61	3089	100.00

16/17 - SC CASI A27.3+W5-6 - First other drugs - Age

ihb28c3a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2955.594	95.68	2955.594	95.68
1	3.236445	0.10	2958.831	95.79
7	0.523515	0.02	2959.354	95.80
12	4.841646	0.16	2964.196	95.96
13	0.877501	0.03	2965.073	95.99
14	10.55147	0.34	2975.625	96.33
15	31.40542	1.02	3007.03	97.35
16	63.24887	2.05	3070.279	99.39
17	18.72089	0.61	3089	100.00

The FREQ Procedure

16/17 - SC CASI A27.4 - Other drugs - In last two years				
ihb28c2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2954.355	95.64	2954.355	95.64
Yes	86.01111	2.78	3040.366	98.43
No	48.63378	1.57	3089	100.00

16/17 - SC CASI A27.5 - Other drugs - 1st 2 yrs (Ecstasy or similar listed)				
ihb28c8a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3008.839	97.40	3008.839	97.40
No	48.86212	1.58	3057.701	98.99
Yes	31.29917	1.01	3089	100.00

16/17 - SC CASI A27.5 - Other drugs - 1st 2 yrs (Cocaine or similar listed)				
ihb28c8b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3008.839	97.40	3008.839	97.40
No	73.72045	2.39	3082.559	99.79
Yes	6.440832	0.21	3089	100.00

16/17 - SC CASI A27.5 - Other drugs - 1st 2 yrs (Non-Ice methamphetamine /similar listed)				
ihb28c8c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3008.839	97.40	3008.839	97.40
No	74.69227	2.42	3083.531	99.82
Yes	5.469016	0.18	3089	100.00

16/17 - SC CASI A27.5 - Other drugs - 1st 2 yrs (Hallucinogens or similar listed)				
ihb28c8d	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3008.839	97.40	3008.839	97.40
No	56.95174	1.84	3065.79	99.25
Yes	23.20955	0.75	3089	100.00

The FREQ Procedure

16/17 - SC CASI A27.5 - Other drugs - 1st 2 yrs (Ice or Crystal meth/similar listed)				
ihb28c8e	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3008.839	97.40	3008.839	97.40
No	77.23277	2.50	3086.071	99.91
Yes	2.928513	0.09	3089	100.00

16/17 - SC CASI A27.5 - Other drugs - 1st 2 yrs (other drugs listed)				
ihb28c8f	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3008.839	97.40	3008.839	97.40
No	76.18327	2.47	3085.022	99.87
Yes	3.978013	0.13	3089	100.00

16/17 - SC CASI A27.5 - Other drugs - 1st 2 yrs (No other drug specified)				
ihb28c8g	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3008.839	97.40	3008.839	97.40
No	73.83994	2.39	3082.679	99.80
Yes	6.32135	0.20	3089	100.00

16/17 - SC CASI A27.6 - Other drugs - In last twelve months				
ihb28c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2.041936	0.07	2.041936	0.07
-9	3007.166	97.35	3009.208	97.42
Yes	64.34219	2.08	3073.551	99.50
No	15.44949	0.50	3089	100.00

16/17 - SC CASI A27.7 - Other drugs - In last four weeks				
ihb28c5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3021.938	97.83	3021.938	97.83
Yes	35.50669	1.15	3057.445	98.98
No	31.55494	1.02	3089	100.00

The FREQ Procedure

16/17 - SC CASI A27.8 - Other drugs - 1st 4 wks (Ecstasy or similar listed)				
ihb28c9a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3056.731	98.96	3056.731	98.96
No	15.82221	0.51	3072.553	99.47
Yes	16.44696	0.53	3089	100.00

16/17 - SC CASI A27.8 - Other drugs - 1st 4 wks (Cocaine or similar listed)				
ihb28c9b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3056.731	98.96	3056.731	98.96
No	29.89451	0.97	3086.625	99.92
Yes	2.374667	0.08	3089	100.00

16/17 - SC CASI A27.8 - Other drugs - 1st 4 wks (Non-Ice methamphetamine /similar listed)				
ihb28c9c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3056.731	98.96	3056.731	98.96
No	32.26917	1.04	3089	100.00

16/17 - SC CASI A27.8 - Other drugs - 1st 4 wks (Hallucinogens or similar listed in)				
ihb28c9d	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3056.731	98.96	3056.731	98.96
No	22.53135	0.73	3079.262	99.68
Yes	9.737822	0.32	3089	100.00

16/17 - SC CASI A27.8 - Other drugs - 1st 4 wks (Ice or Crystal meth/similar listed)				
ihb28c9e	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3056.731	98.96	3056.731	98.96
No	31.39167	1.02	3088.122	99.97
Yes	0.877501	0.03	3089	100.00

The FREQ Procedure

16/17 - SC CASI A27.8 - Other drugs - 1st 4 wks (other drugs listed)				
ihb28c9f	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3056.731	98.96	3056.731	98.96
No	31.06023	1.01	3087.791	99.96
Yes	1.208949	0.04	3089	100.00

16/17 - SC CASI A27.8 - Other drugs - 1st 4 wks (No other drug specified)				
ihb28c9g	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3056.731	98.96	3056.731	98.96
No	31.64628	1.02	3088.377	99.98
Yes	0.622894	0.02	3089	100.00

16/17 - SCCASI B1.3.1 - Method to prevent pregnancy - None				
ihb29a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2161.769	69.98	2161.769	69.98
-3	6.065329	0.20	2167.835	70.18
No	845.7605	27.38	3013.595	97.56
Yes	75.40485	2.44	3089	100.00

16/17 - SCCASI B1.3.2 - Method to prevent pregnancy - Birth control pills				
ihb29a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2161.769	69.98	2161.769	69.98
-3	6.065329	0.20	2167.835	70.18
No	590.6031	19.12	2758.438	89.30
Yes	330.5622	10.70	3089	100.00

16/17 - SCCASI B1.3.3 - Method to prevent pregnancy - Condoms				
ihb29a3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2161.769	69.98	2161.769	69.98
-3	6.065329	0.20	2167.835	70.18
No	235.3581	7.62	2403.193	77.80
Yes	685.8073	22.20	3089	100.00

The FREQ Procedure

16/17 - SCCASI B1.3.4 - Method to prevent pregnancy - Morning after pill				
ihb29a7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2161.769	69.98	2161.769	69.98
-3	6.065329	0.20	2167.835	70.18
No	856.8187	27.74	3024.653	97.92
Yes	64.34664	2.08	3089	100.00

16/17 - SCCASI B1.3.5 - Method to prevent pregnancy - Contraceptive implant				
ihb29a8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2161.769	69.98	2161.769	69.98
-3	6.065329	0.20	2167.835	70.18
No	827.6407	26.79	2995.475	96.97
Yes	93.52465	3.03	3089	100.00

16/17 - SCCASI B1.3.6 - Method to prevent pregnancy - Contraceptive injection				
ihb29a9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2161.769	69.98	2161.769	69.98
-3	6.065329	0.20	2167.835	70.18
No	914.2388	29.60	3082.074	99.78
Yes	6.926457	0.22	3089	100.00

16/17 - SCCASI B1.3.7 - Method to prevent pregnancy - Intrauterine device (IUD)				
ihb29a10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2161.769	69.98	2161.769	69.98
-3	6.065329	0.20	2167.835	70.18
No	919.8495	29.78	3087.684	99.96
Yes	1.315831	0.04	3089	100.00

The FREQ Procedure

16/17 - SCCASI B1.3.8 - Method to prevent pregnancy - Diaphragm

ihb29a11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2161.769	69.98	2161.769	69.98
-3	6.065329	0.20	2167.835	70.18
No	921.1653	29.82	3089	100.00

16/17 - SCCASI B1.3.9 - Method to prevent pregnancy - Vaginal ring

ihb29a12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2161.769	69.98	2161.769	69.98
-3	6.065329	0.20	2167.835	70.18
No	920.4314	29.80	3088.266	99.98
Yes	0.733953	0.02	3089	100.00

16/17 - SCCASI B1.3.10 - Method to prevent pregnancy - Other

ihb29a4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2161.769	69.98	2161.769	69.98
-3	6.065329	0.20	2167.835	70.18
No	904.6447	29.29	3072.479	99.47
Yes	16.52063	0.53	3089	100.00

16/17 - SCCASI B1.3.11 - Method to prevent pregnancy - Not sure

ihb29a5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2161.769	69.98	2161.769	69.98
-3	6.065329	0.20	2167.835	70.18
No	902.1019	29.20	3069.937	99.38
Yes	19.0634	0.62	3089	100.00

16/17 - SCCASI B1.4.1 - Method to prevent STI - None

ihb29b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2161.769	69.98	2161.769	69.98
-3	6.680247	0.22	2168.45	70.20
No	724.1706	23.44	2892.62	93.64
Yes	196.3798	6.36	3089	100.00

The FREQ Procedure

16/17 - SCCASI B1.4.2 - Method to prevent STI - Condom				
ihb29b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2161.769	69.98	2161.769	69.98
-3	6.680247	0.22	2168.45	70.20
No	224.5588	7.27	2393.008	77.47
Yes	695.9916	22.53	3089	100.00

16/17 - SCCASI B1.4.3 - Method to prevent STI - Other				
ihb29b3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2161.769	69.98	2161.769	69.98
-3	6.680247	0.22	2168.45	70.20
No	897.1626	29.04	3065.612	99.24
Yes	23.38784	0.76	3089	100.00

16/17 - SCCASI B1.4.4 - Method to prevent STI - Not sure				
ihb29b4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2161.769	69.98	2161.769	69.98
-3	6.680247	0.22	2168.45	70.20
No	899.5363	29.12	3067.986	99.32
Yes	21.01405	0.68	3089	100.00

16/17 - SCCASI B1.5 - Ever had a STI				
ihb29c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2161.769	69.98	2161.769	69.98
-3	0.614918	0.02	2162.384	70.00
Yes	16.46969	0.53	2178.854	70.54
No	910.146	29.46	3089	100.00

16/17 - SCCASI B6.2 - Had a condition during 1st pregnancy				
zhb19ya	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.472262	0.14	4.472262	0.14
-9	3084.528	99.86	3089	100.00

The FREQ Procedure

16/17 - SCCASI B6.2.1.1 - Conditions 1st pregnancy - Diabetes				
zhb19ya1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.472262	0.14	4.472262	0.14
-9	3084.528	99.86	3089	100.00

16/17 - SCCASI B6.2.1.2 - Conditions 1st pregnancy - Hypertension with treatment				
zhb19ya2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.472262	0.14	4.472262	0.14
-9	3084.528	99.86	3089	100.00

16/17 - SCCASI B6.2.1.3 - Conditions 1st pregnancy - Anxiety				
zhb19ya4d	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.472262	0.14	4.472262	0.14
-9	3084.528	99.86	3089	100.00

16/17 - SCCASI B6.2.1.4 - Conditions 1st pregnancy - Depression				
zhb19ya4c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.472262	0.14	4.472262	0.14
-9	3084.528	99.86	3089	100.00

16/17 - SCCASI B6.2.1.5 - Conditions 1st pregnancy - Other health condition				
zhb19ya3a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.472262	0.14	4.472262	0.14
-9	3084.528	99.86	3089	100.00

16/17 - SCCASI B6.2 - Had a condition during 2nd pregnancy				
zhb19yb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

The FREQ Procedure

16/17 - SCCASI B6.2.2.1 - Conditions 2nd pregnancy - Diabetes				
zhb19yb1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SCCASI B6.2.2.2 - Conditions 2nd pregnancy - Hypertension with treatment				
zhb19yb2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SCCASI B6.2.2.3 - Conditions 2nd pregnancy - Anxiety				
zhb19yb4d	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SCCASI B6.2.2.4 - Conditions 2nd pregnancy - Depression				
zhb19yb4c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SCCASI B6.2.2.3 - Conditions 2nd pregnancy - Other health condition				
zhb19yb3a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SCCASI B6.2 - Had a condition during 3rd pregnancy				
zhb19yc	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SCCASI B6.2.3 - Conditions 3rd pregnancy - Diabetes				
zhb19yc1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

The FREQ Procedure

16/17 - SCCASI B6.2.3 - Conditions 3rd pregnancy - Hypertension with treatment				
zhb19yc2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SCCASI B6.2.3 - Conditions 3rd pregnancy - Anxiety				
zhb19yc4d	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SCCASI B6.2.3 - Conditions 3rd pregnancy - Depression				
zhb19yc4c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SCCASI B6.2.3 - Conditions 3rd pregnancy - Other health condition				
zhb19yc3a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SCCASI B6.3.1 - 1st pregnancy - Diabetes treated with insulin				
zhb01ya3a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.972262	0.03	0.972262	0.03
-9	3088.028	99.97	3089	100.00

16/17 - SCCASI B6.3.2 - 2nd pregnancy - Diabetes treated with insulin				
zhb01yb3a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SCCASI B6.3.3 - 3rd pregnancy - Diabetes treated with insulin				
zhb01yc3a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

The FREQ Procedure

16/17 - SCCASI B6.4.1 - 1st pregnancy - Used insulin only				
zhb01ya3a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SCCASI B6.4.2 - 2nd pregnancy - Used insulin only				
zhb01yb3a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SCCASI B6.4.3 - 3rd pregnancy - Used insulin only				
zhb01yc3a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SCCASI B6.5.1 - 1st pregnancy - Took medicines or tablets				
zhb01ya11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.472262	0.14	4.472262	0.14
-9	3084.528	99.86	3089	100.00

16/17 - SCCASI B6.5.2 - 2nd pregnancy - Took medicines or tablets				
zhb01yb11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SCCASI B6.5.3 - 3rd pregnancy - Took medicines or tablets				
zhb01yc11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SCCASI B7.1.1 - 1st pregnancy - Drank alcohol				
zhb17ya1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.472262	0.14	4.472262	0.14
-9	3084.528	99.86	3089	100.00

The FREQ Procedure

16/17 - SCCASI B7.1.2 - 2nd pregnancy - Drank alcohol				
zhb17yb1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SCCASI B7.1.3 - 3rd pregnancy - Drank alcohol				
zhb17yc1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B7.2.1 - 1st pregnancy - Days drink/week - 1st three months				
zhb17ya2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B7.2.2 - 2nd pregnancy - Days drink/week - 1st three months				
zhb17yb2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B7.2.3 - 3rd pregnancy - Days drink/week - 1st three months				
zhb17yc2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B7.3.1 - 1st pregnancy - Days drink/week - Middle 3 months				
zhb17ya2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B7.3.2 - 2nd pregnancy - Days drink/week - Middle 3 months				
zhb17yb2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

The FREQ Procedure

16/17 - SC - SCCASI B7.3.3 - 3rd pregnancy - Days drink/week - Middle 3 months				
zhb17yc2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B7.4.1 - 1st pregnancy - Days drink/week - Last 3 months				
zhb17ya2c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B7.4.2 - 2nd pregnancy - Days drink/week - Last 3 months				
zhb17yb2c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B7.4.3 - 3rd pregnancy - Days drink/week - Last 3 months				
zhb17yc2c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B7.5.1 - 1st pregnancy - Did you smoke cigarettes				
zhb18ya1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.472262	0.14	4.472262	0.14
-9	3084.528	99.86	3089	100.00

16/17 - SC - SCCASI B7.5.2 - 2nd pregnancy - Did you smoke cigarettes				
zhb18yb1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B7.5.3 - 3rd pregnancy - Did you smoke cigarettes				
zhb18yc1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

The FREQ Procedure

16/17 - SC - SCCASI B7.6.1 - 1st pregnancy - Av. cigarettes/day 1st trimester				
zhb18ya2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.5	0.11	3.5	0.11
-9	3085.5	99.89	3089	100.00

16/17 - SC - SCCASI B7.6.2 - 2nd pregnancy - Av. cigarettes/day 1st trimester				
zhb18yb2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B7.6.3 - 3rd pregnancy - Av. cigarettes/day 1st trimester				
zhb18yc2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B7.7.1 - 1st pregnancy - Av. cigarettes/day 2nd trimester				
zhb18ya2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.5	0.11	3.5	0.11
-9	3085.5	99.89	3089	100.00

16/17 - SC - SCCASI B7.7.2 - 2nd pregnancy - Av. cigarettes/day 2nd trimester				
zhb18yb2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B7.7.3 - 3rd pregnancy - Av. cigarettes/day 2nd trimester				
zhb18yc2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B7.8.1 - 1st pregnancy - Av. cigarettes/day 3rd trimester				
zhb18ya2c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.5	0.11	3.5	0.11
-9	3085.5	99.89	3089	100.00

The FREQ Procedure

16/17 - SC - SCCASI B7.8.2 - 2nd pregnancy - Av. cigarettes/day 3rd trimester				
zhb18yb2c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B7.8.3 - 3rd pregnancy - Av. cigarettes/day 3rd trimester				
zhb18yc2c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B8.1.1 - 1st pregnancy - Weight gain				
zhb34ya	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.472262	0.14	4.472262	0.14
-9	3084.528	99.86	3089	100.00

16/17 - SC - SCCASI B8.1.2 - 2nd pregnancy - Weight gain				
zhb34yb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B8.1.3 - 3rd pregnancy - Weight gain				
zhb34yc	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B8.4.1 - First offspring ever breastfed				
zhb05ya1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.472262	0.14	4.472262	0.14
-9	3084.528	99.86	3089	100.00

16/17 - SC - SCCASI B8.4.2 - Second offspring ever breastfed				
zhb05yb1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

The FREQ Procedure

16/17 - SC - SCCASI B8.4.3 - Third offspring ever breastfed

zhb05yc1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B8.4.1 - Whether first offspring still breastfed

ihb05ya2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.472262	0.14	4.472262	0.14
-9	3084.528	99.86	3089	100.00

16/17 - SC - SCCASI B8.4.2 - Whether second offspring still breastfed

ihb05yb2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B8.4.3 - Whether third offspring still breastfed

ihb05yc2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B8.5.1 - First offspring's age in days - stopped breastfeeding

zhb05ya3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.972262	0.03	0.972262	0.03
-9	3088.028	99.97	3089	100.00

16/17 - SC - SCCASI B8.5.2 - Second offspring's age in days - stopped breastfeeding

zhb05yb3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

16/17 - SC - SCCASI B8.5.3 - Third offspring's age in days - stopped breastfeeding

zhb05yc3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089	100.00	3089	100.00

The FREQ Procedure

16/17 - P2 - P2LK 21 - Days per week exercise				
ihb14b2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	35.14773	1.14	35.14773	1.14
-9	1473.182	47.69	1508.33	48.83
0	257.3544	8.33	1765.684	57.16
1	226.3923	7.33	1992.077	64.49
2	325.1233	10.53	2317.2	75.01
3	273.436	8.85	2590.636	83.87
4	138.5353	4.48	2729.171	88.35
5	206.4571	6.68	2935.628	95.03
6	62.41344	2.02	2998.042	97.06
7	90.95835	2.94	3089	100.00

16/17 - M - P1 CASI E5.2+P2K 21 - Days per week exercise				
ihb14m2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.677222	0.12	3.677222	0.12
-9	250.049	8.09	253.7262	8.21
-3	4.196822	0.14	257.923	8.35
0	654.022	21.17	911.945	29.52
1	522.6873	16.92	1434.632	46.44
2	456.6976	14.78	1891.33	61.23
3	480.8679	15.57	2372.198	76.80
4	248.2789	8.04	2620.477	84.83
5	271.4309	8.79	2891.908	93.62
6	92.4903	2.99	2984.398	96.61
7	104.6019	3.39	3089	100.00

16/17 - F - P1 CASI E5.2+P2K 21 - Days per week exercise				
ihb14f2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	31.4705	1.02	31.4705	1.02
-9	1377.588	44.60	1409.059	45.62
-3	2.54694	0.08	1411.606	45.70
0	273.7152	8.86	1685.321	54.56
1	237.59	7.69	1922.911	62.25
2	330.6126	10.70	2253.524	72.95
3	290.2084	9.39	2543.732	82.35

The FREQ Procedure

16/17 - F - P1 CASI E5.2+P2K 21 - Days per week exercise				
ihb14f2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4	159.2736	5.16	2703.006	87.50
5	223.7947	7.24	2926.8	94.75
6	69.20496	2.24	2996.005	96.99
7	92.99477	3.01	3089	100.00