

## The FREQ Procedure

12/13 - P1 - P1 CASI E5.2 - Days per week exercise				
ghb14a2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	54.92232	1.62	54.92232	1.62
-3	17.39238	0.51	72.31469	2.14
0	697.5432	20.63	769.8578	22.77
1	572.805	16.94	1342.663	39.71
2	605.0694	17.90	1947.732	57.61
3	572.8549	16.94	2520.587	74.55
4	292.4424	8.65	2813.03	83.20
5	332.3419	9.83	3145.371	93.03
6	113.9934	3.37	3259.365	96.40
7	121.6351	3.60	3381	100.00

12/13 - P1 - P1 CASI E9.1 - No. serves of fruit/day				
ghb13a2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	118.537	3.51	118.537	3.51
-3	15.59154	0.46	134.1286	3.97
0	201.4859	5.96	335.6145	9.93
1	1353.008	40.02	1688.623	49.94
2	1146.301	33.90	2834.924	83.85
3	399.7869	11.82	3234.711	95.67
4	79.01601	2.34	3313.727	98.01
5	46.26439	1.37	3359.991	99.38
6	11.02149	0.33	3371.013	99.70
7	4.255054	0.13	3375.268	99.83
8	2.05405	0.06	3377.322	99.89
11	2.432885	0.07	3379.755	99.96
12	0.6388	0.02	3380.394	99.98
15	0.606399	0.02	3381	100.00

## The FREQ Procedure

12/13 - P1 - P1 CASI E9.1 - No. serves of fruit/day (6+)				
ghb13a2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	118.537	3.51	118.537	3.51
-3	15.59154	0.46	134.1286	3.97
Less than 1	201.4859	5.96	335.6145	9.93
1	1353.008	40.02	1688.623	49.94
2	1146.301	33.90	2834.924	83.85
3	399.7869	11.82	3234.711	95.67
4	79.01601	2.34	3313.727	98.01
5	46.26439	1.37	3359.991	99.38
6 or more	21.00868	0.62	3381	100.00

12/13 - P1 - P1 CASI E9.2 - No. serves of vegetables/day				
ghb13a1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	118.537	3.51	118.537	3.51
-3	13.09605	0.39	131.6331	3.89
0	31.78028	0.94	163.4134	4.83
1	687.0372	20.32	850.4505	25.15
2	941.2905	27.84	1791.741	52.99
3	811.181	23.99	2602.922	76.99
4	426.1137	12.60	3029.036	89.59
5	254.8013	7.54	3283.837	97.13
6	66.50304	1.97	3350.34	99.09
7	17.87025	0.53	3368.21	99.62
8	9.078907	0.27	3377.289	99.89
10	3.710777	0.11	3381	100.00

12/13 - P1 - P1 CASI E9.2 - No. serves of vegetables/day (6+)				
ghb13a1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	118.537	3.51	118.537	3.51
-3	13.09605	0.39	131.6331	3.89
Less than 1	31.78028	0.94	163.4134	4.83
1	687.0372	20.32	850.4505	25.15
2	941.2905	27.84	1791.741	52.99
3	811.181	23.99	2602.922	76.99
4	426.1137	12.60	3029.036	89.59

## The FREQ Procedure

12/13 - P1 - P1 CASI E9.2 - No. serves of vegetables/day (6+)				
ghb13a1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5	254.8013	7.54	3283.837	97.13
6 or more	97.16297	2.87	3381	100.00

12/13 - P1 - P1 CASI E10.1/10.2 - Current cigarette smoking-Frequency				
ghb15a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	118.537	3.51	118.537	3.51
-3	13.09605	0.39	131.6331	3.89
Do not smoke at all	2700.214	79.86	2831.847	83.76
Less than once a day	62.75015	1.86	2894.597	85.61
At least once a day	486.4027	14.39	3381	100.00

12/13 - P1 - P1 CASI E10.1 - Current cigarette smoking				
ghb15a5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	118.537	3.51	118.537	3.51
-3	13.09605	0.39	131.6331	3.89
Yes	549.1528	16.24	680.7859	20.14
No	2700.214	79.86	3381	100.00

12/13 - P1 - P1 CASI E10.2 - Smoke once a day				
ghb15a7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	131.6331	3.89	131.6331	3.89
Yes	486.4027	14.39	618.0357	18.28
No	2762.964	81.72	3381	100.00

12/13 - P1 - P1 CASI E10.3 - No. cigarettes smoked per day				
ghb15a8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2894.597	85.61	2894.597	85.61
1 to 5 per day	70.4118	2.08	2965.009	87.70
6 to 10 per day	201.8658	5.97	3166.875	93.67
11 to 20 per day	177.5172	5.25	3344.392	98.92
More than 20 per day	36.60783	1.08	3381	100.00

## The FREQ Procedure

12/13 - P1 - P1 CASI E10.4 - No. residents smoke inside				
ghb15a4b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	466.8974	13.81	466.8974	13.81
-3	21.96667	0.65	488.8641	14.46
0	2609.88	77.19	3098.744	91.65
1	196.0114	5.80	3294.756	97.45
2	75.66878	2.24	3370.424	99.69
3	7.704832	0.23	3378.129	99.92
4	1.309427	0.04	3379.439	99.95
5	1.561375	0.05	3381	100.00

12/13 - P1 - P1 CASI E10.4 - No. residents smoke inside (5+)				
ghb15a4a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	466.8974	13.81	466.8974	13.81
-3	21.96667	0.65	488.8641	14.46
None	2609.88	77.19	3098.744	91.65
1	196.0114	5.80	3294.756	97.45
2	75.66878	2.24	3370.424	99.69
3	7.704832	0.23	3378.129	99.92
4	1.309427	0.04	3379.439	99.95
5 or more	1.561375	0.05	3381	100.00

12/13 - P1 - P1 CASI E10.5 - Frequency of drinking alcohol				
ghb16a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	119.3094	3.53	119.3094	3.53
-3	12.97289	0.38	132.2823	3.91
Never	510.0574	15.09	642.3397	19.00
Not in the last year	161.4167	4.77	803.7564	23.77
Monthly or less	802.0642	23.72	1605.821	47.50
2 to 3 times a month	370.5406	10.96	1976.361	58.45
Once a week	408.3807	12.08	2384.742	70.53
2 to 3 times a week	575.3367	17.02	2960.079	87.55
4 to 6 times a week	336.0776	9.94	3296.156	97.49
Everyday	84.84372	2.51	3381	100.00

## The FREQ Procedure

12/13 - P1 - P1 CASI E10.6 - Av. daily alcohol when drinking				
ghb16a3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	629.3668	18.61	629.3668	18.61
-3	16.67073	0.49	646.0375	19.11
1 or 2	1838.479	54.38	2484.517	73.48
3 or 4	684.6253	20.25	3169.142	93.73
5 or 6	171.618	5.08	3340.76	98.81
7 to 10	28.85886	0.85	3369.619	99.66
11 or more	11.3813	0.34	3381	100.00

12/13 - P1 - P1 CASI E10.7 - Freq binge drinking (v4)-5 or more std drinks				
ghb16a7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	646.0375	19.11	646.0375	19.11
Everyday	22.93893	0.68	668.9765	19.79
4-6 times a week	15.95173	0.47	684.9282	20.26
2-3 times a week	62.71372	1.85	747.6419	22.11
Once a week	183.412	5.42	931.054	27.54
2-3 times a month	155.8516	4.61	1086.906	32.15
Monthly or less	940.7187	27.82	2027.624	59.97
Never	1353.376	40.03	3381	100.00

12/13 - P1 - P1 CASI E10.8 - Freq binge drinking (v4)-7 or more std drinks				
ghb16a8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	646.0375	19.11	646.0375	19.11
Everyday	6.882055	0.20	652.9196	19.31
4-6 times a week	5.142074	0.15	658.0617	19.46
2-3 times a week	19.69839	0.58	677.7601	20.05
Once a week	67.51925	2.00	745.2793	22.04
2-3 times a month	66.63175	1.97	811.9111	24.01
Monthly or less	672.4244	19.89	1484.335	43.90
Never	1896.665	56.10	3381	100.00

## The FREQ Procedure

12/13 - P1 - Freq binge drinking (v3)				
ghb16a5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	633.0646	18.72	633.0646	18.72
-3	12.97289	0.38	646.0375	19.11
Everyday	22.93893	0.68	668.9765	19.79
4-6 times a week	15.95173	0.47	684.9282	20.26
2-3 times a week	60.32696	1.78	745.2552	22.04
Once a week	180.7175	5.35	925.9727	27.39
2-3 times a month	149.4162	4.42	1075.389	31.81
Monthly or less	931.2296	27.54	2006.618	59.35
Never	1374.382	40.65	3381	100.00

12/13 - P1 - Freq binge drinking (v2)				
ghb16a5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2007.446	59.37	2007.446	59.37
-3	12.97289	0.38	2020.419	59.76
Everyday	22.93893	0.68	2043.358	60.44
4-6 times a week	15.95173	0.47	2059.31	60.91
2-3 times a week	60.32696	1.78	2119.637	62.69
Once a week	180.7175	5.35	2300.354	68.04
2-3 times a month	149.4162	4.42	2449.77	72.46
Monthly or less	931.2296	27.54	3381	100.00

## The FREQ Procedure

12/13 - P1 - Average daily alcohol consumption				
gaavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	132.2823	3.91	132.2823	3.91
0	671.474	19.86	803.7564	23.77
0.0534	582.6039	17.23	1386.36	41.00
0.125	162.3379	4.80	1548.698	45.81
0.143	257.7222	7.62	1806.42	53.43
0.196	44.71501	1.32	1851.135	54.75
0.214	249.6186	7.38	2100.754	62.13
0.304	7.267528	0.21	2108.022	62.35
0.321	81.40309	2.41	2189.425	64.76
0.429	5.139874	0.15	2194.564	64.91
0.5	144.7294	4.28	2339.294	69.19
0.571	354.621	10.49	2693.915	79.68
0.786	41.37248	1.22	2735.287	80.90
1.143	214.3216	6.34	2949.609	87.24
1.214	3.64234	0.11	2953.251	87.35
1.286	176.5158	5.22	3129.767	92.57
1.5	39.50393	1.17	3169.271	93.74
1.714	0.433279	0.01	3169.704	93.75
2	37.10459	1.10	3206.809	94.85
2.571	99.46844	2.94	3306.277	97.79
3.143	5.744947	0.17	3312.022	97.96
3.5	33.3705	0.99	3345.393	98.95
4	20.91795	0.62	3366.311	99.57
4.357	1.350421	0.04	3367.661	99.61
5.5	7.324309	0.22	3374.985	99.82
6.286	1.369543	0.04	3376.355	99.86
8.5	3.290833	0.10	3379.646	99.96
12	1.354146	0.04	3381	100.00

## The FREQ Procedure

12/13 - P1 - Alcohol consumption groups				
gaalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	119.3094	3.53	119.3094	3.53
-3	12.97289	0.38	132.2823	3.91
Abstain not in the last year	671.474	19.86	803.7564	23.77
Occasional less than monthly	802.0642	23.72	1605.821	47.50
Light <2 drinks/day men, <1 women	1147.169	33.93	2752.99	81.43
Moderate >=2 to <4 men, >=1 to <2 women	431.3727	12.76	3184.363	94.18
Hazardous >=4 to <6 men, >=2 and <4 women	163.6048	4.84	3347.967	99.02
Harmful >=6 men, >=4 women	33.03264	0.98	3381	100.00

12/13 - P1 - Heavy daily alcohol consumption				
gahvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	132.2823	3.91	132.2823	3.91
Yes	196.6375	5.82	328.9198	9.73
No	3052.08	90.27	3381	100.00

12/13 - P1 - Frequent binge drinking				
gabinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	119.3094	3.53	119.3094	3.53
-3	12.97289	0.38	132.2823	3.91
Yes	424.2995	12.55	556.5818	16.46
No	2824.418	83.54	3381	100.00

12/13 - P1 - Problematic alcohol use				
gaalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	132.2823	3.91	132.2823	3.91
Yes	466.584	13.80	598.8664	17.71
No	2782.134	82.29	3381	100.00

12/13 - P1 CAI D14.1+W2-6 - Had dental problems				
ghb23c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	10.71625	0.32	10.71625	0.32
Yes	2393.22	70.78	2403.937	71.10
No	977.0633	28.90	3381	100.00



## The FREQ Procedure

## 12/13 - P1 CAI D14.1.1+W2-6 - Had cavities or dental decay

ghb23c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	10.71625	0.32	10.71625	0.32
No	1583.246	46.83	1593.962	47.14
Yes	1787.038	52.86	3381	100.00

## 12/13 - P1 CAI D14.1.2+W2-6 - Had accident causing tooth damage

ghb23c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	10.71625	0.32	10.71625	0.32
No	2719.096	80.42	2729.812	80.74
Yes	651.1877	19.26	3381	100.00

## 12/13 - P1 CAI D14.1.3/4+W5-6 - Had braces or other dental problems

ghb23c5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	14.57233	0.43	14.57233	0.43
No	2670.815	78.99	2685.387	79.43
Yes	695.6131	20.57	3381	100.00

## 12/13 - P1 CAI D14.2.1+W2-6 - Had teeth filled due to decay

ghb23c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	10.71625	0.32	10.71625	0.32
No	1784.301	52.77	1795.017	53.09
Yes	1585.983	46.91	3381	100.00

## 12/13 - P1 CAI D14.2.2+W2-6 - Had teeth pulled due to decay

ghb23c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	10.71625	0.32	10.71625	0.32
No	2949.405	87.23	2960.121	87.55
Yes	420.8789	12.45	3381	100.00

## The FREQ Procedure

12/13 - P1 CAI D14.2.3+W5-6 - No treatment as result of cavities/dental decay				
ghb23c7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	31.93771	0.94	31.93771	0.94
No	3196.894	94.55	3228.831	95.50
Yes	152.1687	4.50	3381	100.00

12/13 - P1 CAI D14.1.1 - Last 2 yrs - cavities or dental decay				
ghb23d1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.89899	2.90	97.89899	2.90
No	2724.48	80.58	2822.379	83.48
Yes	558.621	16.52	3381	100.00

12/13 - P1 CAI D14.1.2 - Last 2 yrs - accidental tooth damage				
ghb23d4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.89899	2.90	97.89899	2.90
No	3195.926	94.53	3293.825	97.42
Yes	87.17496	2.58	3381	100.00

12/13 - P1 CAI D14.1.3 - Last 2 yrs - Braces				
ghb23d5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.89899	2.90	97.89899	2.90
No	2863.229	84.69	2961.128	87.58
Yes	419.8715	12.42	3381	100.00

12/13 - P1 CAI D14.1.4 - Last 2 yrs - Other dental problems (e.g. oral surgery)				
ghb23d5b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.89899	2.90	97.89899	2.90
No	3092.48	91.47	3190.379	94.36
Yes	190.6212	5.64	3381	100.00

## The FREQ Procedure

## 12/13 - P1 CAI D14.1.5 - Last 2 yrs - No problems with teeth

ghb23d6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.89899	2.90	97.89899	2.90
No	1171.624	34.65	1269.523	37.55
Yes	2111.477	62.45	3381	100.00

## 12/13 - P1 CAI D14.1.6 - Last 2 yrs - Don't know had any problems with teeth

ghb23d8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.89899	2.90	97.89899	2.90
No	3257.708	96.35	3355.607	99.25
Yes	25.39335	0.75	3381	100.00

## 12/13 - P1 CAI D14.2.1 - Last 2 yrs - teeth filled due to decay

ghb23d2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.89899	2.90	97.89899	2.90
-2	25.39335	0.75	123.2923	3.65
No	2762.711	81.71	2886.003	85.36
Yes	494.9971	14.64	3381	100.00

## 12/13 - P1 CAI D14.2.2 - Last 2 yrs - teeth pulled due to decay

ghb23d3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.89899	2.90	97.89899	2.90
-2	25.39335	0.75	123.2923	3.65
No	3190.728	94.37	3314.02	98.02
Yes	66.97975	1.98	3381	100.00

## 12/13 - P1 CAI D14.2.3 - Last 2 yrs - No treatment for cavity/dental decay

ghb23d7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.89899	2.90	97.89899	2.90
-2	25.39335	0.75	123.2923	3.65
No	3224.802	95.38	3348.094	99.03
Yes	32.90596	0.97	3381	100.00

## The FREQ Procedure

12/13 - P1 CAI D16 - Frequency of sun protection				
ghb20a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	97.89899	2.90	97.89899	2.90
-2	6.069512	0.18	103.9685	3.08
Every day	1620.348	47.93	1724.316	51.00
Most days	1181.203	34.94	2905.519	85.94
Some days	332.2551	9.83	3237.774	95.76
Never or hardly ever	143.2256	4.24	3381	100.00

12/13 - SC- P1 CAI F8.6 - SC's choice to spend free time					
ghb14c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
-9	38.74619	1.15	38.74619	1.15	
-2	9.331236	0.28	48.07743	1.42	
Usually chooses inactive pastimes	1557.822	46.08	1605.899	47.50	
Usually chooses active pastimes	1214.823	35.93	2820.723	83.43	
Just as likely to choose active as inactive pastimes	560.2773	16.57	3381	100.00	

12/13 - SC - CSRB 6.3 - Enjoy being physically active				
ghb14c5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	161.1013	4.76	161.1013	4.76
A lot	1735.931	51.34	1897.032	56.11
Quite a lot	1082.812	32.03	2979.844	88.13
Not very much	363.9864	10.77	3343.831	98.90
Not at all	37.16926	1.10	3381	100.00

12/13 - SC - CSRB 6.4 - Days per week exercise (30 mins)				
ghb14c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	161.1013	4.76	161.1013	4.76
0	130.9102	3.87	292.0114	8.64
1	180.0587	5.33	472.0702	13.96
2	436.0642	12.90	908.1344	26.86
3	531.0372	15.71	1439.172	42.57
4	483.6927	14.31	1922.864	56.87
5	532.2781	15.74	2455.142	72.62

## The FREQ Procedure

12/13 - SC - CSRB 6.4 - Days per week exercise (30 mins)				
ghb14c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6	274.1059	8.11	2729.248	80.72
7	651.7517	19.28	3381	100.00

12/13 - SC - CSRB 6.5 - Days per week exercise (60 mins)				
ghb14c2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	292.0114	8.64	292.0114	8.64
0	207.3465	6.13	499.358	14.77
1	459.4663	13.59	958.8242	28.36
2	670.5394	19.83	1629.364	48.19
3	530.4426	15.69	2159.806	63.88
4	395.5191	11.70	2555.325	75.58
5	380.9634	11.27	2936.289	86.85
6	154.289	4.56	3090.578	91.41
7	290.4222	8.59	3381	100.00

12/13 - SC - ACASB 2.1.1 - SC had fresh fruit				
ghb21c1a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	446.4566	13.20	625.3613	18.50
Once	987.4943	29.21	1612.856	47.70
Twice	997.9048	29.52	2610.76	77.22
More than twice	770.2396	22.78	3381	100.00

12/13 - SC - ACASB 2.1.1 - SC had fresh fruit				
ghb21c1a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	446.4566	13.20	625.3613	18.50
Once	987.4943	29.21	1612.856	47.70
Twice or more	1768.144	52.30	3381	100.00

## The FREQ Procedure

12/13 - SC - ACASB 2.1.2 - SC had fresh juice				
ghb21c2a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	1710.443	50.59	1889.348	55.88
Once	1020.452	30.18	2909.8	86.06
Twice	330.8024	9.78	3240.602	95.85
More than twice	140.3976	4.15	3381	100.00

12/13 - SC - ACASB 2.1.2 - SC had fresh juice				
ghb21c2a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	1710.443	50.59	1889.348	55.88
Once	1020.452	30.18	2909.8	86.06
Twice or more	471.2	13.94	3381	100.00

12/13 - SC - ACASB 2.1.3 - SC had cooked vegetables				
ghb21c1b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	797.3068	23.58	976.2114	28.87
Once	1465.962	43.36	2442.173	72.23
Twice	549.2123	16.24	2991.386	88.48
More than twice	389.6144	11.52	3381	100.00

12/13 - SC - ACASB 2.1.3 - SC had cooked vegetables				
ghb21c1b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	797.3068	23.58	976.2114	28.87
Once	1465.962	43.36	2442.173	72.23
Twice or more	938.8267	27.77	3381	100.00

## The FREQ Procedure

12/13 - SC - ACASB 2.1.4 - SC had raw vegetables				
ghb21c1c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	1343.281	39.73	1522.186	45.02
Once	1211.301	35.83	2733.487	80.85
Twice	441.9988	13.07	3175.486	93.92
More than twice	205.5142	6.08	3381	100.00

12/13 - SC - ACASB 2.1.4 - SC had raw vegetables				
ghb21c1c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	1343.281	39.73	1522.186	45.02
Once	1211.301	35.83	2733.487	80.85
Twice or more	647.513	19.15	3381	100.00

12/13 - SC - ACASB 2.1.5 - SC had pie, hamburger, sausage roll				
ghb21c3a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	2027.708	59.97	2206.613	65.27
Once	899.2077	26.60	3105.821	91.86
Twice	185.2194	5.48	3291.04	97.34
More than twice	89.96001	2.66	3381	100.00

12/13 - SC - ACASB 2.1.5 - SC had pie, hamburger, sausage roll				
ghb21c3a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	2027.708	59.97	2206.613	65.27
Once	899.2077	26.60	3105.821	91.86
Twice or more	275.1794	8.14	3381	100.00

## The FREQ Procedure

12/13 - SC - ACASB 2.1.6 - SC had hot chips or french fries				
ghb21c3b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	2202.555	65.15	2381.46	70.44
Once	804.6162	23.80	3186.076	94.23
Twice	134.8831	3.99	3320.959	98.22
More than twice	60.04079	1.78	3381	100.00

12/13 - SC - ACASB 2.1.6 - SC had hot chips or french fries				
ghb21c3b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	2202.555	65.15	2381.46	70.44
Once	804.6162	23.80	3186.076	94.23
Twice or more	194.9239	5.77	3381	100.00

12/13 - SC - ACASB 2.1.7 - SC had potato chips or savoury snacks				
ghb21c3c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
-3	1.480279	0.04	180.3849	5.34
Not at all	1438.512	42.55	1618.897	47.88
Once	1286.265	38.04	2905.163	85.93
Twice	349.7453	10.34	3254.908	96.27
More than twice	126.092	3.73	3381	100.00

12/13 - SC - ACASB 2.1.7 - SC had potato chips or savoury snacks				
ghb21c3c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
-3	1.480279	0.04	180.3849	5.34
Not at all	1438.512	42.55	1618.897	47.88
Once	1286.265	38.04	2905.163	85.93
Twice or more	475.8373	14.07	3381	100.00



## The FREQ Procedure

12/13 - SC - ACASB 2.1.8 - SC had biscuits, donuts, cake or chocolate				
ghb21c3d1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	1092.802	32.32	1271.707	37.61
Once	1492.053	44.13	2763.759	81.74
Twice	446.1715	13.20	3209.931	94.94
More than twice	171.069	5.06	3381	100.00

12/13 - SC - ACASB 2.1.8 - SC had biscuits, donuts, cake or chocolate				
ghb21c3d2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	1092.802	32.32	1271.707	37.61
Once	1492.053	44.13	2763.759	81.74
Twice or more	617.2405	18.26	3381	100.00

12/13 - SC - ACASB 2.1.9 - SC bread or Toast				
ghb21c8a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	711.826	21.05	890.7307	26.35
Once	1444.883	42.74	2335.613	69.08
Twice	795.9091	23.54	3131.523	92.62
More than twice	249.4774	7.38	3381	100.00

12/13 - SC - ACASB 2.1.9 - SC bread or Toast				
ghb21c8a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	711.826	21.05	890.7307	26.35
Once	1444.883	42.74	2335.613	69.08
Twice or more	1045.387	30.92	3381	100.00

## The FREQ Procedure

12/13 - SC - ACASB 2.1.10 - SC had full cream milk products				
ghb21c3e1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
-3	1.039009	0.03	179.9437	5.32
Not at all	735.1994	21.75	915.1431	27.07
Once	1348.391	39.88	2263.534	66.95
Twice	720.8521	21.32	2984.386	88.27
More than twice	396.6137	11.73	3381	100.00

12/13 - SC - ACASB 2.1.10 - SC had full cream milk products				
ghb21c3e2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
-3	1.039009	0.03	179.9437	5.32
Not at all	735.1994	21.75	915.1431	27.07
Once	1348.391	39.88	2263.534	66.95
Twice or more	1117.466	33.05	3381	100.00

12/13 - SC - ACASB 2.1.11 - SC had skim/low/no fat milk or milk products				
ghb21c4a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
-3	4.438704	0.13	183.3434	5.42
Not at all	1458.397	43.14	1641.74	48.56
Once	1121.134	33.16	2762.874	81.72
Twice	420.5689	12.44	3183.443	94.16
More than twice	197.5571	5.84	3381	100.00

12/13 - SC - ACASB 2.1.11 - SC had skim/low/no fat milk or milk products				
ghb21c4a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
-3	4.438704	0.13	183.3434	5.42
Not at all	1458.397	43.14	1641.74	48.56
Once	1121.134	33.16	2762.874	81.72
Twice or more	618.126	18.28	3381	100.00

## The FREQ Procedure

12/13 - SC - ACASB 2.1.12 - SC had water				
ghb21c5a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	61.20044	1.81	240.1051	7.10
Once	145.1543	4.29	385.2594	11.39
Twice	346.3757	10.24	731.6351	21.64
More than twice	2649.365	78.36	3381	100.00

12/13 - SC - ACASB 2.1.12 - SC had water				
ghb21c5a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	61.20044	1.81	240.1051	7.10
Once	145.1543	4.29	385.2594	11.39
Twice or more	2995.741	88.61	3381	100.00

12/13 - SC - ACASB 2.1.13 - SC had soft drink/cordial				
ghb21c2b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	1858.072	54.96	2036.976	60.25
Once	920.1119	27.21	2957.088	87.46
Twice	305.934	9.05	3263.022	96.51
More than twice	117.9777	3.49	3381	100.00

12/13 - SC - ACASB 2.1.13 - SC had soft drink/cordial				
ghb21c2b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Not at all	1858.072	54.96	2036.976	60.25
Once	920.1119	27.21	2957.088	87.46
Twice or more	423.9117	12.54	3381	100.00

## The FREQ Procedure

12/13 - SC - ACASB 2.1.14 - SC had diet or sugar free soft drink or cordial				
ghb21c6a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
-3	1.039009	0.03	179.9437	5.32
Not at all	2626.763	77.69	2806.707	83.01
Once	416.0534	12.31	3222.76	95.32
Twice	117.7828	3.48	3340.543	98.80
More than twice	40.4572	1.20	3381	100.00

12/13 - SC - ACASB 2.1.14 - SC had diet or sugar free soft drink or cordial				
ghb21c6a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
-3	1.039009	0.03	179.9437	5.32
Not at all	2626.763	77.69	2806.707	83.01
Once	416.0534	12.31	3222.76	95.32
Twice or more	158.24	4.68	3381	100.00

12/13 - SC - ACASB 2.1.15 - SC had energy drinks (e.g. Redbull, Mother or V)				
ghb21c7a1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
-3	1.039009	0.03	179.9437	5.32
Not at all	3068.264	90.75	3248.207	96.07
Once	108.4047	3.21	3356.612	99.28
Twice	19.99104	0.59	3376.603	99.87
More than twice	4.397071	0.13	3381	100.00

12/13 - SC - ACASB 2.1.15 - SC had energy drinks (e.g. Redbull, Mother or V)				
ghb21c7a2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
-3	1.039009	0.03	179.9437	5.32
Not at all	3068.264	90.75	3248.207	96.07
Once	108.4047	3.21	3356.612	99.28
Twice or more	24.38811	0.72	3381	100.00

## The FREQ Procedure

12/13 - SC - ACASB 2.1.16 - SC had coffee				
ghb21c7b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
-3	1.039009	0.03	179.9437	5.32
Not at all	2927.803	86.60	3107.747	91.92
Once	219.7298	6.50	3327.477	98.42
Twice	32.63226	0.97	3360.109	99.38
More than twice	20.89104	0.62	3381	100.00

12/13 - SC - ACASB 2.1.16 - SC had coffee				
ghb21c7b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
-3	1.039009	0.03	179.9437	5.32
Not at all	2927.803	86.60	3107.747	91.92
Once	219.7298	6.50	3327.477	98.42
Twice or more	53.5233	1.58	3381	100.00

12/13 - SC - Frequency ate fruit and vegetables (v2)				
gcfandvb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
0	154.7194	4.58	333.6241	9.87
1	363.6615	10.76	697.2856	20.62
2	500.9323	14.82	1198.218	35.44
3	598.0253	17.69	1796.243	53.13
4	537.7562	15.91	2333.999	69.03
5	425.412	12.58	2759.411	81.62
6	299.0044	8.84	3058.416	90.46
7	140.5065	4.16	3198.922	94.61
8	114.8644	3.40	3313.787	98.01
9	67.21329	1.99	3381	100.00

## The FREQ Procedure

12/13 - SC - Frequency ate high fat food (v2)				
gchfatb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	180.3849	5.34	180.3849	5.34
0	326.1477	9.65	506.5326	14.98
1	763.8859	22.59	1270.418	37.58
2	825.9024	24.43	2096.321	62.00
3	571.5843	16.91	2667.905	78.91
4	287.4368	8.50	2955.342	87.41
5	153.6594	4.54	3109.001	91.96
6	115.8787	3.43	3224.88	95.38
7	64.35734	1.90	3289.237	97.29
8	33.92528	1.00	3323.163	98.29
9	20.83806	0.62	3344.001	98.91
10	20.87192	0.62	3364.873	99.52
11	2.747741	0.08	3367.62	99.60
12	13.37959	0.40	3381	100.00

12/13 - SC - Frequency ate high fat food (inc. whole milk) (v2)				
gchfwmb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	181.424	5.37	181.424	5.37
0	92.71886	2.74	274.1428	8.11
1	347.45	10.28	621.5928	18.38
2	588.788	17.41	1210.381	35.80
3	678.7374	20.08	1889.118	55.87
4	548.2142	16.21	2437.332	72.09
5	373.4267	11.04	2810.759	83.13
6	203.118	6.01	3013.877	89.14
7	139.0198	4.11	3152.897	93.25
8	68.58036	2.03	3221.477	95.28
9	60.84328	1.80	3282.321	97.08
10	40.84178	1.21	3323.162	98.29
11	19.10194	0.56	3342.264	98.85
12	19.11333	0.57	3361.378	99.42
13	9.295117	0.27	3370.673	99.69
14	4.466797	0.13	3375.139	99.83
15	5.860521	0.17	3381	100.00

## The FREQ Procedure

12/13 - SC - Frequency drank high sugar drinks (v2)				
gchsdnkb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
0	1149.566	34.00	1328.471	39.29
1	954.3907	28.23	2282.862	67.52
2	574.8934	17.00	2857.755	84.52
3	299.6894	8.86	3157.445	93.39
4	159.6706	4.72	3317.115	98.11
5	36.07468	1.07	3353.19	99.18
6	27.81014	0.82	3381	100.00

12/13 - SC - Frequency ate fruit and vegetables				
gcfandv	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
0	154.7194	4.58	333.6241	9.87
1	363.6615	10.76	697.2856	20.62
2	547.8286	16.20	1245.114	36.83
3	709.8484	21.00	1954.963	57.82
4	665.6688	19.69	2620.631	77.51
5	440.0254	13.01	3060.657	90.53
6	320.3433	9.47	3381	100.00

12/13 - SC - Frequency ate high fat food (v1)				
gchfat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	180.3849	5.34	180.3849	5.34
0	326.1477	9.65	506.5326	14.98
1	763.8859	22.59	1270.418	37.58
2	864.8504	25.58	2135.269	63.15
3	578.2159	17.10	2713.485	80.26
4	295.1578	8.73	3008.643	88.99
5	175.7558	5.20	3184.398	94.19
6	106.1977	3.14	3290.596	97.33
7	42.51869	1.26	3333.115	98.58
8	47.88525	1.42	3381	100.00

## The FREQ Procedure

12/13 - SC - Frequency ate high fat food (inc. whole milk) (v1)				
gchfwm	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	181.424	5.37	181.424	5.37
0	92.71886	2.74	274.1428	8.11
1	347.45	10.28	621.5928	18.38
2	624.4712	18.47	1246.064	36.85
3	732.8897	21.68	1978.954	58.53
4	589.4889	17.44	2568.443	75.97
5	351.8778	10.41	2920.32	86.37
6	191.8886	5.68	3112.209	92.05
7	130.5674	3.86	3242.776	95.91
8	71.18036	2.11	3313.957	98.02
9	32.8746	0.97	3346.831	98.99
10	34.16861	1.01	3381	100.00

12/13 - SC - Frequency drank high sugar drinks (v1)				
gchsdrrk	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
0	1149.566	34.00	1328.471	39.29
1	954.3907	28.23	2282.862	67.52
2	662.8842	19.61	2945.746	87.13
3	290.3881	8.59	3236.134	95.72
4	144.8659	4.28	3381	100.00

12/13 - SC - ACASB 2.2 - Eat breakfast				
ghb22c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	178.9047	5.29	178.9047	5.29
Yes	2785.167	82.38	2964.071	87.67
No	416.9286	12.33	3381	100.00



## The FREQ Procedure

12/13 - ACASB 3.1 - Body Shape				
ghb25c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	181.187	5.36	181.187	5.36
-3	22.34334	0.66	203.5304	6.02
Picture 1	11.80539	0.35	215.3358	6.37
Picture 2	97.4233	2.88	312.7591	9.25
Picture 3	654.6291	19.36	967.3882	28.61
Picture 4	1442.791	42.67	2410.179	71.29
Picture 5	791.2412	23.40	3201.42	94.69
Picture 6	158.4885	4.69	3359.909	99.38
Picture 7	21.09141	0.62	3381	100.00

12/13 - ACASB 3.2 - Body Shape SC wants				
ghb25c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	181.187	5.36	181.187	5.36
-3	22.11717	0.65	203.3042	6.01
Picture 1	23.13052	0.68	226.4347	6.70
Picture 2	137.0231	4.05	363.4578	10.75
Picture 3	937.6714	27.73	1301.129	38.48
Picture 4	1827.765	54.06	3128.894	92.54
Picture 5	234.0143	6.92	3362.908	99.46
Picture 6	8.832476	0.26	3371.741	99.73
Picture 7	9.259234	0.27	3381	100.00

12/13 - ACASB 14 - How often teeth cleaned per day				
ghb23b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	186.7346	5.52	186.7346	5.52
-3	5.258775	0.16	191.9934	5.68
Not at all	212.3321	6.28	404.3254	11.96
Once	936.6646	27.70	1340.99	39.66
Twice	1907.764	56.43	3248.754	96.09
More than twice	132.2458	3.91	3381	100.00

## The FREQ Procedure

12/13 - ACASB 15.1 - Ever smoked part of a cigarette				
ghb15c9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	188.8023	5.58	188.8023	5.58
-3	8.267821	0.24	197.0701	5.83
No	3105.232	91.84	3302.303	97.67
Yes, just a few puffs	54.08337	1.60	3356.386	99.27
Yes, I have smoked fewer than 10 cigarettes in my life	13.02252	0.39	3369.408	99.66
Yes, I have smoked 10 to 100 cigarettes in my life	11.59155	0.34	3381	100.00

12/13 - ACASB 15.2 - First cigarette - Age				
ghb15c10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3302.303	97.67	3302.303	97.67
-3	1.84542	0.05	3304.148	97.73
0	1.368347	0.04	3305.516	97.77
1	0.618496	0.02	3306.135	97.79
6	0.886219	0.03	3307.021	97.81
8	0.534212	0.02	3307.555	97.83
9	1.60414	0.05	3309.159	97.88
10	11.44014	0.34	3320.6	98.21
11	5.585483	0.17	3326.185	98.38
12	34.61966	1.02	3360.805	99.40
13	20.19533	0.60	3381	100.00

12/13 - ACASB 15.3 - Smoked in last 12 months				
ghb15c11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3302.303	97.67	3302.303	97.67
Yes	42.84503	1.27	3345.148	98.94
No	35.85241	1.06	3381	100.00

12/13 - ACASB 15.4 - Smoked in last 4 weeks				
ghb15c12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3338.155	98.73	3338.155	98.73
Yes	19.49419	0.58	3357.649	99.31
No	23.35084	0.69	3381	100.00

## The FREQ Procedure

12/13 - ACASB 15.5 - No. cigarettes smoked per week				
ghb15c13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3361.506	99.42	3361.506	99.42
0	6.37624	0.19	3367.882	99.61
1	1.531872	0.05	3369.414	99.66
2	7	0.21	3376.414	99.86
4	4.586076	0.14	3381	100.00

12/13 - ACASB 16.1 - Ever had alcoholic drink					
ghb16c11	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
-9	188.8023	5.58	188.8023	5.58	
-3	7.452705	0.22	196.255	5.80	
No	2401.198	71.02	2597.453	76.83	
Yes, just a few sips	719.2009	21.27	3316.654	98.10	
Yes, I have had fewer than 10 alcoholic drinks in my life	51.50307	1.52	3368.157	99.62	
Yes, I have had 10 or more alcoholic drinks in my life	12.84269	0.38	3381	100.00	

12/13 - ACASB 16.2 - First alcoholic drink - Age				
ghb16c12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3316.654	98.10	3316.654	98.10
-3	1.770678	0.05	3318.425	98.15
4	0.687385	0.02	3319.112	98.17
6	0.725108	0.02	3319.837	98.19
9	1.909125	0.06	3321.747	98.25
10	7.849565	0.23	3329.596	98.48
11	6.293918	0.19	3335.89	98.67
12	36.07635	1.07	3371.966	99.73
13	9.033629	0.27	3381	100.00

12/13 - ACASB 16.3 - Alcohol consumption - In last 12 months				
ghb16c13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3316.654	98.10	3316.654	98.10
Yes	48.96526	1.45	3365.62	99.55
No	15.38049	0.45	3381	100.00

## The FREQ Procedure

12/13 - ACASB 16.4 - Alcohol consumption - In last four weeks				
ghb16c9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3332.035	98.55	3332.035	98.55
Yes	24.14793	0.71	3356.183	99.27
No	24.81733	0.73	3381	100.00

12/13 - ACASB 16.5 - Previous week's alcohol consumption				
ghb16c10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3356.852	99.29	3356.852	99.29
0	12.58019	0.37	3369.432	99.66
1	5.199114	0.15	3374.631	99.81
2	1.238675	0.04	3375.87	99.85
3	0.538391	0.02	3376.408	99.86
7	1.091553	0.03	3377.5	99.90
9	3.5	0.10	3381	100.00

12/13 - ACASB 17.1 - Ever had marijuana				
ghb26c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	189.8677	5.62	189.8677	5.62
-3	8.267821	0.24	198.1356	5.86
Yes	85.93515	2.54	284.0707	8.40
No	3096.929	91.60	3381	100.00

12/13 - ACASB 17.2 - First marijuana - Age				
ghb26c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	30.7957	0.91	30.7957	0.91
-9	3295.065	97.46	3325.861	98.37
-3	21.59851	0.64	3347.459	99.01
11	1.84364	0.05	3349.303	99.06
12	14.70296	0.43	3364.006	99.50
13	16.99433	0.50	3381	100.00

## The FREQ Procedure

12/13 - ACASB 17.3 - Marijuana - In last twelve months				
ghb26c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3295.065	97.46	3295.065	97.46
Yes	32.16339	0.95	3327.228	98.41
No	53.77176	1.59	3381	100.00

12/13 - ACASB 17.4 - Marijuana - In last four weeks				
ghb26c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3348.837	99.05	3348.837	99.05
Yes	7.816396	0.23	3356.653	99.28
No	24.34699	0.72	3381	100.00

12/13 - ACASB 17.5 - Ever tried sniffing				
ghb27c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	189.8677	5.62	189.8677	5.62
-3	11.86487	0.35	201.7326	5.97
Yes	20.20248	0.60	221.9351	6.56
No	3159.065	93.44	3381	100.00

12/13 - ACASB 17.6 - First sniffing - Age				
ghb27c2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.325541	0.10	3.325541	0.10
-9	3360.798	99.40	3364.123	99.50
9	1.741261	0.05	3365.864	99.55
10	1.298768	0.04	3367.163	99.59
11	0.851467	0.03	3368.015	99.62
12	11.13345	0.33	3379.148	99.95
13	1.851998	0.05	3381	100.00

12/13 - ACASB 17.7 - Sniffing - In last twelve months				
ghb27c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3360.798	99.40	3360.798	99.40
Yes	12.69066	0.38	3373.488	99.78
No	7.511819	0.22	3381	100.00

## The FREQ Procedure

12/13 - ACASB 17.8 - Sniffing - In last four weeks				
ghb27c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3368.309	99.62	3368.309	99.62
Yes	6.687551	0.20	3374.997	99.82
No	6.003111	0.18	3381	100.00

12/13 - ACASB 17.9 - Ever had other drugs				
ghb28c1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	189.8677	5.62	189.8677	5.62
-3	4.767821	0.14	194.6356	5.76
No	3186.364	94.24	3381	100.00

12/13 - ACASB 17.11 - First other drugs - Age				
ghb28c3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3381	100.00	3381	100.00

12/13 - ACASB 17.12 - Other drugs - In last twelve months				
ghb28c4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3381	100.00	3381	100.00

12/13 - ACASB 17.13 - Other drugs - In last four weeks				
ghb28c5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3381	100.00	3381	100.00

12/13 - PLE - PLE 23.4 - Current cigarette smoking				
ghb15p5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3060.595	90.52	3060.595	90.52
Yes	92.95813	2.75	3153.553	93.27
No	227.4469	6.73	3381	100.00

## The FREQ Procedure

12/13 - PLE - PLE 23.3/4 - Current cigarette smoking -Frequency				
ghb15p1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3060.595	90.52	3060.595	90.52
Do not smoke at all	86.56283	2.56	3147.158	93.08
Less than once a day	233.8422	6.92	3381	100.00

12/13 - PLE - PLE 23.3 - Smoke once a day				
ghb15p7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3288.042	97.25	3288.042	97.25
Yes	86.56283	2.56	3374.605	99.81
No	6.395297	0.19	3381	100.00

12/13 - PLE - PLE 23.4 - No. cigarettes smoked per day				
ghb15p8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3294.437	97.44	3294.437	97.44
1 to 5 per day	9.262021	0.27	3303.699	97.71
6 to 10 per day	31.10912	0.92	3334.808	98.63
11 to 20 per day	35.04732	1.04	3369.856	99.67
More than 20 per day	11.14437	0.33	3381	100.00

12/13 - PLE - PLE 24.1 - Frequency of drinking alcohol				
ghb16p2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3060.595	90.52	3060.595	90.52
Never	23.63644	0.70	3084.231	91.22
Not in the last year	9.903557	0.29	3094.135	91.52
Monthly or less	51.04575	1.51	3145.181	93.03
2 to 3 times a month	36.63765	1.08	3181.818	94.11
Once a week	54.0997	1.60	3235.918	95.71
2 to 3 times a week	80.30167	2.38	3316.22	98.08
4 to 6 times a week	33.22545	0.98	3349.445	99.07
Everyday	31.55477	0.93	3381	100.00

## The FREQ Procedure

12/13 - PLE - PLE 24.2 - Av. daily alcohol when drinking				
ghb16p3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3084.231	91.22	3084.231	91.22
-2	0.692417	0.02	3084.924	91.24
1 or 2	113.5107	3.36	3198.435	94.60
3 or 4	120.2719	3.56	3318.706	98.16
5 or 6	35.34642	1.05	3354.053	99.20
7 to 10	21.79732	0.64	3375.85	99.85
11 or more	5.149844	0.15	3381	100.00

12/13 - PLE - PLE 24.3 - Freq binge drinking (v4)-5 or more std drinks				
ghb16p7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3084.231	91.22	3084.231	91.22
Everyday	4.766988	0.14	3088.998	91.36
4-6 times a week	9.698401	0.29	3098.697	91.65
2-3 times a week	19.72638	0.58	3118.423	92.23
Once a week	33.86341	1.00	3152.287	93.24
2-3 times a month	17.05028	0.50	3169.337	93.74
Monthly or less	122.26	3.62	3291.597	97.36
Never	89.40309	2.64	3381	100.00

12/13 - PLE - PLE 24.4 - Freq binge drinking (v4) -7 or more std drinks				
ghb16p8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3084.231	91.22	3084.231	91.22
Everyday	1.557547	0.05	3085.789	91.27
4-6 times a week	1.660705	0.05	3087.45	91.32
2-3 times a week	12.27159	0.36	3099.721	91.68
Once a week	20.79733	0.62	3120.519	92.30
2-3 times a month	7.728681	0.23	3128.247	92.52
Monthly or less	109.1724	3.23	3237.42	95.75
Never	143.5803	4.25	3381	100.00



## The FREQ Procedure

12/13 - PLE - Freq binge drinking (v3)				
ghb16p5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3094.135	91.52	3094.135	91.52
Everyday	1.557547	0.05	3095.693	91.56
4-6 times a week	1.660705	0.05	3097.353	91.61
2-3 times a week	14.20842	0.42	3111.562	92.03
Once a week	20.19993	0.60	3131.762	92.63
2-3 times a month	7.728681	0.23	3139.49	92.86
Monthly or less	109.4259	3.24	3248.916	96.09
Never	132.0838	3.91	3381	100.00

12/13 - PLE - Freq binge drinking (v2)				
ghb16p5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3226.219	95.42	3226.219	95.42
Everyday	1.557547	0.05	3227.776	95.47
4-6 times a week	1.660705	0.05	3229.437	95.52
2-3 times a week	14.20842	0.42	3243.645	95.94
Once a week	20.19993	0.60	3263.845	96.53
2-3 times a month	7.728681	0.23	3271.574	96.76
Monthly or less	109.4259	3.24	3381	100.00

## The FREQ Procedure

12/13 - PLE - Average daily alcohol consumption				
gpavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3060.595	90.52	3060.595	90.52
0	33.54	0.99	3094.135	91.52
0.0534	23.41163	0.69	3117.547	92.21
0.125	19.47262	0.58	3137.019	92.78
0.143	16.84081	0.50	3153.86	93.28
0.196	2.387597	0.07	3156.248	93.35
0.214	18.56815	0.55	3174.816	93.90
0.304	2.427408	0.07	3177.243	93.97
0.321	14.12923	0.42	3191.372	94.39
0.429	3.346502	0.10	3194.719	94.49
0.5	27.3806	0.81	3222.1	95.30
0.571	24.49506	0.72	3246.595	96.02
0.786	9.841697	0.29	3256.436	96.32
1.143	11.08277	0.33	3267.519	96.64
1.214	3.295835	0.10	3270.815	96.74
1.286	40.46393	1.20	3311.279	97.94
1.5	10.81583	0.32	3322.095	98.26
1.714	0.681026	0.02	3322.776	98.28
2	7.56501	0.22	3330.341	98.50
2.571	10.63434	0.31	3340.975	98.82
3.143	7.777668	0.23	3348.753	99.05
3.5	12.2503	0.36	3361.003	99.41
4	7.448327	0.22	3368.451	99.63
5.5	5.653107	0.17	3374.104	99.80
6.286	4.060011	0.12	3378.164	99.92
8.5	1.713217	0.05	3379.878	99.97
12	1.122315	0.03	3381	100.00

12/13 - PLE - Alcohol consumption groups				
gpalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3060.595	90.52	3060.595	90.52
Abstain not in the last year	33.54	0.99	3094.135	91.52
Occasional less than monthly	51.04575	1.51	3145.181	93.03
Light <2 drinks/day men, <1 women	171.8354	5.08	3317.016	98.11

## The FREQ Procedure

12/13 - PLE - Alcohol consumption groups				
gpalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Moderate >=2 to <4 men, >=1 to <2 women	43.98692	1.30	3361.003	99.41
Hazardous >=4 to <6 men, >=2 and <4 women	11.1646	0.33	3372.168	99.74
Harmful >=6 men, >=4 women	8.83238	0.26	3381	100.00

12/13 - PLE - Heavy daily alcohol consumption				
gphvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3060.595	90.52	3060.595	90.52
Yes	19.99698	0.59	3080.592	91.11
No	300.408	8.89	3381	100.00

12/13 - PLE - Frequent binge drinking				
gpbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3060.595	90.52	3060.595	90.52
Yes	45.35528	1.34	3105.95	91.86
No	275.0497	8.14	3381	100.00

12/13 - PLE - Problematic alcohol use				
gpalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3060.595	90.52	3060.595	90.52
Yes	46.20805	1.37	3106.803	91.89
No	274.1969	8.11	3381	100.00

12/13 - P2 - P2LB14 - No. serves of fruit/day				
ghb13b2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	23.39206	0.69	23.39206	0.69
-9	1544.898	45.69	1568.29	46.39
0	169.5691	5.02	1737.859	51.40
1	872.1791	25.80	2610.038	77.20
2	505.5588	14.95	3115.597	92.15
3	179.5484	5.31	3295.146	97.46
4	52.65014	1.56	3347.796	99.02
5	26.32698	0.78	3374.123	99.80
6	3.89497	0.12	3378.018	99.91

## The FREQ Procedure

12/13 - P2 - P2LB14 - No. serves of fruit/day				
ghb13b2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
7	2.003163	0.06	3380.021	99.97
8	0.979212	0.03	3381	100.00

12/13 - P2 - P2LB14 - No. serves of fruit/day (6+)				
ghb13b2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	23.39206	0.69	23.39206	0.69
-9	1544.898	45.69	1568.29	46.39
Less than 1	169.5691	5.02	1737.859	51.40
1	872.1791	25.80	2610.038	77.20
2	505.5588	14.95	3115.597	92.15
3	179.5484	5.31	3295.146	97.46
4	52.65014	1.56	3347.796	99.02
5	26.32698	0.78	3374.123	99.80
6 or more	6.877346	0.20	3381	100.00

12/13 - P2 - P2LB15 - No. serves of vegetables/day				
ghb13b1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.00683	0.38	13.00683	0.38
-9	1544.898	45.69	1557.905	46.08
0	19.37703	0.57	1577.282	46.65
1	708.5944	20.96	2285.876	67.61
2	623.3495	18.44	2909.226	86.05
3	299.2812	8.85	3208.507	94.90
4	93.66995	2.77	3302.177	97.67
5	52.8729	1.56	3355.05	99.23
6	16.24585	0.48	3371.296	99.71
7	5.164484	0.15	3376.46	99.87
8	2.961529	0.09	3379.422	99.95
9	1.578282	0.05	3381	100.00

## The FREQ Procedure

12/13 - P2 - P2LB15 - No. serves of vegetables/day (6+)				
ghb13b1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.00683	0.38	13.00683	0.38
-9	1544.898	45.69	1557.905	46.08
Less than 1	19.37703	0.57	1577.282	46.65
1	708.5944	20.96	2285.876	67.61
2	623.3495	18.44	2909.226	86.05
3	299.2812	8.85	3208.507	94.90
4	93.66995	2.77	3302.177	97.67
5	52.8729	1.56	3355.05	99.23
6 or more	25.95015	0.77	3381	100.00

12/13 - P2 - P2LB16 - Days per week exercise				
ghb14b2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	26.61165	0.79	26.61165	0.79
-9	1544.898	45.69	1571.51	46.48
0	294.1531	8.70	1865.663	55.18
1	299.3218	8.85	2164.985	64.03
2	314.1436	9.29	2479.128	73.33
3	317.8297	9.40	2796.958	82.73
4	169.2239	5.01	2966.182	87.73
5	240.7421	7.12	3206.924	94.85
6	83.46313	2.47	3290.387	97.32
7	90.61296	2.68	3381	100.00

12/13 - P2 - P2LB 18 - Current cigarette smoking				
ghb15b5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	8.279546	0.24	8.279546	0.24
-9	1544.898	45.69	1553.178	45.94
Yes	242.5191	7.17	1795.697	53.11
No	1585.303	46.89	3381	100.00

## The FREQ Procedure

12/13 - P2 - P2LB 18/19 - Current cigarette smoking-Frequency				
ghb15b1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	23.32364	0.69	23.32364	0.69
-9	1544.898	45.69	1568.222	46.38
Do not smoke at all	1585.303	46.89	3153.525	93.27
Less than once a day	9.929766	0.29	3163.455	93.57
At least once a day	217.5452	6.43	3381	100.00

12/13 - P2 - P2LB 19 - Smoke once a day				
ghb15b7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	23.32364	0.69	23.32364	0.69
-9	1544.898	45.69	1568.222	46.38
Yes	217.5452	6.43	1785.767	52.82
No	1595.233	47.18	3381	100.00

12/13 - P2 - P2LB 19/20 - No. cigarettes smoked per day				
ghb15b8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21.23937	0.63	21.23937	0.63
-9	3140.131	92.88	3161.371	93.50
1 to 5 per day	51.39266	1.52	3212.763	95.02
6 to 10 per day	62.94904	1.86	3275.712	96.89
11 to 20 per day	85.98552	2.54	3361.698	99.43
More than 20 per day	19.30226	0.57	3381	100.00

12/13 - P2 - P2LB 21 - Frequency of drinking alcohol				
ghb16b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	15.88811	0.47	15.88811	0.47
-9	1544.898	45.69	1560.786	46.16
Never	163.6106	4.84	1724.397	51.00
Not in the last year	46.63454	1.38	1771.031	52.38
Monthly or less	279.4401	8.27	2050.471	60.65
2 to 3 times a month	197.9369	5.85	2248.408	66.50
Once a week	234.287	6.93	2482.695	73.43
2 to 3 times a week	500.9765	14.82	2983.672	88.25

## The FREQ Procedure

12/13 - P2 - P2LB 21 - Frequency of drinking alcohol				
ghb16b2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4 to 6 times a week	301.9817	8.93	3285.653	97.18
Everyday	95.34661	2.82	3381	100.00

12/13 - P2 - P2LB 22 - Av. daily alcohol when drinking				
ghb16b3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	43.38895	1.28	43.38895	1.28
-9	1708.509	50.53	1751.898	51.82
1 or 2	886.2453	26.21	2638.143	78.03
3 or 4	511.8284	15.14	3149.971	93.17
5 or 6	174.9171	5.17	3324.888	98.34
7 to 10	49.87388	1.48	3374.762	99.82
11 or more	6.237742	0.18	3381	100.00

12/13 - P2 - P2LB 23 - Freq binge drinking (v4)-5 or more std drinks				
ghb16b7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	39.98882	1.18	39.98882	1.18
-9	1708.509	50.53	1748.497	51.72
Everyday	8.924604	0.26	1757.422	51.98
4-6 times a week	34.5561	1.02	1791.978	53.00
2-3 times a week	127.1333	3.76	1919.111	56.76
Once a week	174.441	5.16	2093.552	61.92
2-3 times a month	152.857	4.52	2246.409	66.44
Monthly or less	671.069	19.85	2917.478	86.29
Never	463.5216	13.71	3381	100.00

12/13 - P2 - P2LB 24 - Freq binge drinking (v4)-7 or more std drinks				
ghb16b8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	82.58903	2.44	82.58903	2.44
-9	1708.509	50.53	1791.098	52.98
Everyday	1.257372	0.04	1792.355	53.01
4-6 times a week	6.578552	0.19	1798.934	53.21
2-3 times a week	41.59109	1.23	1840.525	54.44
Once a week	104.0455	3.08	1944.57	57.51

## The FREQ Procedure

12/13 - P2 - P2LB 24 - Freq binge drinking (v4)-7 or more std drinks				
ghb16b8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2-3 times a month	79.94084	2.36	2024.511	59.88
Monthly or less	572.8019	16.94	2597.313	76.82
Never	783.6872	23.18	3381	100.00

12/13 - P2 -Freq binge drinking (v3)				
ghb16b5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	250.2087	7.40	250.2087	7.40
-9	1544.898	45.69	1795.107	53.09
Everyday	1.257372	0.04	1796.364	53.13
4-6 times a week	7.290539	0.22	1803.655	53.35
2-3 times a week	42.67001	1.26	1846.325	54.61
Once a week	104.5776	3.09	1950.902	57.70
2-3 times a month	79.05154	2.34	2029.954	60.04
Monthly or less	584.7822	17.30	2614.736	77.34
Never	766.264	22.66	3381	100.00

12/13 - P2 - Freq binge drinking (v2)				
ghb16b5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	681.9191	20.17	681.9191	20.17
-9	1879.452	55.59	2561.371	75.76
Everyday	1.257372	0.04	2562.628	75.79
4-6 times a week	7.290539	0.22	2569.919	76.01
2-3 times a week	42.67001	1.26	2612.589	77.27
Once a week	104.5776	3.09	2717.166	80.37
2-3 times a month	79.05154	2.34	2796.218	82.70
Monthly or less	584.7822	17.30	3381	100.00



## The FREQ Procedure

12/13 - P2 - Average daily alcohol consumption				
gbavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	39.51217	1.17	39.51217	1.17
-9	1544.898	45.69	1584.41	46.86
0	210.2451	6.22	1794.655	53.08
0.0534	192.327	5.69	1986.982	58.77
0.125	47.41815	1.40	2034.4	60.17
0.143	108.4267	3.21	2142.827	63.38
0.196	17.0728	0.50	2159.9	63.88
0.224	141.7904	4.19	2301.69	68.08
0.304	6.971065	0.21	2308.661	68.28
0.3221	60.0637	1.78	2368.725	70.06
0.429	2.768799	0.08	2371.494	70.14
0.5	79.10721	2.34	2450.601	72.48
0.571	241.0562	7.13	2691.657	79.61
0.786	31.28284	0.93	2722.94	80.54
1.143	129.4779	3.83	2852.418	84.37
1.224	3.398244	0.10	2855.816	84.47
1.286	177.1056	5.24	3032.922	89.70
1.5	35.06141	1.04	3067.983	90.74
1.714	0.692417	0.02	3068.676	90.76
2	65.38331	1.93	3134.059	92.70
2.571	125.1729	3.70	3259.232	96.40
3.143	15.41644	0.46	3274.648	96.85
3.5	35.6876	1.06	3310.336	97.91
4	33.77093	1.00	3344.107	98.91
4.357	1.373753	0.04	3345.481	98.95
5.5	19.0133	0.56	3364.494	99.51
6.286	10.97429	0.32	3375.468	99.84
8.5	4.128927	0.12	3379.597	99.96
8.714	1.402774	0.04	3381	100.00

## The FREQ Procedure

12/13 - P2 - Alcohol consumption groups				
gbalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	26.62988	0.79	26.62988	0.79
-9	1544.898	45.69	1571.528	46.48
Abstain not in the last year	210.2451	6.22	1781.773	52.70
Occasional less than monthly	279.4401	8.27	2061.213	60.96
Light <2 drinks/day men, <1 women	1000.755	29.60	3061.968	90.56
Moderate >=2 to <4 men, >=1 to <2 women	243.0096	7.19	3304.978	97.75
Hazardous >=4 to <6 men, >=2 and <4 women	59.5163	1.76	3364.494	99.51
Harmful >=6 men, >=4 women	16.50599	0.49	3381	100.00

12/13 - P2 - Heavy daily alcohol consumption				
gbhvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	44.29968	1.31	44.29968	1.31
-9	1544.898	45.69	1589.198	47.00
Yes	76.02229	2.25	1665.22	49.25
No	1715.78	50.75	3381	100.00

12/13 - P2 - Frequent binge drinking				
gbbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	35.37454	1.05	35.37454	1.05
-9	1544.898	45.69	1580.273	46.74
Yes	234.847	6.95	1815.12	53.69
No	1565.88	46.31	3381	100.00

12/13 - P2 - Problematic alcohol use				
gbalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	43.72009	1.29	43.72009	1.29
-9	1544.898	45.69	1588.618	46.99
Yes	248.2005	7.34	1836.819	54.33
No	1544.181	45.67	3381	100.00

## The FREQ Procedure

12/13 - M - P1 CASI E5.2+P2B 16 - Days per week exercise				
ghb14m2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.672095	0.02	0.672095	0.02
-9	182.9257	5.41	183.5978	5.43
-3	15.87917	0.47	199.4769	5.90
0	659.6979	19.51	859.1748	25.41
1	557.4146	16.49	1416.589	41.90
2	570.787	16.88	1987.376	58.78
3	562.2934	16.63	2549.67	75.41
4	282.1334	8.34	2831.803	83.76
5	321.2565	9.50	3153.06	93.26
6	108.4961	3.21	3261.556	96.47
7	119.4442	3.53	3381	100.00

12/13 - M - P1 CASI E9.1+P2B 13 - No. serves of fruit/day				
ghb13m2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	182.9257	5.41	182.9257	5.41
-3	14.07833	0.42	197.004	5.83
0	186.5107	5.52	383.5147	11.34
1	1330.464	39.35	1713.978	50.69
2	1129.998	33.42	2843.977	84.12
3	393.0456	11.63	3237.022	95.74
4	77.70905	2.30	3314.731	98.04
5	46.21172	1.37	3360.943	99.41
6	9.78282	0.29	3370.726	99.70
7	5.148508	0.15	3375.874	99.85
8	2.05405	0.06	3377.928	99.91
11	2.432885	0.07	3380.361	99.98
12	0.6388	0.02	3381	100.00

## The FREQ Procedure

12/13 - M - P1 CASI E9.1+P2B 13 - No. serves of fruit/day (6+)				
ghb13m2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	182.9257	5.41	182.9257	5.41
-3	14.07833	0.42	197.004	5.83
Less than 1	186.5107	5.52	383.5147	11.34
1	1330.464	39.35	1713.978	50.69
2	1129.998	33.42	2843.977	84.12
3	393.0456	11.63	3237.022	95.74
4	77.70905	2.30	3314.731	98.04
5	46.21172	1.37	3360.943	99.41
6 or more	20.05706	0.59	3381	100.00

12/13 - M - P1 CASI E9.2+P2B 14 - No. serves of vegetables/day				
ghb13m1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	182.9257	5.41	182.9257	5.41
-3	11.58285	0.34	194.5085	5.75
0	31.78028	0.94	226.2888	6.69
1	641.6166	18.98	867.9054	25.67
2	930.784	27.53	1798.689	53.20
3	808.9243	23.93	2607.614	77.13
4	421.1619	12.46	3028.776	89.58
5	254.2432	7.52	3283.019	97.10
6	67.89928	2.01	3350.918	99.11
7	17.87025	0.53	3368.788	99.64
8	8.447961	0.25	3377.236	99.89
9	0.65939	0.02	3377.896	99.91
10	3.104379	0.09	3381	100.00

12/13 - M - P1 CASI E9.2+P2B 14 - No. serves of vegetables/day (6+)				
ghb13m1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	182.9257	5.41	182.9257	5.41
-3	11.58285	0.34	194.5085	5.75
Less than 1	31.78028	0.94	226.2888	6.69
1	641.6166	18.98	867.9054	25.67
2	930.784	27.53	1798.689	53.20

## The FREQ Procedure

12/13 - M - P1 CASI E9.2+P2B 14 - No. serves of vegetables/day (6+)				
ghb13m1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3	808.9243	23.93	2607.614	77.13
4	421.1619	12.46	3028.776	89.58
5	254.2432	7.52	3283.019	97.10
6 or more	97.98126	2.90	3381	100.00

12/13 - M - P1 CASI E10.1+P2B 18 - Current cigarette smoking				
ghb15m5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	182.9257	5.41	182.9257	5.41
-3	11.58285	0.34	194.5085	5.75
Yes	534.3365	15.80	728.845	21.56
No	2652.155	78.44	3381	100.00

12/13 - M - P1 CASI E10.1/E10.2+P2B 18/19 - Current cigarette smoking -Frequency				
ghb15m1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.827099	0.02	0.827099	0.02
-9	182.9257	5.41	183.7528	5.43
-3	11.58285	0.34	195.3356	5.78
Do not smoke at all	2652.155	78.44	2847.491	84.22
Less than once a day	56.68548	1.68	2904.176	85.90
At least once a day	476.8239	14.10	3381	100.00

12/13 - M - P1 CASI E10.2+P2B 19 - Smoke once a day				
ghb15m7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.827099	0.02	0.827099	0.02
-9	194.5085	5.75	195.3356	5.78
Yes	476.8239	14.10	672.1595	19.88
No	2708.84	80.12	3381	100.00

## The FREQ Procedure

12/13 - M - P1 CASI E10.3+P2B 20 - No. cigarettes smoked per day				
ghb15m8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.827099	0.02	0.827099	0.02
-9	2903.349	85.87	2904.176	85.90
1 to 5 per day	71.1663	2.10	2975.342	88.00
6 to 10 per day	201.1176	5.95	3176.46	93.95
11 to 20 per day	170.3039	5.04	3346.764	98.99
More than 20 per day	34.23606	1.01	3381	100.00

12/13 - M - P1 CASI E10.5+P2B 21 - Frequency of drinking alcohol				
ghb16m2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.5	0.10	3.5	0.10
-9	183.6981	5.43	187.1981	5.54
-3	11.45969	0.34	198.6578	5.88
Never	507.7004	15.02	706.3582	20.89
Not in the last year	161.3652	4.77	867.7234	25.66
Monthly or less	785.9639	23.25	1653.687	48.91
2 to 3 times a month	366.7161	10.85	2020.403	59.76
Once a week	395.6509	11.70	2416.054	71.46
2 to 3 times a week	556.1506	16.45	2972.205	87.91
4 to 6 times a week	327.7942	9.70	3299.999	97.60
Everyday	81.00096	2.40	3381	100.00

12/13 - M - P1 CASI E10.6+P2B 22 - Av. daily alcohol when drinking				
ghb16m3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.870021	0.14	4.870021	0.14
-9	691.3985	20.45	696.2685	20.59
-3	15.15753	0.45	711.426	21.04
1 or 2	1812.788	53.62	2524.214	74.66
3 or 4	662.4028	19.59	3186.616	94.25
5 or 6	157.1983	4.65	3343.815	98.90
7 to 10	25.80397	0.76	3369.619	99.66
11 or more	11.3813	0.34	3381	100.00

## The FREQ Procedure

12/13 - M - P1 CASI E10.7+P2B 23 - Freq binge drinking (v4)-5 or more std drinks				
ghb16m7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.870021	0.14	4.870021	0.14
-9	706.556	20.90	711.426	21.04
Everyday	21.79018	0.64	733.2162	21.69
4-6 times a week	16.66371	0.49	749.8799	22.18
2-3 times a week	59.64091	1.76	809.5208	23.94
Once a week	175.9093	5.20	985.4301	29.15
2-3 times a month	144.9263	4.29	1130.356	33.43
Monthly or less	902.8433	26.70	2033.2	60.14
Never	1347.8	39.86	3381	100.00

12/13 - M - P1 CASI E10.8+P2B 24 - Freq binge drinking (v4)-7+ std drinks				
ghb16m8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.870021	0.14	4.870021	0.14
-9	706.556	20.90	711.426	21.04
Everyday	5.733302	0.17	717.1594	21.21
4-6 times a week	5.142074	0.15	722.3014	21.36
2-3 times a week	17.93343	0.53	740.2349	21.89
Once a week	62.17891	1.84	802.4138	23.73
2-3 times a month	61.44148	1.82	863.8552	25.55
Monthly or less	636.8799	18.84	1500.735	44.39
Never	1880.265	55.61	3381	100.00

12/13 - M - Freq binge drinking (v3)				
ghb16m5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	14.78712	0.44	14.78712	0.44
-9	685.1792	20.27	699.9664	20.70
-3	11.45969	0.34	711.426	21.04
Everyday	21.79018	0.64	733.2162	21.69
4-6 times a week	16.66371	0.49	749.8799	22.18
2-3 times a week	59.64091	1.76	809.5208	23.94
Once a week	175.9093	5.20	985.4301	29.15
2-3 times a month	144.9263	4.29	1130.356	33.43

## The FREQ Procedure

12/13 - M - Freq binge drinking (v3)				
ghb16m5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Monthly or less	902.8433	26.70	2033.2	60.14
Never	1347.8	39.86	3381	100.00

12/13 - M - Freq binge drinking (v2)				
ghb16m5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	14.78712	0.44	14.78712	0.44
-9	2032.979	60.13	2047.767	60.57
-3	11.45969	0.34	2059.226	60.91
Everyday	21.79018	0.64	2081.016	61.55
4-6 times a week	16.66371	0.49	2097.68	62.04
2-3 times a week	59.64091	1.76	2157.321	63.81
Once a week	175.9093	5.20	2333.23	69.01
2-3 times a month	144.9263	4.29	2478.157	73.30
Monthly or less	902.8433	26.70	3381	100.00



## The FREQ Procedure

12/13 - M - Average daily alcohol consumption				
gmavdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.870021	0.14	4.870021	0.14
-9	195.1578	5.77	200.0278	5.92
0	669.0656	19.79	869.0934	25.71
0.0534	571.3948	16.90	1440.488	42.61
0.125	158.8034	4.70	1599.292	47.30
0.143	258.4198	7.64	1857.711	54.95
0.196	43.19479	1.28	1900.906	56.22
0.214	242.7436	7.18	2143.65	63.40
0.224	5.329609	0.16	2148.979	63.56
0.304	6.608544	0.20	2155.588	63.76
0.321	77.76061	2.30	2233.349	66.06
0.3221	1.177384	0.03	2234.526	66.09
0.429	5.139874	0.15	2239.666	66.24
0.5	134.9652	3.99	2374.631	70.23
0.571	347.0531	10.26	2721.684	80.50
0.786	37.34759	1.10	2759.032	81.60
1.143	208.5875	6.17	2967.619	87.77
1.214	3.64234	0.11	2971.262	87.88
1.286	171.5362	5.07	3142.798	92.95
1.5	39.22281	1.16	3182.021	94.11
1.714	0.433279	0.01	3182.454	94.13
2	32.86172	0.97	3215.316	95.10
2.571	98.34505	2.91	3313.661	98.01
3.143	3.349038	0.10	3317.01	98.11
3.5	30.95761	0.92	3347.967	99.02
4	19.49214	0.58	3367.46	99.60
4.357	1.350421	0.04	3368.81	99.64
5.5	6.175556	0.18	3374.985	99.82
6.286	1.369543	0.04	3376.355	99.86
8.5	3.290833	0.10	3379.646	99.96
12	1.354146	0.04	3381	100.00

## The FREQ Procedure

12/13 - M - Alcohol consumption groups				
gmalcgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.047521	0.12	4.047521	0.12
-9	183.6981	5.43	187.7456	5.55
-3	11.45969	0.34	199.2053	5.89
Abstain not in the last year	669.0656	19.79	868.2709	25.68
Occasional less than monthly	785.9639	23.25	1654.235	48.93
Light <2 drinks/day men, <1 women	1104.797	32.68	2759.032	81.60
Moderate >=2 to <4 men, >=1 to <2 women	423.4221	12.52	3182.454	94.13
Hazardous >=4 to <6 men, >=2 and <4 women	165.5134	4.90	3347.967	99.02
Harmful >=6 men, >=4 women	33.03264	0.98	3381	100.00

12/13 - M - Heavy daily alcohol consumption				
gmhvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.870021	0.14	4.870021	0.14
-9	195.1578	5.77	200.0278	5.92
Yes	198.5461	5.87	398.5738	11.79
No	2982.426	88.21	3381	100.00

12/13 - M - Frequent binge drinking				
gmbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.870021	0.14	4.870021	0.14
-9	183.6981	5.43	188.5681	5.58
-3	11.45969	0.34	200.0278	5.92
Yes	413.8786	12.24	613.9063	18.16
No	2767.094	81.84	3381	100.00

12/13 - M - Problematic alcohol use				
gmalcp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.870021	0.14	4.870021	0.14
-9	195.1578	5.77	200.0278	5.92
Yes	457.0337	13.52	657.0615	19.43
No	2723.938	80.57	3381	100.00

## The FREQ Procedure

12/13 - F - P1 CASI E5.2+P2B 16 - Days per week exercise				
ghb14f2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	25.93955	0.77	25.93955	0.77
-9	1480.509	43.79	1506.449	44.56
-3	1.513201	0.04	1507.962	44.60
0	313.1652	9.26	1821.127	53.86
1	306.7414	9.07	2127.869	62.94
2	332.188	9.83	2460.057	72.76
3	321.28	9.50	2781.337	82.26
4	174.1225	5.15	2955.459	87.41
5	246.564	7.29	3202.023	94.71
6	88.96042	2.63	3290.984	97.34
7	90.01642	2.66	3381	100.00

12/13 - F - P1 CASI E9.1+P2B 13 - No. serves of fruit/day				
ghb13f2b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	23.39206	0.69	23.39206	0.69
-9	1480.509	43.79	1503.901	44.48
-3	1.513201	0.04	1505.415	44.53
0	184.5443	5.46	1689.959	49.98
1	894.7237	26.46	2584.683	76.45
2	521.8618	15.44	3106.544	91.88
3	186.2898	5.51	3292.834	97.39
4	53.9571	1.60	3346.791	98.99
5	26.37965	0.78	3373.171	99.77
6	5.133645	0.15	3378.305	99.92
7	1.10971	0.03	3379.414	99.95
8	0.979212	0.03	3380.394	99.98
15	0.606399	0.02	3381	100.00

## The FREQ Procedure

12/13 - F - P1 CASI E9.1+P2B 13 - No. serves of fruit/day (6+)				
ghb13f2a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	23.39206	0.69	23.39206	0.69
-9	1480.509	43.79	1503.901	44.48
-3	1.513201	0.04	1505.415	44.53
Less than 1	184.5443	5.46	1689.959	49.98
1	894.7237	26.46	2584.683	76.45
2	521.8618	15.44	3106.544	91.88
3	186.2898	5.51	3292.834	97.39
4	53.9571	1.60	3346.791	98.99
5	26.37965	0.78	3373.171	99.77
6 or more	7.828966	0.23	3381	100.00

12/13 - F - P1 CASI E9.2+P2B 14 - No. serves of vegetables/day				
ghb13f1b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.00683	0.38	13.00683	0.38
-9	1480.509	43.79	1493.516	44.17
-3	1.513201	0.04	1495.029	44.22
0	19.37703	0.57	1514.406	44.79
1	754.0149	22.30	2268.421	67.09
2	633.856	18.75	2902.277	85.84
3	301.538	8.92	3203.815	94.76
4	98.62174	2.92	3302.437	97.68
5	53.431	1.58	3355.868	99.26
6	14.84961	0.44	3370.718	99.70
7	5.164484	0.15	3375.882	99.85
8	3.592475	0.11	3379.475	99.95
9	0.918892	0.03	3380.394	99.98
10	0.606399	0.02	3381	100.00

## The FREQ Procedure

12/13 - F - P1 CASI E9.2+P2B 14 - No. serves of vegetables/day (6+)				
ghb13f1a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.00683	0.38	13.00683	0.38
-9	1480.509	43.79	1493.516	44.17
-3	1.513201	0.04	1495.029	44.22
Less than 1	19.37703	0.57	1514.406	44.79
1	754.0149	22.30	2268.421	67.09
2	633.856	18.75	2902.277	85.84
3	301.538	8.92	3203.815	94.76
4	98.62174	2.92	3302.437	97.68
5	53.431	1.58	3355.868	99.26
6 or more	25.13186	0.74	3381	100.00

12/13 - F - P1 CASI E10.1+P2B 18 - Current cigarette smoking				
ghb15f5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	8.279546	0.24	8.279546	0.24
-9	1480.509	43.79	1488.789	44.03
-3	1.513201	0.04	1490.302	44.08
Yes	257.3354	7.61	1747.638	51.69
No	1633.362	48.31	3381	100.00

12/13 - F - P1 CASI E10.1/E10.2+P2B 18/19 - Current cigarette smoking -Frequency				
ghb15f1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	22.49654	0.67	22.49654	0.67
-9	1480.509	43.79	1503.006	44.45
-3	1.513201	0.04	1504.519	44.50
Do not smoke at all	1633.362	48.31	3137.882	92.81
Less than once a day	15.99444	0.47	3153.876	93.28
At least once a day	227.124	6.72	3381	100.00

## The FREQ Procedure

12/13 - F - P1 CASI E10.2+P2B 19 - Smoke once a day				
ghb15f7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	22.49654	0.67	22.49654	0.67
-9	1482.023	43.83	1504.519	44.50
Yes	227.124	6.72	1731.643	51.22
No	1649.357	48.78	3381	100.00

12/13 - F - P1 CASI E10.3+P2B 20 - No. cigarettes smoked per day				
ghb15f8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	20.41227	0.60	20.41227	0.60
-9	3131.38	92.62	3151.792	93.22
1 to 5 per day	50.63816	1.50	3202.43	94.72
6 to 10 per day	63.69726	1.88	3266.127	96.60
11 to 20 per day	93.19877	2.76	3359.326	99.36
More than 20 per day	21.67403	0.64	3381	100.00

12/13 - F - P1 CASI E10.5+P2B 21 - Frequency of drinking alcohol				
ghb16f2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12.38811	0.37	12.38811	0.37
-9	1480.509	43.79	1492.898	44.16
-3	1.513201	0.04	1494.411	44.20
Never	165.9675	4.91	1660.378	49.11
Not in the last year	46.68603	1.38	1707.064	50.49
Monthly or less	295.5404	8.74	2002.605	59.23
2 to 3 times a month	201.7614	5.97	2204.366	65.20
Once a week	247.0169	7.31	2451.383	72.50
2 to 3 times a week	520.1626	15.38	2971.546	87.89
4 to 6 times a week	310.265	9.18	3281.811	97.07
Everyday	99.18936	2.93	3381	100.00

## The FREQ Procedure

12/13 - F - P1 CASI E10.6+P2B 22 - Av. daily alcohol when drinking				
ghb16f3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	38.51893	1.14	38.51893	1.14
-9	1646.477	48.70	1684.996	49.84
-3	1.513201	0.04	1686.509	49.88
1 or 2	911.9367	26.97	2598.446	76.85
3 or 4	534.051	15.80	3132.497	92.65
5 or 6	189.3368	5.60	3321.833	98.25
7 to 10	52.92878	1.57	3374.762	99.82
11 or more	6.237742	0.18	3381	100.00

12/13 - F - P1 CASI E10.7+P2B 23 - Freq binge drinking (v4)-5 or more std drinks				
ghb16f7	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	35.1188	1.04	35.1188	1.04
-9	1647.99	48.74	1683.109	49.78
Everyday	10.07336	0.30	1693.182	50.08
4-6 times a week	33.84411	1.00	1727.026	51.08
2-3 times a week	130.2061	3.85	1857.233	54.93
Once a week	181.9437	5.38	2039.176	60.31
2-3 times a month	163.7822	4.84	2202.958	65.16
Monthly or less	708.9444	20.97	2911.903	86.13
Never	469.0972	13.87	3381	100.00

12/13 - F - P1 CASI E10.8+P2B 24 - Freq binge drinking (v4)-7 or more std drinks				
ghb16f8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	77.71901	2.30	77.71901	2.30
-9	1647.99	48.74	1725.709	51.04
Everyday	2.406125	0.07	1728.115	51.11
4-6 times a week	6.578552	0.19	1734.694	51.31
2-3 times a week	43.35606	1.28	1778.05	52.59
Once a week	109.3858	3.24	1887.436	55.82
2-3 times a month	85.13111	2.52	1972.567	58.34
Monthly or less	608.3464	17.99	2580.913	76.34
Never	800.0869	23.66	3381	100.00

## The FREQ Procedure

12/13 - F - Freq binge drinking (v3)				
ghb16f5a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	235.4216	6.96	235.4216	6.96
-9	1492.783	44.15	1728.205	51.12
-3	1.513201	0.04	1729.718	51.16
Everyday	2.406125	0.07	1732.124	51.23
4-6 times a week	6.578552	0.19	1738.703	51.43
2-3 times a week	43.35606	1.28	1782.059	52.71
Once a week	109.3858	3.24	1891.445	55.94
2-3 times a month	83.54139	2.47	1974.986	58.41
Monthly or less	613.1685	18.14	2588.155	76.55
Never	792.8453	23.45	3381	100.00

12/13 - F - Freq binge drinking (v2)				
ghb16f5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	667.1319	19.73	667.1319	19.73
-9	1853.918	54.83	2521.05	74.57
-3	1.513201	0.04	2522.564	74.61
Everyday	2.406125	0.07	2524.97	74.68
4-6 times a week	6.578552	0.19	2531.548	74.88
2-3 times a week	43.35606	1.28	2574.904	76.16
Once a week	109.3858	3.24	2684.29	79.39
2-3 times a month	83.54139	2.47	2767.831	81.86
Monthly or less	613.1685	18.14	3381	100.00



## The FREQ Procedure

12/13 - F - Average daily alcohol consumption				
gfvadac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	34.64215	1.02	34.64215	1.02
-9	1482.023	43.83	1516.665	44.86
0	212.6535	6.29	1729.318	51.15
0.0534	203.5361	6.02	1932.854	57.17
0.125	50.95267	1.51	1983.807	58.68
0.143	107.729	3.19	2091.536	61.86
0.196	18.59302	0.55	2110.129	62.41
0.214	6.874999	0.20	2117.004	62.61
0.224	136.4608	4.04	2253.465	66.65
0.304	7.630048	0.23	2261.095	66.88
0.321	3.642481	0.11	2264.737	66.98
0.3221	58.88632	1.74	2323.624	68.73
0.429	2.768799	0.08	2326.393	68.81
0.5	88.87138	2.63	2415.264	71.44
0.571	248.624	7.35	2663.888	78.79
0.786	35.30773	1.04	2699.196	79.83
1.143	135.2121	4.00	2834.408	83.83
1.224	3.398244	0.10	2837.806	83.93
1.286	182.0852	5.39	3019.891	89.32
1.5	35.34253	1.05	3055.234	90.36
1.714	0.692417	0.02	3055.926	90.39
2	69.62618	2.06	3125.552	92.44
2.571	126.2963	3.74	3251.849	96.18
3.143	17.81235	0.53	3269.661	96.71
3.5	38.10049	1.13	3307.761	97.83
4	35.19675	1.04	3342.958	98.87
4.357	1.373753	0.04	3344.332	98.92
5.5	20.16205	0.60	3364.494	99.51
6.286	10.97429	0.32	3375.468	99.84
8.5	4.128927	0.12	3379.597	99.96
8.714	1.402774	0.04	3381	100.00

## The FREQ Procedure

12/13 - F - Alcohol consumption groups				
gfacgp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	22.58236	0.67	22.58236	0.67
-9	1480.509	43.79	1503.092	44.46
-3	1.513201	0.04	1504.605	44.50
Abstain not in the last year	212.6535	6.29	1717.259	50.79
Occasional less than monthly	295.5404	8.74	2012.799	59.53
Light <2 drinks/day men, <1 women	1043.127	30.85	3055.926	90.39
Moderate >=2 to <4 men, >=1 to <2 women	250.9601	7.42	3306.886	97.81
Hazardous >=4 to <6 men, >=2 and <4 women	57.60771	1.70	3364.494	99.51
Harmful >=6 men, >=4 women	16.50599	0.49	3381	100.00

12/13 - F - Heavy daily alcohol consumption				
gfhvdac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	39.42965	1.17	39.42965	1.17
-9	1482.023	43.83	1521.452	45.00
Yes	74.1137	2.19	1595.566	47.19
No	1785.434	52.81	3381	100.00

12/13 - F - Frequent binge drinking				
gfbinge	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	30.50451	0.90	30.50451	0.90
-9	1480.509	43.79	1511.014	44.69
-3	1.513201	0.04	1512.527	44.74
Yes	245.2679	7.25	1757.795	51.99
No	1623.205	48.01	3381	100.00

12/13 - F - Problematic alcohol use				
gfacp	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	38.85007	1.15	38.85007	1.15
-9	1482.023	43.83	1520.873	44.98
Yes	257.7509	7.62	1778.624	52.61
No	1602.376	47.39	3381	100.00